

Schweikert, Klaus

Research Report

Zur Lebens- und Berufsbildungssituation junger Spanier in der Bundesrepublik Deutschland

Wissenschaftliche Diskussionspapiere, No. 16

Provided in Cooperation with:

Federal Institute for Vocational Education and Training (BIBB), Bonn

Suggested Citation: Schweikert, Klaus (1994) : Zur Lebens- und Berufsbildungssituation junger Spanier in der Bundesrepublik Deutschland, Wissenschaftliche Diskussionspapiere, No. 16, ISBN 978-3-88555-577-3, Bundesinstitut für Berufsbildung (BIBB), Bonn, <https://nbn-resolving.de/urn:nbn:de:0035-0054-9>

This Version is available at:

<https://hdl.handle.net/10419/235988>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



<http://creativecommons.org/licenses/by-nc-nd/3.0/de/>

Wissenschaftliche Diskussionspapiere

Heft 16

KLAUS Schweikert

ZUR LEBENS- UND
BERUFSBILDUNGSSITUATION JUNGER SPANIER
IN DER BUNDESREPBLIK DEUTSCHLAND

unter Mitarbeit von
Bernhard Dresbach
Gerda Habedank
Martina Jurisch

Herausgeber: Bundesinstitut für Berufsbildung • Der Generalsekretär

Die WISSENSCHAFTLICHEN DISKUSSIONSPAPIERE DES BIBB werden durch den Generalsekretär herausgegeben. Sie erscheinen als Namensbeiträge ihrer Verfasser und geben deren Meinung und nicht unbedingt die des Herausgebers wieder. Sie sind urheberrechtlich geschützt. Ihre Veröffentlichung dient der Diskussion mit der Fachöffentlichkeit.



Der Inhalt dieses Werkes steht unter einer Creative Commons Lizenz (Lizenztyp: Namensnennung – Keine kommerzielle Nutzung – Keine Bearbeitung – 3.0 Deutschland).

Das Werk wird durch das Urheberrecht und/oder einschlägige Gesetze geschützt. Jede Nutzung, die durch diese Lizenz oder Urheberrecht nicht ausdrücklich gestattet ist, ist untersagt.

Weitere Informationen finden Sie im Internet auf unserer Creative Commons-Infoseite <http://www.bibb.de/cc-lizenz>

Vetriebsadresse:
Bundesinstitut für Berufsbildung
10702 Berlin

Copyright 1994 by Bundesinstitut für Berufsbildung, Berlin und Bonn
Herstellung: Bundesinstitut für Berufsbildung, Berlin
Umschlag: Hoch Drei, Adam/Blaumeiser, Berlin
Druck: Bundesinstitut für Berufsbildung, Berlin



Printed in Germany
ISBN 3-88555-577-8

1997/1139

Gedruckt auf chlorfrei gebleichtem Papier

Diese Netzpublikation wurde bei Der Deutschen Bibliothek angemeldet und archiviert.
URN: urn:nbn:de:0035-0054-9

Zur Lebens- und Berufsbildungssituation junger Spanier in der Bundesrepublik Deutschland

Grundlinien der Untersuchung

1979/80 hat das BIBB seine erste repräsentative Befragung zur Berufsbildungssituation ausländischer Jugendlicher **durchgeführt**. Zehn Jahre später hat das BIBB erneut ausländische Jugendliche nach der beruflichen Qualifizierung befragt. Auch die neue Umfrage ist repräsentativ für junge Ausländer in der Bundesrepublik (altes Bundesgebiet). Im Zentrum der Befragung steht die Beteiligung an der beruflichen **Erstausbildung**. Bei der Erarbeitung des Hypothesenkatalogs für die Umfrage konnte die Projektgruppe nicht ahnen, daß eines der Herkunftsländer - Jugoslawien - bei Auswertung der Erhebung in seiner ursprünglichen Form nicht mehr bestehen würde, noch welche gesellschaftspolitische Brisanz Ausländerfragen inzwischen erlangen sollten.

Die Befragung will vor allem die Berufsausbildungsprobleme ausländischer Jugendlicher transparent machen, günstige und ungünstige Faktoren ermitteln und in großen Linien die Veränderungen darstellen, die sich im Zeitraum von zehn Jahren seit der letzten **BIBB-Erhebung** ergeben haben. Diese Strukturen sind nach wie vor korrekt durch die Untersuchung wiedergegeben.

Mit einiger Vorsicht sind dagegen die Angaben zur Befindlichkeit der Ausländer, zur Einstellung gegenüber der deutschen Bevölkerung und zum Umgang der Deutschen mit Ausländern zu werten.

In der Stichprobe waren - entsprechend dem geringen Anteil an der Gesamtzahl der Ausländer (aus den 6 Untersuchungsnationen: 4,2 Prozent¹ insgesamt nur 143 (gewichtet) junge Spanier zwischen 15 und 30 Jahren. Die Auswertung, insbesondere die **Kreuztabellierung**, ist daher naturgemäß sehr eingeschränkt. Die Strukturdaten (Grundauszählung) sind im Anhang abgedruckt.

Analysen erfolgen basierend auf dem Vergleich der spanischen Befragten mit der Gruppe der Befragten anderer Nationalität (zusammengefaßt).

¹ Nach AZR (Ausländerzentralregister, Sonderauswertung, Zahlen zum 31.12. 1987)

Interpretiert werden nur Daten, die Signifikanz mindestens auf dem Niveau von fünf Prozent aufweisen und als Maß der praktischen Bedeutsamkeit mindestens Phi bzw. $v = 0,10$. Geringere Unterschiede werden, wo ausgewiesen, als Tendenzen bezeichnet. Die Geschlechterverteilung ist ausgeglichen:

Tabelle 1: Geschlecht

| | in Prozent |
|----------|------------|
| männlich | 52,4 |
| weiblich | 47,6 |
| Total | 100,0 |

Unterschiede beruhen auf dem Stichprobenfehler. 36 Prozent der Befragten sind zwischen 15 und 18 Jahre alt:

Tabelle 2: Alter

| | in Prozent |
|------------------------|------------|
| 15 bis 18 Jahre | 36,4 |
| 19 bis 21 Jahre | 7,7 |
| 22 bis 25 Jahre | 34,3 |
| 26 bis 30 Jahre | 21,5 |
| Total | 100,0 |

Über die Hälfte der Spanier sind in der Bundesrepublik geboren oder im Kleinkindalter eingereist, wesentlich mehr als bei der **Kontrollgruppe (KG)** aller anderen Nationalitäten zusammen:

Tabelle 3: Einreisealter

| in Prozen. | | |
|-------------------|-------|---------|
| | Rest | Spanier |
| In BRD geboren | 21,9 | 39,4 |
| bis 3 Jahre | 15,3 | 15,7 |
| 4 bis 6 Jahre | 13,1 | 9,5 |
| 7 bis 10 Jahre | 13,9 | 5,3 |
| 11 bis 15 Jahre | 12,6 | 4,4 |
| 16 Jahre und mehr | 23,1 | 25,7 |
| Total | 100,0 | 100,0 |

n = 3.407

Schulbildung

Spanier besuchen in der Bundesrepublik tendenziell weniger oft die Hauptschule, dafür tendenziell häufiger die Realschule.

Tabelle 4: Schulbesuch in Deutschland

| in Prozent | | |
|------------------|------|---------|
| | Rest | Spanier |
| Grundschule | 44,1 | 46,8 |
| Hauptschule | 47,2 | 35,6 |
| Sonderschule | 3,1 | 2,6 |
| Realschule | 18,4 | 25,4 |
| Gymnasium | 15,2 | 20,1 |
| Gesamtschule | 6,9 | 7,3 |
| Sonstige Schule | 4,7 | 3,4 |
| Kein Schulbesuch | 22,7 | 24,0 |

Mehrfachnennungen

n = 3.407

Der häufigere Besuch des Gymnasiums läßt sich nicht mit der erforderlichen **Irrtumswahrscheinlichkeit von max. fünf Prozent** sichern.

Im Durchschnitt gehen die spanischen Jugendlichen in Deutschland fast zehn Jahre auf die Schule (9,8) und damit rund ein Jahr länger als die Jugendlichen aus der Kontrollgruppe (8,7).

Entsprechend ihrem Schulbesuch schließen die spanischen Jugendlichen weniger oft mit dem Hauptschulabschluß und häufiger mit der Mittleren Reife ihre Schullaufbahn ab:

Tabelle 5: Schulabschluß in Deutschland

| | in Prozent | |
|--------------------|------------|---------|
| | Rest | Spanier |
| Hauptschulabschluß | 63 | 47 |
| Mittlere Reife | 23 | 35 |
| Abitur | 14 | 18 |
| Total | 100 | 100 |

n = 1.509

Die Unterschiede beim Abitur beruhen auf dem Stichprobenfehler.

Pläne für die Zeit nach der allgemeinbildenden Schule

34 Prozent der spanischen Schüler wollen einen Beruf erlernen:

Tabelle 6: Pläne nach der Schule (Schüler)

| | in Prozent |
|------------------------------|------------|
| Beruf erlernen | 34 |
| Geld verdienen | 2 |
| Weiterführende Schule | 25 |
| Studium | 20 |
| Sonstige | 2 |
| keine Pläne | 17 |
| Total | 100 |

n = 44

Unterschiede zur Kontrollgruppe bestehen nicht.

Berufswahl

47 Prozent der spanischen Jugendlichen hatten die Berufsberatung aufgesucht - das sind tendenziell mehr als in der Kontrollgruppe² (38 Prozent). Elf Prozent hatten Berufsinformationszentren besucht. (Kein Unterschied zur KG).

In den Gründen der Nichtinanspruchnahme des Angebots der Bundesanstalt sind keine Unterschiede zur Kontrollgruppe festzustellen.

Ausschlaggebend für die Berufswahl war das Interesse am jeweiligen Beruf (63 Prozent). (Kein Unterschied zur KG).

Ausbildungsplatzsuche

Die Suche nach einem Ausbildungsplatz verläuft für spanische Jugendliche günstiger als für andere: Die durchschnittliche Anzahl Bewerbungen liegt niedriger, die Suche dauert weniger lang, das Verhältnis von Bewerbungen und Zusagen ist für die Spanier günstiger:

² $\chi^2 = 3,432$, s : 6,8 Prozent, $\Phi = 0,04$

Tabelle 7: Ausbildungsplatzsuche

| | Anzahl Bewerbungen bei Betrieben | Anzahl Zusagen Durchschnitte | (1): (2) | Dauer der Suche in Monaten |
|---------|-------------------------------------|---------------------------------|----------|-------------------------------|
| | (1) | (2) | (3) | (4) |
| | | Durchschnitte | | |
| Rest | 7,7 | 1,6 | 4,8 | 5,4 |
| Spanier | 5,3 | 12 | 4,4 | 4,2 |

Bei der Einflußnahme von Personen auf die Berufswahl sind keine praktisch bedeutsamen Unterschiede zwischen spanischen Jugendlichen und Jugendlichen aus der KG festzustellen. Lediglich bei der Beteiligung der Geschwister ergab sich eine Besonderheit: Spanische Jugendliche teilten häufiger mit (63 Prozent), Geschwister seien ohne jeden Einfluß bei der Berufswahl gewesen (KG: 48 Prozent).

Tabelle 8: Gesuchte Ausbildungsstelle in Bereich ...

| | in Prozent | | | | | |
|-------------|----------------|----|----|-----------|----|----|
| | Dienstleistung | | | Fertigung | | |
| Rang | 1. | 2. | 3. | 1. | 2. | 3. |
| Rest | 40 | 37 | 29 | 55 | 57 | 65 |
| Spanier | 43 | 43 | 47 | 53 | 57 | 53 |

Bei den Jugendlichen aus der Kontrollgruppe nimmt das Interesse an Fertigungsberufen zu, wenn sie nichts anderes finden können, nicht so bei den spanischen Jugendlichen.

Unterschiede in der Nennung von Personen/Institutionen, die zum Ausbildungsplatz verholfen haben, lassen sich wegen der sehr kleinen Gruppen spanischer Jugendlicher auf den Standards der Analyse nicht sichern:

Tabelle 9: Ausbildungsplatz gefunden durch

| | in Prozent | |
|---------------------|------------|---------|
| | Rest | Spanier |
| Arbeitsamt | 36,2 | 47,1 |
| Eltern | 12,9 | 12,5 |
| Freunde | 14,6 | 4,7 |
| Lehrer | 7,6 | 6,2 |
| Anzeige | 3,4 | - |
| Ausschreibung | 9,7 | 22,1 |
| Praktikum | 8,3 | 9,4 |
| Nachfrage | 20,4 | 24,4 |
| Bewerbungsschreiben | 23,4 | 35,0 |
| Sonstiges | 3,6 | - |

Mehrfachnennungen
n = 718

Vorsichtig können als Tendenzen beschrieben werden: spanische Jugendliche schreiben öfter dem Arbeitsamt³ und den eigenen Bewerbungsschreiben⁴ den Erhalt des Ausbildungsplatzes zu, weniger oft der Hilfe von Freunden⁵.

76 Prozent der spanischen Auszubildenden **erlernen/erlernten** ihren Wunschberuf in einem Betrieb, (KG: 88 Prozent, Unterschied nicht signifikant).⁶

3 s. 18 Prozent

4 s. 14 Prozent

5 s. neun Prozent

6 s. 7,1 Prozent

Berufsstatus der Eltern

Der Berufsstatus der Eltern ist für spanische Jugendliche günstiger: Ungelernte sind unter beiden Elternteilen seltener. Die Väter sind häufiger Facharbeiter oder Meister, die Mütter häufiger Facharbeiterinnen oder Angestellte⁷.

Tabelle 10: Berufsstatus der Eltern (Auszug)

| | in Prozent | | | |
|--------------|------------|---------|--------|---------|
| | Vater | | Mutter | |
| | Rest | Spanier | Rest | Spanier |
| ungelernt | 26 | 9 | 23 | 6 |
| Facharbeiter | 19 | 33 | 5 | 10 |
| Meister | 4 | 10 | - | - |
| angestellt | 4 | 6 | 4 | 17 |

Die Möglichkeit, arbeitslos zu werden, schätzen Spanier nicht anders ein als die Kontrollgruppe: rund die Hälfte hält das für eher unwahrscheinlich oder gar ganz ausgeschlossen.

Indikatoren der Integration

Weder in der Zusammensetzung des Wohnviertels noch in der des Wohnhauses sind deutliche Unterschiede festzustellen: Allerdings wohnen spanische Jugendliche seltener in Wohnhäusern mit rein ausländischer Belegung:⁸

7 Φ : zwischen 0,04 und 0,08 außer für Test **Mutter/Angestellte** $\Phi = 0,13$

8 s : 7,6 Prozent, $\Phi = 0,03$ (schwach)

Tabelle 11: Hausnachbarn

| | in Prozent | |
|----------------------------|-------------|---------|
| | Rest | Spanier |
| nur ausländische Familien | 10,4 | 5,8 |
| mehr ausländische Familien | 21,0 | 18,6 |
| mehr deutsche Familien | 44,4 | 45,4 |
| gleich viele | 18,1 | 22,3 |
| weiß nicht | 6,0 | 7,8 |
| Total | 100,0 | 100,0 |

n = 3.378

Ihre Freizeit verbringen Spanier deutlich öfter mit deutschen Freunden, deutlich weniger oft mit spanischen Freunden.

Tabelle 12: Freizeitpartner

| | in Prozent | |
|--------------------------------|------------|---------|
| | Rest | Spanier |
| Freizeitpartner eigene Nation | 65,6 | 43,9 |
| Freizeitpartner anderer Nation | 16,3 | 23,9 |
| Freizeitpartner Deutsche | 39,8 | 57,8 |
| keine Freizeitpartner | 1,6 | 1,7 |

Mehrfachnennungen

n = 3.407

Spanische Jugendliche wohnen im Durchschnitt in flächenmäßig größeren Wohnungen: durchschnittlich $57,4 \text{ m}^2$ (KG: $51,2 \text{ m}^2$). Unterschiede nach der Zahl der Räume bestehen nicht (rund 3,5 Zimmer stehen im Mittel der Familie zur Verfügung).

Ihr Wohlbefinden in der Bundesrepublik unterscheidet sie nur wenig von der Kontrollgruppe:

Tabelle 13: Wohlfühlen in der Bundesrepublik

| in Prozent | | |
|--------------|-------|---------|
| | Rest | Spanier |
| sehr wohl | 44,0 | 39,7 |
| relativ wohl | 33,4 | 48,5 |
| es geht | 18,7 | 10,9 |
| etwas unwohl | 3,1 | 0,9 |
| sehr unwohl | 0,9 | - |
| Total | 100,0 | 100,0 |

n = 3.385

Die Nennung "relativ wohl" ist häufiger, die Antwort "es geht" seltener bei spanischen Jugendlichen⁹.

Bei den anderen Antwortkategorien sind keine signifikanten Abweichungen festzustellen. 64 Prozent der Spanier haben persönlich wegen ihrer Nationalität noch keine Nachteile erfahren. (Kein Unterschied zur Kontrollgruppe).

Spanier stellen tendenziell aber weniger oft fest, die deutsche Bevölkerung hege Vorurteile gegen Ausländer:

Tabelle 14: Vorurteile gegen Ausländer

| in Prozent | | |
|--------------------------------|-------|---------|
| | Rest | Spanier |
| ja, großer Teil der Deutschen | 25,2 | 20,6 |
| ja, kleiner Teil der Deutschen | 51,5 | 44,0 |
| nein | 23,3 | 35,5 |
| Total | 100,0 | 100,0 |

n = 3.386

Unter den spanischen Befragten finden sich mehr, die bereits mit einem/einer Deutschen verheiratet sind.

⁹ Ergebnisse der KFA: $X^2 = 17,796$, $v = 0,07$, 3 FG

Spanische Befragte können sich häufiger als andere eine Ehe mit einem deutschen Partner vorstellen¹⁰.

Tabelle 15: Heiratsbereitschaft

| | in Prozent | |
|--------------------------------|------------|---------|
| | Rest | Spanier |
| ja, auf jeden Fall | 17,9 | 24,6 |
| ja, eventuell | 38,5 | 48,9 |
| nein | 26,5 | 8,8 |
| mit Deutscher/n verheiratet | 3,7 | 8,3 |
| mit anderer Nation verheiratet | 13,4 | 9,4 |
| Total | 100,0 | 100,0 |

n = 3.359

Die deutsche Staatsbürgerschaft würden Spanier nicht häufiger akzeptieren wollen als Probanden aus der Kontrollgruppe.

Tabelle 16: Annahme der deutschen Staatsbürgerschaft

| | in Prozent | |
|----------------|------------|---------|
| | Rest | Spanier |
| gern | 16,9 | 21,5 |
| nur zusätzlich | 43,5 | 41,9 |
| nein | 39,6 | 36,5 |
| Total | 100,0 | 100,0 |

n = 3.326

Unterschiede in den Prozentsätzen beruhen auf dem Stichprobenfehler. Sind die sprichwörtlich "stolzen Spanier" stolz darauf, Spanier zu sein?

¹⁰ 0 = 0,09

Tabelle 17: Stolz auf die eigene Nationalität

| in Prozent | | |
|----------------|-------|-------------|
| | Rest | Spanier |
| bin stolz | 65,5 | 59,9 |
| gleichgültig | 30,5 | 37,4 |
| nicht so stolz | 4,0 | 2,7 |
| Total | 100,0 | 100,0 |

n = 3.334

Die Mehrheit wohl. Einem erheblichen Teil - 37 Prozent - ist es aber eher gleichgültig. Das sind anteilmäßig mehr als in der **Kontrollgruppe**¹¹.

In den Rückkehrabsichten bestehen insgesamt keine gravierenden Unterschied zur Kontrollgruppe:

Tabelle 18: Rückkehrpläne

| in Prozent | | |
|------------------------|-------|------------|
| | Rest | Spanier |
| will nach Hause zurück | 5,8 | 7,1 |
| einige Jahre bleiben | 20,5 | 16,2 |
| immer bleiben | 27,1 | 36,0 |
| keine Pläne | 34,0 | 27,1 |
| in anderes Land | 2,3 | 3,3 |
| weiß nicht | 10,4 | 10,3 |
| Total | 100,0 | 100,0 |

n = 3.369

Jedoch wollen Spanier häufiger "für immer" in der Bundesrepublik bleiben¹².

11 s 8,6 Prozent, $\Phi = 0,03$ (schwach)

12 $\Phi = 0,04$ (schwach)

A N H A N G



EMNID-INSTITUT

GmbH & Co.

Bodelschwinghstraße 25a

4800 Bielefeld 1

Telefon (0521) 26001-0 · Telex 932833 · Telefax (0521) 26001-55

BEFRAGUNG -NR.:

872492 J

Nachdruck oder Nachahmung von Text und Platzverteilung untersagt, Copyright 1982 by EMNID-Institut!

Dieser Fragebogen bleibt Eigentum des EMNID-Institutes GmbH & Co.!

BILDUNGSSITUATION AUSLÄNDISCHER JUGENDLICHER

Wir führen zur Zeit eine Befragung bei jungen Ausländern und Ausländerinnen durch.

Ziel der Befragung ist es, mehr über das Leben, die Arbeit und die Ausbildung junger Ausländer in der Bundesrepublik zu erfahren. Daraus sollen dann Maßnahmen zur Verbesserung ihrer Situation in Ausbildung und Beruf abgeleitet werden.

Wir möchten Sie deshalb bitten, uns eine Reihe von Fragen zum Thema Ausbildung und Beruf zu beantworten. Ihre Antworten werden selbstverständlich absolut vertraulich behandelt und niemandem zugänglich gemacht.

| FRAGE NR.: | PRAGS UND ANTWORTMÖGLICHKEITEN |
|---------------|---|
| 1 | <p>INT.: Bitte zuerst mit dem Befragten abklären, ob er mit DU oder mit SIE angesprochen werden möchte.</p> <p>Befragter wird angesprochen mit ...</p> <p>1 Du (bitte die Fragen dementsprechend umformulieren) 2 Sie</p> <p>11</p> |
| 2 | <p>Wie alt sind Sie ?</p> <p> _ _ Jahre</p> <p>12-13</p> |
| 3 | <p>Geschlecht:</p> <p>1 männlich 2 weiblich</p> <p>14</p> |
| 4 | <p>Haben Sie Kinder? Wenn ja, wie viele Kinder haben Sie ?</p> <p> _ _ Kinder</p> <p>INT.: für "keine Kinder" bitte '00' eintragen bei "Keine Kinder" WEITER MIT → 5</p> <p>15-16i</p> |
| 4a | <p>Wo leben Ihre Kinder? In der Bundesrepublik oder in ... (Herkunftsland)?</p> <p>1 Bundesrepublik 2 Herkunftsland 3 (teils/teils) 4 (Sonstiges)</p> <p>17</p> |
| 5 | <p>Welcher Familienstand haben Sie? Sind Sie</p> <p>INT.: LISTE 1 vorlegen</p> <p>1 ledig → 6 2 verheiratet → 5a 3 verwitwet 4 geschieden 5 lebe mit Freund/Freundin zusammen</p> <p>13</p> |
| 5a | <p>Welche Staatsangehörigkeit hat/hatte Ihr (Ehe-)Partner?</p> <p>19</p> |
| 5b | <p>Lebt Ihr (Ehe-)Partner in der Bundesrepublik?</p> <p>1 ja 2 nein</p> <p>20</p> |

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

6

Wie viele Personen leben in diesem Haushalt?

 1 Personen

21-22

6a

Wer gehört alles zu Ihrer Familie hier in dieser Wohnung?

INT.: Wohngemeinschaft (mit mehreren oder mit Partner)
bitte unter "Sonstige" notieren!
Mehrfachnennungen!

- 1 Befragte(r)
- 2 Vater
- 3 Mutter
- 4 Geschwister
- E Großeltern
- 5 sonstige Verwandte
- 7 Ehepartner
- 8 eigene Kinder
- 9 Sonstige Personen, und zwar:

.....

23-31

7

Im folgenden möchte ich etwas über Ihre Eltern erfahren. Welche Staatsangehörigkeit hat Ihr Vater?

- 1 Vater lebt nicht mehr → 8
- 2 gleiche Staatsangehörigkeit → 8
- 3 deutsch → 7a
- 4 andere Staatsangehörigkeit, und zwar: → 7a

.....

32

7

Wo lebt Ihr Vater?

- 1 hier in der Bundesrepublik Deutschland
- 2 im Herkunftsland
- 3 in einem anderen Land, und zwar:

.....

33

7b

Wann ist Ihr Vater erstmals in die Bundesrepublik Deutschland gekommen?

Jahr der erster. Einreise: 19 I 1

INT.: für "nie in der Bundesrepublik gewesen"
bitte '99' eintragen;
bei '99' WEITER MIT → 8

34-38

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

7c

Welchen Beruf übt Ihr Vater aus oder ist er nicht-berufstätig?

INT.: LISTE 2 Übergeben, nur eine Nennung

- 1 ungelernter Arbeiter
- 2 angelernter Arbeiter
- 3 Facharbeiter, Geselle, Gehilfe
- 4 Meister
- 5 einfacher, mittlerer Angestellter/Beamter
- 6 leitender Angestellter/Beamter
- 7 Selbständiger
- 8 nicht berufstätig, arbeitslos
- 9 nicht berufstätig, in Rente
- 0 Sonstiges

36

8

Und welche Staatsangehörigkeit hat Ihre Mutter?

- 1 Mutter lebt nicht mehr → 9
- 2 gleiche Staatsangehörigkeit
- 3 deutsch
- 4 andere Staatsangehörigkeit, und zwar: → 8a
.....

37

8a

Und wo lebt Ihre Mutter?

- 1 in der Bundesrepublik Deutschland
- 2 im Herkunftsland
- 3 in einem anderen Land, und zwar:

.....

38

8b

Wann ist Ihre Mutter erstmals in die Bundesrepublik Deutschland gekommen?

Jahr der Einreise: 19

INT.: für "nie in der Bundesrepublik gewesen" bitte '99' eintragen;
bei '99' WEITER MIT → 9

39-40

8c

Welcher. Beruf übt Ihre Mutter aus oder ist sie nicht berufstätig?

INT.: Liste 3, nur eine Nennung

- 1 ungelernete Arbeiterin
- 2 angelernte Arbeiterin
- 3 Facharbeiterin, Gesellin, Gehilfin
- 4 Meisterin
- 5 einfache, mittlere Angestellte/Beamtin
- 6 leitende Angestellte/Beamtin
- 7 Selbständige
- 8 im Betrieb mithelfende Familienangehörige
- 9 nicht berufstätig/Hausfrau
- 10 nicht berufstätig/ arbeitslos
- 11 Sonstiges
- 12 (trifft nicht zu)

41-42

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

INT.: NUR AN BEFRAGTE MIT MINDESTENS EINEM ELTERNTEIL IN
DER BUNDESREPUBLIK:

9 Welche Pläne haben Ihre Eltern für die nächsten Jahre?

INT.: falls nur ein Elternteil in der Bundesrepublik
Deutschland: "Hat Ihr Vater/Ihre Mutter"

- 1 bald ins **Herkunftsland** zurück
- 2 noch einige Jahre in der Bundesrepublik bleiben
- 3 für **immer** in der Bundesrepublik bleiben
- 4 noch keine genauen Pläne
- 5 in ein anderes Land gehen, und zwar:

.....

6 **weiß** nicht

43

WIEDER AN ALLE

10 Welche Staatsangehörigkeit besitzen Sie ?

- 1 Griechisch
- 2 Italienisch
- 3 Jugoslawisch
- 4 **Portugiesisch**
- 5 Spanisch
- 6 Türkisch
- 7 **Sonstige**, und **zwar**:

44

11 Sind Sie in der Bundesrepublik geboren?

- 1 **ja** 12
- 2 **nein** 11a

45

11a Wie alt waren Sie, als Sie das erste Mal in die
Bundesrepublik gezogen sind?

Jahre

46-47

11b Wie heißt Ihr Geburtsort und zu welcher
Provinz gehört er?

.....

48-53

11c Wie würden Sie Ihren Geburtsort beschreiben? Ist
das ein Dorf, ist es eine Stadt oder ist das eine
Großstadt?

- 1 Dorf
- 2 Stadt
- 3 Großstadt

54

| FRAGE NR.: | FRAGE UND ANTWORTMÖGLICHKEITEN |
|---------------|---|
| 11d | <p>Sind Sie aus Ihrem Geburtsort oder aus einem anderen Ort ausgewandert?</p> <p>1 Geburtsort 2 anderer Ort</p> <p>55</p> |
| 12 | <p>Sind Sie in (Herkunftsland) zur Schule gegangen? Wie lange?</p> <p>1 <u> </u> Jahre</p> <p>INT.: für "gar nicht" bitte "00" Jahre eintragen! bei "gar nicht" WEITER MIT → 13</p> <p>56-57</p> |
| 12a | <p>Welche Schulart haben Sie in (Herkunftsland) besucht und welchen Abschluß haben Sie dort erreicht?</p> <p>INT: LISTE 4 vorlegen;</p> <p style="text-align: center;"><u>besucht</u> <u>abgeschlossen</u></p> <p>1 2 3 4 6 7 8 9 Sonstige 0 keine</p> <p>58-59</p> |
| 13 | <p>Haben Sie in ... (Herkunftsland) eine Berufsausbildung gemacht?</p> <p>1 ja → 13a 2 nein → 14</p> <p>90</p> |
| 13a | <p>Was für eine Berufsausbildung war das?</p> <p>61-6S</p> |

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

1 4

Jetzt **komme** ich **ZUM** Schulbesuch in der Bundes-
republik. Welche der folgenden **allgemeinbildenden** Schulen
haber. Sie in der Bundesrepublik besucht?
(Mehrfachnennungen möglich)

LISTE 5

- 1 Grundschule
- 2 Hauptschule
- 3 Sonderschule
- 4 Realschule
- 5 Gymnasium
- 6 Gesamtschule
- 7 Sonstige, und zwar
- 8 keine

14a

15

66-73

14a

Welchen **Schulabschluss** haben Sie hier erreicht?

INT. : Gefragt wird nach dem **höchsten** erreichten
Schulabschluss!

- 1 Hauptschulabschluss
- 2 Sonderschulabschluss
- 3 **Realschulabschluss**
- 4 Abitur
- 5 Sonstiges, und zwar:

.....

- 6 Schule ohne Abschluß verlassen
- 7 gehe noch auf eine der genannten Schulen

14b

14c

74

14b

In welchem Jahr haben Sie die **allgemeinbildende** Schule
beendet?

19

75-76

1 4c

Und wie lange sind Sie **insgesamt** in der Bundesrepublik
(bislang) auf diesen allgemeinbildenden Schulen gewesen?

Jahre

77-78

14d

Sind Sie auf der Schule **überwiegend** in eine reine Aus-
länderklasse gegangen oder war das eine gemischte
Schulklasse?

- 1 reine Ausländerklasse
- 2 gemischte Schulklasse
- 3 trifft nicht zu

79

FRAGE
NR.:

FRAGE UND ANTWORT/MÖGLICHKEITEN

14e

Gab «s **während** Ihrer Schulzeit hier in der Bundesrepublik eine (oder mehrere) längere Unterbrechungen? Mit "**länger**" meine ich, daß Sie durchgehend wenigstens ein halbes Jahr abwesend waren (z.B. weil Sie nach (Herkunftsland) zurückgegangen sind)?

INT.: Es sind keine Ferienzeiten gemeint, sondern Abwesenheit vom regulären Schulbetrieb

- 1 ja → 14f
2 nein → 14g

Karte 2 : 11

14f

Aus welchen Gründen haben Sie die Schulzeit in der Bundesrepublik unterbrochen?

12-17

14g

Besuchen Sie zur Zeit noch eine Schule, sind Sie in **Berufsausbildung**, sind Sie **erwerbstätig** oder sind Sie im Moment nicht berufstätig?

- 1 in Schulausbildung → 14h
2 in Berufsausbildung → 15
3 erwerbstätig → 15
4 im Moment nicht **berufstätig** → 15

18

NUR AN SCHÜLER

14h

Welche Pläne haben Sie für die Zeit nach der Schule?

INT.: LISTE 6 vorlegen und gleichzeitig vorlesen !

- 1 zuerst einmal einen Beruf erlernen → 14i
2 gleich nach der Schule arbeiten und Geld verdienen → 25
3 erst einmal eine weiterführende Schule besuchen → S.17
4 ein Studium an einer Universität aufnehmen
5 Sonstiges, und zwar:
6 keine Pläne

19

14i

Welchen Beruf möchten Sie erlernen?

INT.: ALLE SCHÜLER WEITER **MIT** → 25
S.17

20-23

| (FRAGE NR.: | FRAGE UND ANTWORTMÖGLICHKEITEN |
|----------------|--|
| 15 | <p>Was haben Sie unmittelbar nach Verlassen der allgemein- bildenden Schule/nach Ihrer Einreise in die Bundesrepublik alles gemacht?</p> <p>INT.: LISTE 7 vorlegen; Mehrfachnennungen möglich!</p> <p>A Berufstätigkeit</p> <p>1 habe gleich eine Arbeitsstelle (ohne Lehre) erhalten 2 habe gleich eine Lehre angefangen 3 habe ein Praktikum gemacht 4 habe gejobbt 5 war arbeitslos 6 habe im elterlichen Haushalt mitgeholfen 7 war im eigenen Haushalt tätig 8 habe im Familienbetrieb mitgeholfen</p> <p>B Berufsvorbereitende Maßnahmen</p> <p>9 habe normales Berufsvorbereitungsjahr (BVJ) besucht 10 habe Berufsvorbereitungsjahr für Ausländer besucht 11 habe das Berufgrundbildungsjahr (BGJ) besucht 12 habe einen MBSE-Kursus besucht 13 habe andere Lehrgänge des Arbeitsamtes besucht 14 habe das 10. berufsbildende Schuljahr/ berufsbefähigende Lehrgänge (BB 10) besucht</p> <p>C habe eine weiterführende Schule besucht, und zwar:</p> <p>15 Berufsschule 16 Berufsfachschule (z.B. Handelsschule) 17 Fachschule 18 Fachoberschule 19 Fachhochschule 20 Universität 21 Maßnahmen des Zweiten Bildungsweges, z.B. Abendrealschule, Abendgymnasium 22 Sonstiges, und zwar:</p> <p>24-45</p> |
| 16 | <p>Haben Sie bei Ihrer Berufswahl auch eine Einzelberatung vom Arbeitsamt erhalten oder ein Berufsinformations- zentrum aufgesucht?</p> <p>1 ja, Einzelberatung vom Arbeitsamt 2 ja, Besuch eines Berufsinformations- <input type="checkbox"/> zentrums/Berufsinformations- <input type="checkbox"/> stelle (BIZ) <input type="checkbox"/> → 17 3 nein, nichts davon <input type="checkbox"/> → 16a</p> <p>46</p> |
| 16a | <p>Warum haben Sie nicht von diesem Beratungsangebot Gebrauch gemacht?</p> <p>47-52</p> |

17

Bitte denken Sie jetzt **einmal** an die Zeit nach dem Verlassen der Schule zurück: Welche beruflichen **Pläne** hatten Sie nach der Schule?

INT.: LISTE 8 vorlegen und gleichzeitig vorlesen!

- 1 zuerst einmal einen Beruf erlernen
- 2 gleich nach der Schule arbeiten und Geld verdienen
- 3 erst einmal eine weiterführende Schule besuchen
- 4 ein **Studium** an einer **Universität** aufnehmen
- 5 keine Pläne
- 6 **Sonstiges**, und zwar:

53

17a

Ich nenne **Ihnen** jetzt einige Personen und Institutionen und Sie sagen mir, wie stark Sie beeinflusst wurden, als es darum ging, eine Entscheidung für Ihre Berufswahl zu treffen. War dieser Einfluß groß, weniger groß, eher gering, oder war da **überhaupt kein** Einfluß vorhanden?

INT.: LISTE 9 vorlegen! Vorgaben A bis I vorlesen.

| | groß 1 | weniger groß 2 | eher gering 3 | ohne jeden Einfluß 4 |
|---|-----------|----------------------|---------------------|----------------------------|
| A Vater | 1 | 2 | 3 | 4 |
| B Mutter | 1 | 2 | 3 | 4 |
| C Geschwister | 1 | 2 | 3 | 4 |
| D andere Verwandte | 1 | 2 | 3 | 4 |
| E ausländische Freunde | 1 | 2 | 3 | 4 |
| F deutsche Freunde | 1 | 2 | 3 | 4 |
| G Lehrer an meiner früheren Schule | 1 | 2 | 3 | 4 |
| H Berufsberater beim Arbeitsamt/Berufs- informationszentrum | 1 | 2 | 3 | 4 |
| I Betriebspraktikum | 1 | 2 | 3 | 4 |

54-62

18

Haben Sie irgendwann während oder nach Ihrer Schulzeit nach einem Ausbildungsplatz gesucht?

- 1 ja
- 2 nein

63

18a

Für welche Berufe haben Sie nach einem **Ausbildungsplatz** gesucht?

- 1. Beruf :
- 2. Beruf :
- 3. Beruf :

64-75

78-80 'er

| FRAGE NR.: | FRAGE UND ANTWORTMÖGLICHKEITEN |
|---------------|---|
| 18b | <p>Warum haben Sie gerade in diesem Beruf(en) nach einem Ausbildungsplatz gesucht?</p> |
| 18c | <p>Karte 3 : 11-18</p> <p>Bei wie vielen Betrieben haben Sie sich um einen Ausbildungsplatz beworben?</p> <p>1 <input type="text"/> <input type="text"/> Betriebe</p> <p>INT.: Bei "weiß nicht(mehr)" bitte '99' eintragen</p> |
| 18d | <p>17-18</p> <p>Hie lange haben Sie alles in allem nach einem Ausbildungsplatz gesucht?</p> <p><input type="text"/> <input type="text"/> Monate</p> <p>INT.: wenn Befragte(r) immer noch sucht, bitte "88" eintragen, wenn sofort gefunden, bitte "00" eintragen!</p> |
| 18e | <p>19-20</p> <p>Haben Sie bei Ihren Bewerbungen auch an Einstellungstests teilgenommen?</p> <p>1 ja <input type="text"/> → 18f</p> <p>2 nein <input type="text"/> → 18g</p> |
| 18f | <p>21</p> <p>Wie würden Sie diese Tests beurteilen?</p> |
| 18g | <p>22-25</p> <p>Haben Sie eine Zusage von einem Ausbildungsbetrieb erhalten, oder war das nicht der Fall? Wenn ja, wie viele Zusagen waren das?</p> <p><input type="text"/> <input type="text"/> Zusagen → 19</p> <p>INT.: für "keine Zusage erhalten" bitte '00' eintragen; bei "keine Zusage" WEITER MIT <input type="text"/> → 18h</p> |
| 18h | <p>26-27</p> <p>Welche Gründe gibt es Ihrer Meinung nach dafür, daß Sie (bisher) keinen Ausbildungsplatz bekommen haben?</p> <p>BEFRAGTE OHNE AUSBILDUNG WEITER MIT <input type="text"/> → 24</p> <p>28-33</p> |

| FRAGE NR. ; | FRAGE UND ANTWORTMÖGLICHKEITEN |
|----------------|--|
| 19 | <p>INT.: FR. 19 BIS 22 KUR AN BEFRAGTE, DIE IN DER BUNDESREPUBLIK EINE BERUFSAUSBILDUNG BEGONNEN HABEN</p> <p>In welchen Beruf haben Sie eine Berufsausbildung begonnen?</p> <p>INT.: Detailliert mitschreiben, also nicht "Kaufmann", sondern "Großhandelskaufmann" etc.</p> <p>.....</p> <p>34-37</p> |
| 19a | <p>War dieser Beruf auch Ihr Wunschberuf?</p> <p>1 ja 2 nein</p> <p>38</p> |
| 19b | <p>Wie oder durch wen haben Sie Ihren Ausbildungsplatz gefunden?</p> <p>INT.: offen abfragen und Zutreffendes ankreuzen; Sonstiges notieren - Mehrfachnennungen möglich!</p> <p>1 durch Finschaltung des Arbeitsamtes 2 durch persönliche Beziehungen meiner Eltern 3 durch persönliche Beziehungen von Freunden und Bekannten 4 durch persönliche Beziehungen meines Lehrers 5 durch eine Anzeige, die ich selbst aufgegeben habe 6 durch Stellenanzeigen von Ausbildungsbetrieben 7 durch die Teilnahme an einem Praktikum 8 durch direkte Nachfrage in Ausbildungsbetrieben 9 durch Bewerbungsschreiben 0 Sonstige, welche?.....</p> <p>39-48</p> |
| 19c | <p>Findet/fand diese Ausbildung in einem Ausbildungsbetrieb statt, oder in einer Überbetrieblichen (außerbetrieblichen) Einrichtung?</p> <p>1 Betrieb 2 außer-/Überbetrieblichen Einrichtung 3 (weiß nicht)</p> <p>50</p> |
| 19d | <p>Und in welchem Bereich machen Sie Ihre Ausbildung (haben Sie Ihre Ausbildung gemacht) ? Sagen Sie es bitte anhand dieser Liste.</p> <p>INT.: LISTE 10 vorlegen</p> <p>1 Landwirtschaft 2 Handwerk 3 Industrie 4 Handel 5 Öffentlicher Dienst 6 freie Berufe 7 Sonstiges, und zwar:.....</p> <p>51</p> |

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

19e

Und wie viele Auszubildende werden/wurden dort
ausgebildet (Sie eingeschlossen) ?

LISTE 11 vorlegen

- 1 1, nur ich
- 2 2 - 5
- 3 6 - 10
- 4 11 - 20
- 5 Ober 20

52

19f

Haben Sie Ihre Berufsausbildung abgeschlossen, oder
haben Sie sie vorzeitig abgebrochen oder befinden Sie
sich noch in Ausbildung?

- 1 Ausbildung abgeschlossen → 22
- 2 Ausbildung abgebrochen → 20
- 3 bin zur Zeit noch in Ausbildung → 21

53

20

Zu welchem Zeitpunkt haben Sie Ihre Ausbildung abge-
brochen?

INT.: nur eine Nennung !

- 1 während der Probezeit
- 2 im 1. Ausbildungsjahr
- 3 im 2. Ausbildungsjahr
- 4 im 3. Ausbildungsjahr
- 5 im 4. Ausbildungsjahr
- 6 direkt vor der Prüfung

54

20a

Weshalb haben Sie Ihre Ausbildung nicht zu Ende
gemacht?

INT.: Offen abfragen, Befragten ausführlich begründen
lassen und notieren; anschließend ankreuzen;
Mehrfachnennungen möglich !

.....
.....

- 1 wollte/mußte Geld verdienen
- 2 Ausbildung machte keinen Spaß
- 3 Ausbildung war zu schwierig für mich
- 4 Ausbildung war körperlich zu anstrengend für mich
- 5 hatte gesundheitliche Gründe
- 6 Schwierigkeiten mit Kollegen
- 7 Schwierigkeiten mit Ausbildern/Lehrern
- 8 Sprachschwierigkeiten
- 9 Konflikte in der Familie
- 10 Probleme in der Berufsschule
- 11 war zwischendurch längere Zeit in ... (Herkunftsland)
- 12 habe geheiratet
- 13 Sonstiges, und zwar:.....

FRAGE
NR. :

FRAGE UND ANTWORTMÖGLICHKEITEN

20b

Haben Sie danach eine andere **Berufsausbildung** begonnen?

- 1 ja → 20c
2 nein → 24

69

20c

Welchen Ausbildungsberuf haben Sie danach **begonnen**?

INT.: Ausbildungsberuf genau notieren

.....

70-73

20d

Haben Sie diese zweite Ausbildung abgeschlossen, oder haben Sie sie vorzeitig abgebrochen oder sind Sie zur Zeit noch in dieser Ausbildung?

- 1 abgeschlossen → 22
2 abgebrochen → 24
3 bin zur Zeit noch in Ausbildung → 21

74

NUR AN BEFRAGTE, DIE IM MOMENT IN **AUSBILDUNG** SIND

21

Lassen Sie unr. einen **Moment** über Ihre schulische Situation sprechen. Wie **empfinden** Sie den Besuch der **Berufsschule**?

INT.: LISTE 12 vorlegen

- 1 möchte lieber heute als morgen aufhören
2 fällt **mir** recht schwer
3 es geht, ist für mich ein notwendiges **Übel**
4 es ist ganz gut
5 **macht** mir richtig **Spaß**

75

21a

Erhalten Sie im **Zusammenhang** mit **Ihrer** Berufsausbildung zusätzliche Hilfen, wie Stützkurse oder Förderkurse? Welche sind das?

INT.: LISTE 13 vorlegen

- 1 Deutschkurse
2 Kurse in Fachtheorie → 21b
3 Mathematik-Förderung
4 Beratung
5 nein → 21e

78-80

NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

21b

Werden diese Förderangebote, z.B. Stützkurse nur von Ausländern wahrgenommen oder auch von Deutschen?

- 1 nur Ausländer
- 2 auch Deutsche

Karte 4 : 11

21c

Wer führt diese Förderangebote, z.P. Stützkurse durch?

- 1 Ausbildungsstätte/Lehrbetrieb
- 2 Berufsschule
- 3 andere, und zwar:

12-14

2'

Finden diese Stützkurse in der Freizeit oder in der Arbeitszeit statt?

- 1 Freizeit
- 2 Arbeitszeit
- 3 (weiß nicht)

15-17

21e

Jetzt möchte ich mit Ihnen ein paar Fragen besprechen, die sich auf die Zeit nach Abschluß Ihrer jetzigen Berufsausbildung beziehen. Haben Sie die Möglichkeit, in Ihrem Ausbildungsbetrieb nach Abschluß der Ausbildung eine feste Anstellung zu bekommen?

INT.: Vorgaben vorlesen

- 1 ja, sicher
- 2 wahrscheinlich
- 3 wahrscheinlich nicht
- 4 nein
- 5 (weiß nicht)
- 6 (trifft nicht zu, überbetriebliche Ausbildung)

ALLE MOMENTAN AUSZUBILDENDEN WEITER MIT  24

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

INT.: FRAGEN 2? - 22c NUR AN BEFRAGTE MIT ABGESCHLOSSENER
BERUFSAUSBILDUNG

22 Sind Sie nach Ihrer Berufsausbildung von Ihrem
Ausbildungsbetrieb übernommen worden?

- 1 ja, mit befristetem Arbeitsvertrag → 24
- 7 ja, mit unbefristetem Arbeitsvertrag → 24
- 3 nicht übernommen worden → 22a
- 4 (trifft nicht zu,
überbetriebliche Ausbildung) → 22b

19

22a Können Sie mir sagen, warum Sie nicht übernommen
worden sind?

20-25

22b Sind Sie nach Ende der Ausbildung arbeitslos gewesen,
oder haben Sie gleich eine Anschlußbeschäftigung
gefunden?

- 1 arbeitslos → 22c
- 2 gleich Anschlußbeschäftigung
mit befristetem Arbeitsvertrag → 24
- 3 gleich Anschlußbeschäftigung
mit unbefristetem Arbeitsvertrag → 24


26

22c Wie lange waren Sie damals arbeitslos?

Monate

INT.: Falls immer noch arbeitslos, '99' eintragen;
bei '99' WEITER MIT → 24a

27-28



FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

NUR FÜR BEFRAGTE, DIE KEINE BERUFSAUSBILDUNG BEGONNEN HABEN

23

Es kann verschiedene Gründe geben, warum man nach der Schule keine Berufsausbildung beginnt. Erzählen Sie mir doch bitte einmal, wie das bei Ihnen war. Warum haben Sie eigentlich keine Berufsausbildung angefangen?

INT.: Offen abfragen und Zutreffendes ankreuzen;
Sonstiges notieren - Mehrfachnennungen möglich!

- 1 wollte gleich Geld verdienen
- 2 habe keinen Ausbildungsplatz/Lehrstelle bekommen
- 3 hatte zu einer Berufsausbildung keine Lust
- 4 meine Eltern wollten das so
- 5 Freunde/Verwandte/Bekannte haben mir abgeraten
- 6 wußte nicht so recht, was ich werden wollte, habe deshalb erst einmal eine Arbeit angenommen
- 7 hatte keine Arbeitserlaubnis
- 8 ich wußte nicht, wann die Familie zurückwandert und ob die Zeit für eine Ausbildung reicht
- 9 wollte eigentlich gleich zurückwandern
- 0 Sonstiges, und zwar:.....

29-31

WIEDER AN ALLE (AUßER SCHÜLER)

24

Sind Sie schon einmal in der Bundesrepublik Deutschland arbeitslos gewesen?

- 1 nein → 24c
- 2 ja → 24a

39

24a

Wie oft waren Sie in der Bundesrepublik bis jetzt arbeitslos?

mal

40

24b

Wie lange sind Sie alles in allem arbeitslos gewesen?

/ Monate

41-42

24c

Haben Sie schon einmal an einem Weiterbildungskurs teilgenommen?

- 1 ja → 24d
- 2 nein → 24e

43

24d

Was war das für ein Kurs?

44-49

24e

Sind Sie Mitglied einer Gewerkschaft?

- 1 ja
- 2 nein

50

WIEDER AN ALLE

25

Wie wichtig waren für Sie die folgender. Gründe, **als** Sie **damals** vor der Berufswahl standen?

INT.: Für Schüler: Wie wichtig sind für Sie folgende Gründe für Ihre Berufswahl?

INT.: LISTE 14 vorlagen und Vorgaben A bis R nacheinander vorlesen !

| | A | B | C | D |
|--|-----------------|--------------|--------------------|--|
| | sehr wichtig | wich- tig | weniger wichtig | völlig unwichtig/ trifft nicht zu |

| | | | | | |
|---|--|---|---|---|---|
| A | Daß ich mich für den Beruf eigne | 1 | 2 | 3 | 4 |
| B | Mit modernen Maschinen umgehen | 1 | 2 | 3 | 4 |
| C | Möglichst viel Geld verdienen | 1 | 2 | 3 | 4 |
| V | Gute Aufstiegschancen | 1 | 2 | 3 | 4 |
| E | Interessante Menschen kennenlernen | 1 | 2 | 3 | 4 |
| F | Daß ich an meinem Arbeitsplatz vor Entlassung sicher bin | 1 | 2 | 3 | 4 |
| G | Im Freier an der frischen Luft arbeiten | 1 | 2 | 3 | 4 |
| H | Daß die Ausbildungsvergütung möglichst hoch ist/ daß ich während der Ausbildung schon möglichst viel Geld bekomme | 1 | 2 | 3 | 4 |
| I | Reisen können, viel unterwegs sein | 1 | 2 | 3 | 4 |
| K | Daß mir der Beruf Spaß macht | 1 | 2 | 3 | 4 |
| L | Ein sauberer Arbeitsplatz | 1 | 2 | 3 | 4 |
| M | Daß ich meine Hobbies im Beruf verwirklichen kann | 1 | 2 | 3 | 4 |
| N | Anderen Menschen helfen können | 1 | 2 | 3 | 4 |
| O | Daß ich überhaupt einen Ausbildungsplatz bekomme | 1 | 2 | 3 | 4 |
| P | Daß der Beruf in der Bundesrepublik angesehen ist | 1 | 2 | 3 | 4 |
| Q | Daß der Beruf in ... (Herkunftsland) angesehen ist | 1 | 2 | 3 | 4 |
| R | Daß ich den Beruf sowohl in der Bundesrepublik als auch in ... (Herkunftsland) ausüben kann | 1 | 2 | 3 | 4 |

25a

Nehmen wir einmal an, Sie würden über ausreichend Geld verfügen: Können Sie sich dann ein Leben ohne bezahlte Arbeit vorstellen?

- 1 ja
- 2 nein

68

26

Hier ist eine Liste mit Dingen, die man tun kann. Würden Sie sie bitte einmal durchgehen und sagen, was auf Sie im Moment zutrifft.

INT.: LISTE 15 vorlegen; nur eine Nennung möglich 1

A Schüler/Student und zwar:

- 1 Hauptschule
- 2 Sonderschule
- 3 Realschule
- 4 Gymnasium
- 5 Gesamtschule
- 6 Hochschule/Fachhochschule
- 7 Sonstige weiterführende Schule
- 8 Berufsfachschule
- 9 Kurse, z.B. Hauptschulabschluß (HASA)
- 10 Berufsvorbereitende Maßnahme
- 11 Berufsgrundbildungsjahr (BGJ)
- 12 Sonstige

34

B im Moment nicht berufstätig

- 13 arbeitslos, suche eine Lehrstelle
- 14 arbeitslos, suche eine Arbeitsstelle
- 15 helfe zu Hause mit
- 16 Hausfrau

33

C erwerbstätig

- 17 Vollzeit beschäftigt (nicht Ausbildung)
- 16 Teilzeit beschäftigt (nicht Ausbildung)
- 19 in Berufsausbildung, Lehr<
- 20 Selbständig

27

30

31

D Gelegenheitsarbeit

- 21 Gelegenheitsarbeit, suche etwas anderes
- 22 Gelegenheitsarbeit, suche nichts anderes

27

69-70

INT.: FR. 27-30 NUR AN ERWERBSTÄTIGE (INCL. GELEGENHEITSARBEITER)

27

Nun würde ich gern mit Ihnen darüber sprechen, was Sie beruflich machen, d. h. welche Tätigkeit Sie zur Zeit ausüben.

- 1 ungelernter Arbeiter
- 2 angelernter Arbeiter
- 3 Facharbeiter, Geselle, Gehilfe
- 4 Meister
- 5 einfacher, mittlerer Angestellter
- 6 leitender Angestellter
- 7 im Betrieb mithelfender Familienangehöriger

29

28

71

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

INT.: FR. 28 NUR AN MITHELLENDE FAMILIENANGEHÖRIGE IM BETRIEB

28 Wenn Sie die Wahl hatten, würden Sie dann gern beruflich etwas anderes machen? Wenn ja, was würden Sie gern anderes machen?

- 1 ja, und zwar:.....
- 2 nein

INT.: MITHELLENDE FAMILIENANGEHÖRIGE WEITER MIT → 34
7

72-77

78-80 Leer

INT.: AN ERWERBSTÄTIGE (OHNE AUSZUBILDENDE UND SELBSTÄNDIGE)

29 Haben Sie einen befristeten oder einen unbefristeten Arbeitsvertrag?

- 1 befristet
- 2 unbefristet

Kart« 5 : 11

29a Arbeiten Sie im Schichtbetrieb?

- 1 ja
- 2 nein

12

29b Sind die Deutschen, mit denen Sie zusammenarbeiten, ...

INT.: Mehrfachnennungen möglich

- 1 vorgesetzte ? → 29c
7
- 2 Kollegen ?
- 3 Untergebene ?
- 4 (trifft nicht zu, arbeite nicht mit Deutschen zusammen) → 30

13-16

29c Wenn Sie Ihren Arbeitsplatz mit dem Ihrer deutschen Arbeitskollegen vergleichen: würden Sie dann gern den Arbeitsplatz mit ihnen tauschen?

- 1 ja
- 2 nein

17

29d Warum ist das so? Bitte nennen Sie mir den Grund dafür.

18-23

| FRAGE NR. : | FRAGE UND ANTWORTMÖGLICHKEITEN |
|----------------|--|
| 30 | <p>INT.: AN ERWERBSTÄTIGE (INCL. GELEGENHEIT SARBEITER) UND AUSZUBILDENDE (NICHT SELBSTÄNDIGE)</p> <p>Wie ist das bei Ihnen : Befürchten Sie, daß Sie innerhalb der nächsten Jahre arbeitslos werden könnten? Halten Sie das für: ...</p> <p>1 wahrscheinlich ? 2 möglich ? 3 eher unwahrscheinlich ? 4 ganz ausgeschlossen ?</p> <p>24</p> |
| 30a | <p>Am Arbeitsplatz/Ausbildungsplatz kann es ja immer wieder einmal zu Schwierigkeiten und Problemen kommen. Wie ist das bei Ihnen? Haben Sie manchmal solche Schwierigkeiten? Ist das häufig, selten oder nie der Fall?</p> <p>1 häufig <input type="checkbox"/> → 30b 2 selten <input type="checkbox"/> 3 nie <input type="checkbox"/> → 31</p> <p>25</p> |
| 30b | <p>Welche Probleme sind das im einzelnen?</p> <p>INT.: Offen abfragen und zutreffendes ankreuzen, Sonstiges notieren - Mehrfachnennungen möglich</p> <p>1 Verständigungsschwierigkeiten/sprachliche Schwierig- keiten 2 Srger mit deutschen Kollegen/Auszubildenden 3 Xrger mit deutschen Vorgesetzten 4 Xrger mit ausländischen Vorgesetzten 5 Xrger mit ausländischen Kollegen/Auszubildenden 6 Schwierigkeitsgrad der Arbeit 7 Zuweisung unangenehmer Arbeiten 8 hohe Intensität der Arbeit/Arbeitsanfall 9 Schmutz/Staub 10 Lärm 11 Hitze/Kälte 12 geringe Anforderungen 13 ich muß Überstunden machen 14 die Ausbildung im Betrieb ist mit dem Unterricht in der Berufsschule gar nicht abgestimmt 15 man wird als Auszubildender als billige Arbeitskraft ausgenutzt 16 Ausbilder können nicht erklären 17 Sonstiges, und zwar: </p> <p>28-42</p> |

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

INT.: AN **ERWERBSTÄTIGE (INCL. GELEGENHEITSARBEITER)**, AUS-
ZUBILDENDE UND SELBSTÄNDIGE

31 Wenn Sie so an Ihre jetzige Arbeit/Ausbildung denken:
Welche der folgenden Aussagen entsprechen Ihrer
Einstellung zur Arbeit am ehesten?

- 1 ja, macht richtig Spaß
- 2 ja, ist ziemlich gut
- 3 es geht, ist notwendig
- 4 die Ausbildung/Arbeit fällt mir ziemlich schwer
- 5 möchte lieber heute als morgen aufhören

43

31a In welcher Branche ist Ihr Betrieb hauptsächlich tätig?
INT.: LISTE 16 vorlegen

- 1 verarbeitendes Gewerbe - Industrie
 - 2 verarbeitendes Gewerbe - Handwerk
 - 3 Baugewerbe {Hoch- u. Tiefbau, Baunebengewerbe}
 - 4 **Hotel-** und Gaststättengewerbe
 - 5 Land- und **Forstwirtschaft**, Fischerei, Tierhaltung
 - 6 Energiewirtschaft, Wasserversorgung, Bergbau
 - 7 Einzelhandel
 - 8 Großhandel
 - 9 **Banken/Kreditinstitute/Versicherungen**
 - 10 Post und Bahn
 - 11 sonst. Transport und Verkehr, **Nachrichtenübermittlung**
 - 12 Gesundheitswesen
 - 13 sonst. Dienstleistungen von **Unternehmen**
 - 14 private Haushalte
 - 15 sonstige Wirtschaftsbereiche, welche?
-

44-45

31b Wie viele Beschäftigte arbeiten in Ihrem Betrieb?

- 1 nur ich
- 2 2 - 9 Beschäftigte
- 3 10 - 49 Beschäftigte
- 4 50 - 99 Beschäftigte
- 5 100 - **499** Beschäftigte
- 6 **über** 500 Beschäftigte

INTERVIEWER: Bitte einordnen! Welche der folgenden **Berufs-**
situationen trifft für den Befragten zu? (vgl, Frage 26)

- 1 ist selbständig (**Kat. 20, Fr. 26**) → 32
- 2 macht Gelegenheitsarbeit,
sucht aber etwas anderes (**Kat. 21. Fr. 26**) → 33
- 3 nichts davon → 34

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

INT.: NUR AN SELBSTÄNDIGE

32 Wann haben Sie sich beruflich selbständig gemacht?

19

48-49

32a Welches waren die Gründe dafür, daß Sie sich **damals** selbständig gemacht haben ?

50-55

32b Als Sie sich damals selbständig gemacht haben, welche **Unterstützungen** haben Sie da erhalten?

56-59

32c Wenn Sie **einmal** an die Kunden Ihres Betriebes denken:
Sind das überwiegend Ausländer, überwiegend Deutsche
oder etwa gleichviel Ausländer und Deutsche?

- 1 **überwiegend** Ausländer
- 2 **überwiegend** Deutsche
- 3 gleichviel Ausländer und **Deutsche**

60

32d Würden Sie einem ausländischen Freund **empfehlen**, sich selbständig zu machen?

- 1 **ja**
- 2 **nein**
- 3 (kommt darauf an)

INT.: ALLE SELBSTÄNDIGEN weiter mit  34

61

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

INT.: NUR AN ARBEITSLOSE UNG GELEGENHEITSARBEITER,
DIE ETWAS ANDERES SUCHEN

33 Wie lange dauert Ihre jetzige Arbeitslosigkeit schon?

1 Monate

62-63

33a Sind Sie zur Zeit beim Arbeitsamt arbeitslos gemeldet?

- 1 ja
- 2 nein

64

3: Erhalten Sie Arbeitslosengeld oder Arbeitslosen-
hilfe?

- 1 ja, Arbeitslosengeld
- 2 ja, Arbeitslosenhilfe → 33d
- 3 nein → 33c

65

33c Haben Sie einen Antrag auf Arbeitslosengeld oder
-hilfe gestellt?

- 1 ja
- 2 nein

66

33d Es gibt ja unterschiedliche Möglichkeiten, eine Arbeits-
stelle zu finden. Hier auf dieser Liste stehen einige
davon. Sagen Sie mir bitte, welche Sie bereits ausprobiert
haben .

INT.: LISTE 17 vorlegen und gleichzeitig vorlesen;
Mehrfachnennungen!

- 1 selbständig Stellenanzeigen
durchsehen und Bewerbungen
schreiben
- 2 Betriebe ohne Stellenausschreibungen
anschreiben
- 3 Verwandte nach einer freien Stelle
umhören lassen
- 4 Bekannte nach einer freien Stelle
umhören lassen
- 5 an Weiterbildungsmaßnahmen/Umschulungs-
maßnahmen teilnehmen
- 6 Sonstiges, und zwar:.....

WIEDER AN ALLE

34

Ich lese Ihnen jetzt verschiedene Dinge vor, die im Leben wichtig sein können. Sagen Sie mir bitte zu allen genannten Dingen, wie wichtig sie für Sie sind, indem Sie Schulnoten verteilen zwischen 1 und 6. Also z.B.: wenn Sie das Familienleben sehr wichtig finden, sagen Sie 1, ist es wichtig, dann sagen Sie 2, ist es nicht so wichtig!, die 3, ist es unwichtig, die 4, und ist es für Sie sehr unwichtig, die 5 oder ganz unwichtig, die 6.

LISTE 18 vorlegen

INT.: bitte vorlesen N o t : e n
1 2 3 4 5 6

| | | | | | | |
|--|---|---|---|---|---|---|
| Essen und Trinken | 1 | 2 | 3 | 4 | 5 | 6 |
| Kleidung | 1 | 2 | 3 | 4 | 5 | 6 |
| Persehen, Schallplatten, Stereoanlage | 1 | 2 | 3 | 4 | 5 | 6 |
| Berufsausbildung | 1 | 2 | 3 | 4 | 5 | 6 |
| mit anderen Freunden zusammensein | 1 | 2 | 3 | 4 | 5 | 6 |
| Mofa, Moped, Auto | 1 | 2 | 3 | 4 | 5 | 6 |
| Jugendzeitschriften | 1 | 2 | 3 | 4 | 5 | 6 |
| Geld | 1 | 2 | 3 | 4 | 5 | 6 |
| Sport | 1 | 2 | 3 | 4 | 5 | 6 |
| Familienleben | 1 | 2 | 3 | 4 | 5 | 6 |
| Arbeit | 1 | 2 | 3 | 4 | 5 | 6 |
| in Diskothek gehen | 1 | 2 | 3 | 4 | 5 | 6 |
| politische Betätigung | 1 | 2 | 3 | 4 | 5 | 6 |
| mit Freund/Freundin zusammensein | 1 | 2 | 3 | 4 | 5 | 6 |
| Lesen | 1 | 2 | 3 | 4 | 5 | 6 |
| ins Kino gehen | 1 | 2 | 3 | 4 | 5 | 6 |
| sich unterhalten | 1 | 2 | 3 | 4 | 5 | 6 |
| Video | 1 | 2 | 3 | 4 | 5 | 6 |
| Computer/Computerspiele | 1 | 2 | 3 | 4 | 5 | 6 |
| Urlaub | 1 | 2 | 3 | 4 | 5 | 6 |
| Schule | 1 | 2 | 3 | 4 | 5 | 6 |
| Musik machen | 1 | 2 | 3 | 4 | 5 | 6 |
| Religiösität/Glauben | 1 | 2 | 3 | 4 | 5 | 6 |
| Liebe zum Vaterland | 1 | 2 | 3 | 4 | 5 | 6 |
| sich etwas leisten können | 1 | 2 | 3 | 4 | 5 | 6 |
| Treue zur (Ehe-) Partner | 1 | 2 | 3 | 4 | 5 | 6 |

Sonstiges, und zwar:

..... 1 2 3 4 5 6

| FRAGE NR.: | FRAGE UND ANTWORTMÖGLICHKEITEN |
|---------------|---|
| 35 | <p>Wenn Sie an die Ansichten Ihrer Eltern denken, in welchen dar folgenden Fragen stimmen Sie mit Ihren Eltern am meisten aberein? INT.: Mehrfachnennungen möglich</p> <ol style="list-style-type: none"> 1 Öffentliche Angelegenheiten und Politik 2 Probleme von Arbeit, Beruf und Schule 3 Religiöse Fragen 4 Nationalität Ihres festen Freundes/Partners 5 Umgang mit deutschen Freunden 6 Umgang mit Freunden Ihrer Nationalität <p>38-43</p> |
| 36 | <p>Wie kommen Sie im allgemeinen mit Ihren Eltern zurecht? Wie ist das mit Ihrer Mutter?</p> <ol style="list-style-type: none"> 1 sehr gut 2 gut 3 zufriedenstellend 4 schlecht 5 sehr schlecht 6 trifft nicht zu <p>44</p> |
| 36a | <p>Und wie kommen Sie im allgemeinen mit Ihrem Vater zurecht?</p> <ol style="list-style-type: none"> 1 sehr gut 2 gut 3 zufriedenstellend 4 schlecht 5 sehr schlecht 6 trifft nicht zu <p>45</p> |
| 37 | <p>Wie ist das mit dem Haus in dem Sie wohnen? Leben da ...</p> <ol style="list-style-type: none"> 1 nur ausländische Familien? 2 mehr ausländische als deutsche Familien? 3 mehr deutsche als ausländische Familien? oder 4 ungefähr gleich viele ausländische und deutsche Familien? 5 (weiß nicht/trifft nicht zu) <p>46</p> |
| 37a | <p>Wenn Sie an die Umgebung denken, wohnen hier ...</p> <ol style="list-style-type: none"> 1 vor allem Ausländer? 2 vor allem Deutsche? oder 3 ungefähr gleich viel Ausländer wie Deutsche? 4 (weiß nicht) <p>47</p> |

FRAGE
NR.:

FRAGE UND AKTWORTMÖGLICHKEITEN

38 Mit wem verbringen Sie **Überwiegend** Ihre Freizeit?

INT.: LISTE 19 vorlegen;

- | | | | |
|---|--|---|-----|
| 1 | allein | → | 38b |
| 2 | mit Eltern/Verwandten | → | 7 |
| 3 | mit dem Partner/Ehepartner/ festen Freund bzw. Freundin | → | --- |
| 4 | mit Freunden | → | --- |
| 5 | mit Freundinnen | → | --- |
| 6 | mit der Clique | → | --- |
| 7 | mit Kollegen/Mitschülern/Kommilitonen | → | --- |
| 8 | habe keine Freizeit | → | 39 |

48-55

38a Welcher Nationalität gehören diese **Überwiegend** an?

INT.: offen abfragen und unten codieren

- 1 eigene Nationalität
- 2 andere ausländische Nationalität
- 3 Deutsche
- 4 (habe keine Freunde)

56-59

38b Was machen Sie **hauptsächlich** in Ihrer Freizeit?

60-65

38c Sind Sie Mitglied in einem Verein oder einer Jugend-
gruppe?

- | | | | |
|---|------|---|-----|
| 1 | ja | → | 38d |
| 2 | nein | → | 39 |

66

38d Gibt es in diesem Verein/Jugendgruppe **Überwiegend**
deutsche Mitglieder, gleich viel Deutsche und Ausländer
oder **Überwiegend** ausländische Mitglieder?

- 1 **Überwiegend** Deutsche
- 2 gleich viel Deutsche und Ausländer
- 3 **Überwiegend** Ausländer meiner Nationalität
- 4 auch Ausländer anderer Nationalitäten

67

38e Wie alt sind Mitglieder des Vereins? Sind die Mit-
glieder **überwiegend** jünger als Sie, alter als Sie oder
etwa gleichaltrig?

- 1 jünger
- 2 älter
- 3 gleichaltrig
- 4 (alle Altersgruppen vertreten)

68

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

39

Wenn Sie einmal Überlegen, mit wem haben Sie mehr, mit wem weniger Gemeinsamkeiten. Schauen Sie sich bitte diese Liste an und sagen Sie mir, mit wem Sie Ihrer Meinung nach die meisten Gemeinsamkeiten haben, dann die zweitmeisten, drittmeisten und mit wem die wenigsten Gemeinsamkeiten haben?

INT.: Liste 20 übergeben und Rangfolge bilden lassen

meisten zweit- dritt- wenig-
meisten meisten sten

-
1. mit ausländischen Erwachsenen
 2. mit ausländischen Jugendlichen
 3. mit deutschen Erwachsenen
 4. mit deutschen Jugendlichen
-

69-72

40

Ich lese Ihnen jetzt einige Behauptungen vor. Sagen Sie mir bitte, ob diese Ihrer Meinung nach richtig sind oder nicht.

INT.: einzeln vorlesen und bewerten lassen ! richtig falsch
1 2

-
- | | | |
|---|---|---|
| 1. Menschen wie ich fühlen sich heutzutage häufig allein und von der restlichen Gesellschaft ausgeschlossen | 1 | 2 |
| 2. Für Kinder ist es das beste, wenn die Mutter zu Hause bleibt und sich um sie kümmert | 1 | 2 |
| 3. Rausarbeit ist gleich wichtig für Männer und Frauen | 1 | 2 |
| 4. Erst wenn man Kinder hat, ist die Familie richtig vollständig | 1 | 2 |
| 5. Für eine Frau ist es sehr wichtig, das Sie einen Beruf erlernt und eigenes Geld verdient. | 1 | 2 |
-

73-77

| FRAGE NR.: | FRAGE UND ANTWORTMÖGLICHKEITEN |
|------------|---|
| 41 | <p>Bitte vergleichen Sie jetzt einmal Ihre Situation in der Bundesrepublik mit der in ... (Herkunftsland). Müssen Sie sich in der Bundesrepublik stärker einschränken als in ... (Herkunftsland), was die Kontakte zu Personen außerhalb des Hauses angeht oder das Tragen von Kleidung, die Ihnen gefällt? Oder haben Sie in der Bundesrepublik mehr Freiheiten?</p> <p>1 muß mich in der Bundesrepublik stärker einschränken 2 habe in der Bundesrepublik mehr Freiheiten 3 (hier wie dort gleichartig)</p> <p>78</p> |
| 42 | <p>Würden Sie Ihren eigenen Gesundheitszustand - verglichen mit anderen Personen Ihres Alters - als sehr gut, gut, weniger gut oder eher schlecht bezeichnen?</p> <p>1 sehr gut 2 gut 3 weniger gut 4 schlecht</p> <p>79</p> |
| 43 | <p>Wie häufig lesen Sie Tageszeitungen aus ihrer Heimat: jeden Tag, mehrmals die Woche, ab und zu oder gar nicht?</p> <p>1 jeden Tag 2 mehrmals die Woche 3 ab und zu 4 gar nicht</p> <p>80</p> |
| 43a | <p>Und wie häufig lesen Sie deutsche Tageszeitungen?</p> <p>1 jeden Tag 2 mehrmals die Woche 3 ab und zu 4 gar nicht</p> <p>Karte 7 : 11</p> |
| 44 | <p>Wie häufig sind Sie in den letzten zwei Jahren in (Herkunftsland) gewesen?</p> <p>[] mal</p> <p>INT.: für "gar nicht" bitte '00' eintragen bei "gar nicht" WEITER HIT _____ → 45</p> <p>12-13</p> |
| 44a | <p>Wie lange sind Sie in den letzten 2 Jahren insgesamt in Ihrem (Herkunftsland) gewesen?</p> <p>[] Wochen</p> <p>14-15</p> |

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

44b Aus welchen Anlässen waren Sie in Ihrem (Herkunftsland)?

INT.: offen erfragen und unten vercoden I

- 1 Ferien/Urlaub
- 2 Besuch von Verwandten/Bekanntem
- 3 wollte ganz ins Herkunftsland zurückkehren
- 4 Sonstiges, und zwar:

.....

16-19

45 Fühlen Sie sich einer Religionsgemeinschaft zugehörig?

- 1 Christen allgemein
- 2 **Muslime** allgemein
- 3 Sunniten
- 4 Aleviten
- 5 Schiiten
- 6 römisch-katholische Christen
- 7 orthodoxe Christen
- 8 protestantische Christen
- 9 aramäische Christen
- 10 sonstige
- 11 nein

20-21

45a Leben Sie nach den Regeln Ihrer Glaubensgemeinschaft, sind Sie praktizierender Angehöriger einer Glaubensgemeinschaft?

- 1 streng praktizierend
- 2 praktizierend, aber weniger streng
- 3 gelegentlich
- 4 **kaum**
- 5 nicht praktizierend
- 6 gehöre keiner Glaubensgemeinschaft an

22

INT.: FR. 46 AN ALLE AUßER TÜRKEN

46 Besuchen oder besuchten Sie muttersprachlichen Unterricht außerhalb des regulären Schulunterrichts?

- 1 **ja**
- 2 nein

23

INT.: Frage 46a NUR AN TÜRKEN

46a Wie war das bei Ihnen? Gehen Sie zur Zeit in die Koranschule/ erhalten Sie Unterricht im Koran oder sind Sie früher einmal hingegangen?

- 1 Besuche die Koranschule/Unterricht im Koran
- 2 habe die Koranschule besucht
- 3 nein, nie
- 4 sonstiges

24

| FRAGE NR.: | FRAGE UND ANTWORTMÖGLICHKEITEN | | | | | | | | | | | | | | | |
|---------------|--|-------------|------------|---------|----------|----------|-------------|----------|-----------|----------|------------|------------|------------|------------|------------|--|
| 47 | <p>WIEDER AN ALLE!</p> <p>Welche Muttersprache sprechen Sie ?</p> <p>25- 26</p> | | | | | | | | | | | | | | | |
| 48 | <p>Fühlen Sie sich neben Ihrer Staatsangehörigkeit einer bestimmten Volksgruppe/ Nationalität zugehörig. Wenn ja, welcher?</p> <p>INT.: Offen erfragen und außerdem unter der betreffenden Staatsangehörigkeit zuordnen, soweit möglich I</p> <table border="0"> <thead> <tr> <th>TÜRKEN</th> <th>JUGOSLAWEN</th> <th>SPANIER</th> </tr> </thead> <tbody> <tr> <td>1 Türken</td> <td>1 Serben</td> <td>1 Catalanen</td> </tr> <tr> <td>2 Kurden</td> <td>2 Kroaten</td> <td>2 Basken</td> </tr> <tr> <td>3 Armenier</td> <td>3 Slowenen</td> <td>3 sonstige</td> </tr> <tr> <td>4 sonstige</td> <td>4 sonstige</td> <td></td> </tr> </tbody> </table> <p>27-32</p> | TÜRKEN | JUGOSLAWEN | SPANIER | 1 Türken | 1 Serben | 1 Catalanen | 2 Kurden | 2 Kroaten | 2 Basken | 3 Armenier | 3 Slowenen | 3 sonstige | 4 sonstige | 4 sonstige | |
| TÜRKEN | JUGOSLAWEN | SPANIER | | | | | | | | | | | | | | |
| 1 Türken | 1 Serben | 1 Catalanen | | | | | | | | | | | | | | |
| 2 Kurden | 2 Kroaten | 2 Basken | | | | | | | | | | | | | | |
| 3 Armenier | 3 Slowenen | 3 sonstige | | | | | | | | | | | | | | |
| 4 sonstige | 4 sonstige | | | | | | | | | | | | | | | |
| 49 | <p>Welche Pläne haben Sie für die nächsten Jahre?</p> <p>INT.: LISTE 21 vorlegen</p> <ol style="list-style-type: none"> 1 will in/nach ... (Herkunftsland) zurück 2 will noch einige Jahre in der Bundesrepublik bleiben 3 will immer in der Bundesrepublik bleiben 4 habe noch keine genauen Pläne 5 will in ein anderes Land, und zwar: <p>.....</p> <ol style="list-style-type: none"> 6 (weiß nicht) <p>33</p> | | | | | | | | | | | | | | | |
| 49a | <p>Wie lange wollen Sie voraussichtlich noch in der Bundesrepublik bleiben?</p> <p>I _____ Jahre</p> <p>INT.: einzutragen: "immer" = '99', "weiß nicht" = '88'; bei "immer" WEITER MIT _____ → 49c</p> <p>34-35</p> | | | | | | | | | | | | | | | |
| 49b | <p>Wollen Sie in den gleichen Ort zurückkehren, aus dem Sie ausgewandert sind oder in einen anderen Ort?</p> <ol style="list-style-type: none"> 1 Auswanderungsort 2 anderer Ort 3 (trifft nicht zu, in der Bundesrepublik geboren) <p>36</p> | | | | | | | | | | | | | | | |

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

49c

Wenn Sie sich so überlegen, was so alles bei der Entscheidung, in der Bundesrepublik Deutschland zu bleiben oder ins Heimatland zurückzukehren, eine Rolle spielt: wovon hängt das bei Ihnen ab?

INf.: LISTE 22 vorlegen; Mehrfachnennungen möglich !

Ich bleibe, wenn/weil...

- 1 meine Arbeits-/Aufenthaltserlaubnis verlängert wird
- 2 die Arbeits-/Aufenthaltserlaubnis von Eltern, Ehepartner verlängert wird
- 3 ich einen (besseren! Arbeitsplatz bekomme
- 4 ich eine bessere Wohnung bekomme
- 5 meine Familienangehörigen hier bleiben möchten
- 6 sich die Rechtssituation/die rechtliche Sicherheit von Ausländern in der Bundesrepublik verbessert
- 7 ich mich als Bürger der Bundesrepublik fühle
- 8 Ausländer freundlicher behandelt werden

Ich gehe zurück, wenn/weil...

- 9 ich auf dem Arbeitsmarkt in (Herkunftsland) bessere berufliche Chancen habe als im Moment
- 10 sich die politische Situation in der Heimat verändert
- 11 ich «ich als ... (Staatsangehörigkeit) fühle
- 12 ich zum Militärdienst einberufen werde

Das hängt ab von ...

- 13 ..der politischen Situation in der Bundesrepublik
- 14 ..meinem zukünftigen Partner
- 15 ..sonstigen Gründen, und zwar

37-51

50

Wie wohl fühlen Sie sich alles in allem hier in der Bundesrepublik?

- 1 sehr wohl
- 2 einigermaßen wohl
- 3 es geht
- 4 etwas unwohl
- 5 völlig unwohl

52

51

Würden Sie gern die deutsche Staatsbürgerschaft annehmen, wenn das ohne Probleme möglich wäre, würden Sie Sie nur dann annehmen, wenn Sie Ihre jetzige Staatsbürgerschaft behalten könnten oder möchten Sie die deutsche Staatsbürgerschaft nicht annehmen?

- 1 würde gern die deutsche Staatsbürgerschaft annehmen
- 2 nur wenn ich meine jetzige Staatsbürgerschaft behalten könnte
- 3 möchte die deutsche Staatsbürgerschaft nicht annehmen

53

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

51a

Besitzen Sie eine befristete Aufenthaltserlaubnis, eine unbefristete Aufenthaltserlaubnis oder eine Aufenthaltsberechtigung?

- 1 befristete Aufenthaltserlaubnis
- 2 unbefristete Aufenthaltserlaubnis
- 3 Aufenthaltsberechtigung
- 4 (weiß nicht)

52

Haben Sie das Gefühl, daß die deutsche Bevölkerung unfreundlich gegenüber Ausländern ist oder Vorurteile gegen Ausländer hat?

- 1 ja, ein großer Teil
- 2 ja, ein kleiner Teil
- 3 nein, kaum einer

53

Könnten Sie sich vorstellen, einen deutschen Ehepartner zu heiraten?
INT.: bitte vorlesen

- 1 ja, auf jeden Fall
- 2 ja, unter Umständen
- 3 nein, unter keinen Umständen ?
- 4 (ist mit deutschem Ehepartner verheiratet)
- 5 (trifft nicht zu, ist mit Ehepartner anderer Nationalität verheiratet)

56

54

Haben Sie persönlich häufiger Nachteile oder Unannehmlichkeiten gehabt, weil Sie Ausländer sind? Oder war das nur selten oder gar nicht der Fall?

- 1 häufiger → 54a
- 2 seltener → 55
- 3 gar nicht → 55

57

54a

Was waren das für Nachteile oder Unannehmlichkeiten?

58-63

55

Wie gut können Sie Ihrer Meinung nach Deutsch?

| | kaum 1 | einigermaßen 2 | gut 3 |
|-----------|-----------|-------------------|----------|
| verstehen | 1 | 2 | 3 |
| sprechen | 1 | 2 | 3 |
| schreiben | 1 | 2 | 3 |
| lesen | 1 | 2 | 3 |

64-67

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

55a

Und wie gut können Sie die Sprache Ihrer Eltern?

| | kaum | einigermaßen | gut |
|-----------|------|--------------|-----|
| | 1 | 2 | 3 |
| verstehen | 1 | 2 | 3 |
| sprechen | 1 | 2 | 3 |
| schreiben | 1 | 2 | 3 |
| lesen | 1 | 2 | 3 |

68-71

55b

Wie haben Sie Deutsch gelernt?

(Mehrfachnennungen möglich)

- 1 habe es mir selbst beigebracht
- 2 habe es im.(Herkunftsland) in Sprachkursen gelernt
- 3 habe es in Deutschland in Sprachkursen gelernt
- 4 habe es in Deutschland durch deutsche Freunde/ Bekannte/ Kollegen gelernt
- 5 habe es in Deutschland von ausländischen Freunden/ Bekannten/Kollegen gelernt
- 6 habe es in Deutschland in der Schule gelernt
- 7 habe es von Eltern oder Geschwistern gelernt
- 8 Sonstiges, und zwar

72-79

55c

Welche Sprache wird in Ihrer Familie überwiegend gesprochen, Deutsch oder die Sprache Ihrer Eltern?

- 1 überwiegend Deutsch
- 2 überwiegend Sprache der Eltern
- 3 (teils/teils)

80

56

Würden Sie sagen, daß Sie stolz darauf sind, ein/eine(Nationalität) zu sein, ist Ihnen das eher gleichgültig oder sind Sie eher nicht so stolz darauf?

- 1 bin stolz darauf, ein/eine(Nationalität) zu sein
- 2 ist mir eher gleichgültig
- 3 bin eher nicht so stolz darauf

FRAGE
NR.:

FRAGE UND ANTWORTMÖGLICHKEITEN

57

Ich habe hier eine Liste mit den verschiedensten Nationalitäten. Bitte nennen Sie die drei davon, die Ihnen in ihrer Lebensart am sympathischsten erscheinen (außer Ihrer eigenen).

INT.: LISTE 23 vorlegen

- 1 Italiener
- 2 Schweizer
- 3 Spanier
- 4 Franzosen
- 5 Griechen
- 6 Schweden
- 7 Türken
- 8 Amerikaner
- 9 Jugoslawen
- 10 Briten
- 11 Portugiesen
- 12 Polen
- 13 Deutsche
- 14 Holländer

12-25

58

INTERVIEWERFESTSTELLUNG:

Falls unklar, bitte gesprächsweise Rechtsform der Wohnung ermitteln:

- 1 Mietwohnung
- 2 Untermiete
- 3 Wohnheim
- 4 Eigentumswohnung/eigenes Haus
- 5 Sonstiges, und zwar:

26

58a

Wieviel qm hat diese Wohnung?

INT.: Fläche eventuell schätzen

qm

27-29

58b

Und wie viele Zimmer hat die Wohnung?

INT.: Anzahl Räume ohne Bad, Küche, Toilette, Flur, Abstellräume

Räume

30-31

FRAGE
R.:

FRAGE UND AKTWORTMÖGLICHKEITEN

INTERVIEWER: FRAGEN 59 BIS 64 SIND NICHT MEHR ABZUFragen,
SONDERN VOM INTERVIEWER ZU BEANTWORTEN !!!!

59 INT.: Wie beurteilen Sie die Deutschkenntnisse des Befragten?

- 1 sehr gut
- 2 gut
- 3 mittel
- 4 schlecht

32

60 INT.: Wer war beim Interview anwesend?

- 1 nur Befragter → 61
- 2 Vater →
- 3 Mutter →
- 4 Sonstige Personen → 60a

33-36

60a INT.: Hatten diese Personen Einfluß auf die Beantwortung von Fragen?

- 1 ja
- 2 nein

37

61 INT.: Sprache, in der das Interview durchgeführt wurde

- 1 Deutsch
- 2 Griechisch
- 3 Italienisch
- 4 Jugoslawisch
- 5 Portugiesisch
- 6 Spanisch
- 7 Türkisch

38

62 INT.: Staatsangehörigkeit des Interviewers:

- 1 Deutsch
- 2 Griechisch
- 3 Italienisch
- 4 Jugoslawisch
- 5 Portugiesisch
- 6 Spanisch
- 7 Türkisch

39

63 Postleitzahl des Wohnortes des Befragten:

| 1 |

4C-43

64 INTERVIEWER-Ausweis-Nummer:

| |

44-47

222 0 OPTIONS 3 4
223 0 STATISTICS 1 2 3

There are 4,424,928 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:28:47 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F1 ANREDE

Page 1 of 1

| | Count Row Pct Col Pct | F1 | | Row Total |
|-----------------|-----------------------------|----------------------|---------------------|---------------|
| | | DU | SIE | |
| | | 1 | 2 | |
| SPAN | | | | |
| REST | 0 | 2513 84.8 95.8 | 449 15.2 95.2 | 2962 95.7 |
| TRIPFT ZU | 1 | 109 82.8 4.2 | 23 17.2 4.8 | 132 4.3 |
| Column Total | | 2622 84.8 | 472 15.2 | 3093 100.0 |

| Chi-Square | Value | DF | Significance |
|--|--------|----|--------------|
| Pearson | .42234 | 1 | .51577 |
| Continuity Correction | .27665 | 1 | .59891 |
| Likelihood Ratio | .40880 | 1 | .52258 |
| Mantel-Haenszel test for linear association | .42220 | 1 | .51584 |

Minimum Expected Frequency = 20.067

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|-----------------------------|
| Phi | .01168 | | | .51577 *1 |
| Cramer's V | .01168 | | | .51577 *1 |
| Contingency Coefficient | .01168 | | | .51577 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 314

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:28:49 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF2 ALTER

Page 1 of 1

| | Count Row Pct Col Pct | RF2 | | | | Row Total |
|-----------------|-----------------------------|----------------------|---------------------|---------------------|---------------------|---------------|
| | | 15-18J. | 19-21J. | 22-25J. | 26-30J. | |
| | | 1 | 2 | 3 | 4 | |
| SPAN | | | | | | |
| REST | 0 | 1026 31.4 95.2 | 575 17.6 98.1 | 972 29.8 95.2 | 691 21.2 95.7 | 3264 95.8 |
| TRIPFT ZU | 1 | 52 36.4 4.8 | 11 7.7 1.9 | 49 34.3 4.8 | 31 21.5 4.3 | 143 4.2 |
| Column Total | | 1078 31.6 | 586 17.2 | 1021 30.0 | 722 21.2 | 3407 100.0 |

| Chi-Square | Value | DF | Significance |
|--|----------|----|--------------|
| Pearson | 9.81473 | 3 | .02021 |
| Likelihood Ratio | 11.66506 | 3 | .00862 |
| Mantel-Haenszel test for linear association | .00029 | 1 | .98640 |

Minimum Expected Frequency = 24.627

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|-----------------------------|
| Phi | .05367 | | | .02021 *1 |
| Cramer's V | .05367 | | | .02021 *1 |
| Contingency Coefficient | .05360 | | | .02021 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 0

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***

14:28:49 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3 GESCHLECHT

Page 1 of 1

| Count Row Pct Col Pct | F3 | | Row Total |
|-----------------------------|----------------------|----------------------|---------------|
| | MAENNLICH H | WEIBLICH 2 | |
| SPAN | | | |
| REST | 0 | | 3264 |
| | 1820 55.8 96.0 | 1444 44.2 95.5 | 95.8 |
| TRIFFT ZU | 1 | | 143 |
| | 75 52.4 4.0 | 68 47.6 4.5 | 4.2 |
| Column Total | 1895 55.6 | 1512 44.4 | 3407 100.0 |

| Chi-Square | Value | DF | Significance |
|--|--------|----|--------------|
| Pearson | .63430 | 1 | .42578 |
| Continuity Correction | .50479 | 1 | .47740 |
| Likelihood Ratio | .63161 | 1 | .42677 |
| Mantel-Haenszel test for linear association | .63411 | 1 | .42585 |

Minimum Expected Frequency - 63.517

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|-----------------------------|
| Phi | .01364 | | | .42578 *1 |
| Cramer's V | .01364 | | | .42578 *1 |
| Contingency Coefficient | .01364 | | | .42578 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 0

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:28:50 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF4 KINDERZAHL

Page 1 of 1

| Count Row Pct Col Pct | RF4 | | | Row Total |
|-----------------------------|----------------------|---------------------|------------------|---------------|
| | KEINE KI INDER | 1-3 KIND ER | 4-6 KIND ER | |
| SPAN | | | | |
| REST | 0 | | | 3179 |
| | 2507 78.9 95.7 | 660 20.8 96.1 | 11 .3 82.0 | 95.8 |
| TRIFFT ZU | 1 | | | 141 |
| | 112 79.5 4.3 | 26 18.8 3.9 | 2 1.7 18.0 | 4.2 |
| Column Total | 2620 78.9 | 687 20.7 | 13 .4 | 3320 100.0 |

| Chi-Square | Value | DF | Significance |
|--|---------|----|--------------|
| Pearson | 6.57322 | 2 | .03738 |
| Likelihood Ratio | 3.87626 | 2 | .14397 |
| Mantel-Haenszel test for linear association | .04102 | 1 | .83950 |

Minimum Expected Frequency - .572
Cells with Expected Frequency < 5 - 1 OF 6 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|-----------------------------|
| Phi | .04450 | | | .03738 *1 |
| Cramer's V | .04450 | | | .03738 *1 |
| Contingency Coefficient | .04445 | | | .03738 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 87

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:28:50 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F4A AUFENTHALTSORT KINDER

Page 1 of 1

| Count Row Pct Col Pct | F4A | | | | Row Total |
|-----------------------------|-----|---------|-----------------|---------------|--------------|
| | BRD | HK.LAND | TEILS/TE ILS | SONSTIGE S | |
| | 1 | 2 | 3 | 4 | Total |

| SPAN | | ----- | | | | |
|--------------|---|-------|------|-------|-------|-------|
| REST | 0 | 600 | 37 | 4 | 1 | 642 |
| | | 93.5 | 5.7 | .6 | .2 | 96.0 |
| | | 96.1 | 94.7 | 100.0 | 100.0 | |
| TRIPPT ZU | 1 | 24 | 2 | | | 27 |
| | | 92.3 | 7.7 | | | 4.0 |
| | | 3.9 | 5.3 | | | |
| Column Total | | 624 | 39 | 4 | 1 | 668 |
| | | 93.5 | 5.8 | .5 | .2 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .38790 | 3 | .94273 |
| Likelihood Ratio | .56699 | 3 | .90395 |
| Mantel-Haenszel test for linear association | .00213 | 1 | .96317 |

Minimum Expected Frequency - .053
 Cells with Expected Frequency < 5 - 5 OF 8 (62.5%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .02410 | | | .94273 *1 |
| Cramer's V | .02410 | | | .94273 *1 |
| Contingency Coefficient | .02409 | | | .94273 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2739

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:28:51 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F5 FAMILIENSTAND

Page 1 of 1

| | | F5 | | | | | |
|--------------|--------------------|-------|------|-------|-------|------------------|-----------|
| SPAN | Row Pct Col Pct | LEDIG | VERH | VERW | GESCH | LEBE MIT FREUND/ | Row Total |
| | | 1 | 2 | 3 | 4 | 5 | |
| REST | 0 | 2263 | 884 | 1 | 28 | 47 | 3222 |
| | | 70.2 | 27.4 | .0 | .9 | 1.5 | 95.8 |
| | | 95.5 | 96.8 | 100.0 | 91.9 | 92.6 | |
| TRIFFT ZU | 1 | 106 | 29 | | 2 | 4 | 142 |
| | | 75.0 | 20.7 | | 1.7 | 2.6 | 4.2 |
| | | 4.5 | 3.2 | | 8.1 | 7.4 | |
| Column Total | | 2369 | 913 | 1 | 30 | 51 | 3364 |
| | | 70.4 | 27.2 | .0 | .9 | 1.5 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 5.18835 | 4 | .26851 |
| Likelihood Ratio | 4.96642 | 4 | .29076 |
| Mantel-Haenszel test for linear association | .00699 | 1 | .93337 |

Minimum Expected Frequency - .045
 Cells with Expected Frequency < 5 - 4 OF 10 (40.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03927 | | | .26851 *1 |
| Cramer's V | .03927 | | | .26851 *1 |
| Contingency Coefficient | .03924 | | | .26851 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 43

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:28:51 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F5A STAATSANGEHOERIGKEIT PARTNER

Page 1 of 1

| | | F5A | | | | | | | | | | |
|-----------|--------------------|---------|------------|----------|----------|----------|----------|----------|----------|----------|-----------|--|
| SPAN | Row Pct Col Pct | DEUTSCH | GRIECHISCH | ITALIENI | JUG.SERB | PORTUGIE | SPANISCH | TUERKISC | SONSTIGE | KEINE AN | Row Total | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | |
| REST | 0 | 171 | 71 | 88 | 32 | 13 | 3 | 508 | 15 | 11 | 912 | |
| | | 18.8 | 7.8 | 9.7 | 3.5 | 1.5 | .3 | 55.6 | 1.7 | 1.2 | 96.6 | |
| | | 89.4 | 100.0 | 99.0 | 100.0 | 100.0 | 26.9 | 99.8 | 86.0 | 100.0 | | |
| TRIFFT ZU | 1 | 20 | | 1 | | | 7 | 1 | 3 | | 32 | |
| | | 63.2 | | 2.9 | | | 22.5 | 3.7 | 7.8 | | 3.4 | |
| | | 10.6 | | 1.0 | | | 73.1 | .2 | 14.0 | | | |
| Column | | 192 | 71 | 89 | 32 | 13 | 10 | 509 | 18 | 11 | 945 | |

| Chi-Square | Value | DF | Significance |
|---|-----------|----|--------------|
| Pearson | 203.69279 | 6 | .00000 |
| Likelihood Ratio | 97.89569 | 8 | .00000 |
| Mantel-Haenszel test for linear association | 19.12262 | 1 | .00001 |

Minimum Expected Frequency = .336
 Cells with Expected Frequency < 5 = 7 OF 18 (38.9%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .46439 | | | .00000 *1 |
| Cramer's V | .46439 | | | .00000 *1 |
| Contingency Coefficient | .42119 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2462

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:28:52 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F5B PARTNER IN BRD

Page 1 of 1

| | | F5B | | Row Total |
|--------------|---|------|------|-----------|
| | | JA | NEIN | |
| SPAN | | | | |
| | 0 | 836 | 84 | 920 |
| REST | | 90.9 | 9.1 | 96.5 |
| | | 96.6 | 95.8 | |
| | 1 | 30 | 4 | 33 |
| TRIFFT ZU | | 89.0 | 11.0 | 3.5 |
| | | 3.4 | 4.2 | |
| Column Total | | 866 | 87 | 953 |
| | | 90.8 | 9.2 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .14214 | 1 | .70616 |
| Continuity Correction | .00516 | 1 | .94274 |
| Likelihood Ratio | .13470 | 1 | .71361 |
| Mantel-Haenszel test for linear association | .14199 | 1 | .70631 |
| Fisher's Exact Test: | | | |
| One-Tail | | | .38478 |
| Two-Tail | | | .54560 |

Minimum Expected Frequency = 3.062
 Cells with Expected Frequency < 5 = 1 OF 4 (25.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .01221 | | | .70616 *1 |
| Cramer's V | .01221 | | | .70616 *1 |
| Contingency Coefficient | .01221 | | | .70616 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2454

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:28:52 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF6 HAUSHALTSGROESSE

Page 1 of 1

| | | RF6 | | | | Row Total |
|--------------|---|----------|---------|----------|---------------|-----------|
| | | EINE SON | PER 2-3 | PERS 4-6 | PERS 7 U.MEHR | |
| SPAN | | | | | | |
| | 0 | 303 | 1036 | 1650 | 236 | 3225 |
| REST | | 9.4 | 32.1 | 51.1 | 7.3 | 95.8 |
| | | 96.0 | 94.6 | 96.0 | 98.5 | |
| | 1 | 13 | 59 | 68 | 4 | 143 |
| TRIFFT ZU | | 8.8 | 41.0 | 47.7 | 2.5 | 4.2 |
| | | 4.0 | 5.4 | 4.0 | 1.5 | |
| Column Total | | 316 | 1095 | 1718 | 240 | 3368 |
| | | 9.4 | 32.5 | 51.0 | 7.1 | 100.0 |

| Chi-Square | Value | DF | Significance |
|------------|---------|----|--------------|
| Pearson | 8.08380 | 3 | .04431 |

Likelihood Ratio 9.26561 3 .02596
 Mantel-Haenszel test for 3.64398 1 .05627
 linear association

Minimum Expected Frequency = 10.165

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04899 | | | .04431 *1 |
| Cramer's V | .04899 | | | .04431 *1 |
| Contingency Coefficient | .04893 | | | .04431 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 39

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:28:53 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F6Y FORM DES ZUSAMMENLEBENS

Page 1 of 1

| Count Row Pct Col Pct | F6Y | | | | | Row Total |
|-----------------------------|---------------------|---------------------|---------------------|----------------------|--------------------|---------------|
| | LEBT ALL EIN | LEBT MIT EHEPART | LEBT MIT EHEP.U. | LEBT ELT .U.GESCH | HALBE PA MILIE | |
| SPAN | 4 | 5 | 6 | 9 | 10 | |
| REST | 0 | | | | | |
| | 588 19.4 95.4 | 161 5.3 98.5 | 482 15.9 95.6 | 1611 53.2 95.4 | 188 6.2 98.3 | 3030 95.8 |
| TRIFFT ZU | 1 | | | | | |
| | 29 21.4 4.6 | 3 1.9 1.5 | 22 16.4 4.4 | 77 57.8 4.6 | 3 2.5 1.7 | 134 4.2 |
| Column Total | 617 19.5 | 163 5.2 | 504 15.9 | 1688 53.4 | 192 6.1 | 3164 100.0 |

| Chi-Square | Value | DF | Significance |
|--|---------|----|--------------|
| Pearson | 6.7160e | 4 | .15168 |
| Likelihood Ratio | 8.44464 | 4 | .07658 |
| Mantel-Haenszel test for linear association | .00623 | 1 | .92771 |

Minimum Expected Frequency = 6.901

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04608 | | | .15168 *1 |
| Cramer's V | .04608 | | | .15168 *1 |
| Contingency Coefficient | .04603 | | | .15168 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 243

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:28:54 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 353.93 seconds CPU time; 417.74 seconds elapsed.

224 0 BREAKDOWN TABLES=F2 F6 BY SPAN

There are 4,441,568 bytes of memory available.

Given workspace allows for 32,767 cells of 1 dimensions for MEANS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:29:16 *** SPANISCHE JUGENDLICHE ***

- - Description of Subpopulations - -

| Summaries of By levels of | F2 SPAN | ALTER SPANIER | Mean | Std Dev | Cases |
|------------------------------|------------|------------------|---------|---------|-------|
| Variable | Value | Label | | | |
| For Entire Population | | | 21.4669 | 4.2313 | 3407 |
| SPAN | 0 | REST | 21.4633 | 4.2278 | 3264 |
| SPAN | 1 | TRIFFT ZU | 21.5968 | 4.3252 | 143 |

Total Cases - 3407

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:29:17 *** SPANISCHE JUGENDLICHE ***

- - Description of Subpopulations - -

Summaries of F6 HAUSHALTSGROSSE
 By levels of SPAN SPANIER

| Variable | Value | Label | Mean | Std Dev | Cases |
|------------------------------|-------|-----------|--------|---------|-------|
| For Entire Population | | | | | |
| | | | 3.9042 | 1.8653 | 3379 |
| SPAN | 0 | REST | 3.9181 | 1.8738 | 3236 |
| SPAN | 1 | TRIFFT ZU | 3.5901 | 1.6351 | 143 |
| Total Cases = 3407 | | | | | |
| Missing Cases = 28 or .8 Pct | | | | | |

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:29:17 *** SPANISCHE JUGENDLICHE ***

>Warning# 3211
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 17.15 seconds CPU time; 22.61 seconds elapsed.

225 0 MULT RESPONSE GROUPS=F6A ANGEH. I .D.WOHNUNG (F6A1 TO F6A9 , DUMMY(1)) /
 226 0 VARIABLES=SPAN(0,1) /
 227 0 TABLES=SPAN BY E 6A /
 228 0 STATISTICS 1 2

MULT RESPONSE requires 1288 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:29:41 *** SPANISCHE JUGENDLICHE ***

* * * C R O S S T A B U L A T I O N * * *

SPAN SPANIER
 by F6A (tabulating 1) ANGEH.I.D.WOHNUNG

| | | F6A | | | | | | | | | | |
|---------|---------|----------------|------|--------|----------|----------|----------|----------|----------|----------|-----------|-------|
| Count | Row pct | BEFRAGTE VATER | | MUTTER | GESCHWIS | GROSSELT | SONST.VE | EHEPARTN | EIG. KIN | SONST. P | Row Total | |
| | | R | ER | TER | ERN | RW. | ER | DER | ERE. | | | |
| Col pct | | F6A1 | F6A2 | F6A3 | F6A4 | F6A5 | F6A6 | F6A7 | F6A8 | F6A9 | DUMMY | |
| ----- | | | | | | | | | | | | |
| SPAN | 0 | 3264 | 1796 | 1839 | 1560 | 85 | 126 | 744 | 584 | 241 | 3264 | 3264 |
| | | 100.0 | 55.0 | 56.3 | 47.8 | 2.6 | 3.9 | 22.8 | 17.9 | 7.4 | 100.0 | 95.8 |
| | | 95.8 | 95.6 | 95.6 | 96.1 | 97.7 | 95.3 | 96.7 | 95.8 | 93.2 | 95.8 | |
| ----- | | | | | | | | | | | | |
| REST | 1 | 143 | 83 | 84 | 63 | 2 | 6 | 26 | 26 | 18 | 143 | 143 |
| | | 100.0 | 57.9 | 58.9 | 44.1 | 1.4 | 4.4 | 17.9 | 17.9 | 12.4 | 100.0 | 4.2 |
| | | 4.2 | 4.4 | 4.4 | 3.9 | 2.3 | 4.7 | 3.3 | 4.2 | 6.8 | 4.2 | |
| ----- | | | | | | | | | | | | |
| Column | | 3407 | 1879 | 1923 | 1623 | 87 | 132 | 769 | 609 | 259 | 3407 | 3407 |
| Total | | 100.0 | 55.1 | 56.5 | 47.7 | 2.6 | 3.9 | 22.6 | 17.9 | 7.6 | 100.0 | 100.0 |

Percents and totals based on respondents

3,407 valid cases; 0 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:29:42 *** SPANISCHE JUGENDLICHE ***

>Warning# 3211
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 18.40 seconds CPU time; 25.01 seconds elapsed.

229 0 CROSSTABS TABLES=SPAN BY F7 F7A RF7B
 230 0 F7C TO F8A RF8B F8C F9 RF9 F10 F11 RF11A RRF11A F11C F11D RF12
 231 0 RF12A1 RF'2A2 F13 RF13A
 232 0 OPTIONS 3 4
 233 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:30:16 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F7 STAATSANG. VATER

Page 1 of 1

| | | F7 | | | | |
|-----------|---------|----------|---------|----------|--------|-------|
| Count | Row Pct | LEBT NIC | GLEICHE | DEUTSCHE | ANDERE | Row |
| Col Pct | HT MEHR | 1 | 2 | 3 | 4 | Total |
| SPAN | 0 | 273 | 2870 | 22 | 38 | 3203 |
| REST | | 8.5 | 89.6 | .7 | 1.2 | 95.8 |
| | | 95.4 | 95.8 | 100.0 | 97.0 | |
| | 1 | 13 | 127 | | 1 | 141 |
| TRIFFT ZU | | 9.4 | 89.8 | | .8 | 4.2 |
| | | 4.6 | 4.2 | | 3.0 | |
| Column | | 286 | 2997 | 22 | 39 | 3344 |
| Total | | 8.6 | 89.6 | .7 | 1.2 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.23820 | 3 | .74386 |
| Likelihood Ratio | 2.18613 | 3 | .53469 |
| Mantel-Haenszel test for linear association | .50424 | 1 | .47764 |

Minimum Expected Frequency = .937
 Cells with Expected Frequency < 5 = 2 OF 8 (25.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .01924 | | | .74386 *1 |
| Cramer's V | .01924 | | | .74386 *1 |
| Contingency Coefficient | .01924 | | | .74386 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 63

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:30:17 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F7A AUFENTHLD. VATER

Page 1 of 1

| | | F7A | | | |
|-----------|---------|----------|---------|---------|-------|
| Count | Row Pct | IN DER B | HK.LAND | ANDERES | Row |
| Col Pct | RD | 1 | 2 | 3 | Total |
| SPAN | 0 | 2256 | 643 | 16 | 2915 |
| REST | | 77.4 | 22.1 | .5 | 95.8 |
| | | 95.9 | 95.6 | 94.5 | |
| | 1 | 96 | 30 | 1 | 127 |
| TRIFFT ZU | | 75.7 | 23.6 | .7 | 4.2 |
| | | 4.1 | 4.4 | 5.5 | |
| Column | | 2352 | 673 | 17 | 3042 |
| Total | | 77.3 | 22.1 | .6 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .24737 | 2 | .88366 |
| Likelihood Ratio | .23863 | 2 | .88753 |
| Mantel-Haenszel test for linear association | .22764 | 1 | .63328 |

Minimum Expected Frequency = .702
 Cells with Expected Frequency < 5 = 1 OF 6 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .00902 | | | .88366 *1 |
| Cramer's V | .00902 | | | .88366 *1 |
| Contingency Coefficient | .00902 | | | .88366 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 365

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:30:17 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF7B ERSTEINREISE VATER

Page 1 of 1

| | | RF7B | | | | | |
|---------|---------|----------|----------|----------|----------|--------|-------|
| Count | Row Pct | 1950-106 | 1961-197 | 1974-198 | 1981-HEU | NIE IN | Row |
| Col Pct | TE | 1 | 2 | 3 | 4 | 5 | Total |
| SPAN | 0 | 3 | 0 | | | | |
| | | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | |
|--------------|---|--------------------|----------------------|--------------------|-------------------|---------------------|---------------|
| REST | 0 | 215 7.6 89.4 | 1862 65.7 96.6 | 266 9.4 98.7 | 67 2.4 98.2 | 423 14.9 95.0 | 2832 96.0 |
| | 1 | 25 21.6 10.6 | 65 55.6 3.4 | 4 3.1 1.3 | 1 1.1 1.8 | 22 18.7 5.0 | 118 4.0 |
| Column Total | | 240 8.1 | 1927 65.3 | 270 9.1 | 68 2.3 | 445 15.1 | 2950 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 35.81920 | 4 | .00000 |
| Likelihood Ratio | 29.50572 | 4 | .00001 |
| Mantel-Haenszel test for linear association | 1.11598 | 1 | .29079 |

Minimum Expected Frequency - 2.728
Cells with Expected Frequency < 5 - 1 OF 10 (10.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .11020 | | | .00000 *1 |
| Cramer's V | .11020 | | | .00000 *1 |
| Contingency Coefficient | .10954 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 457

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:30:18 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F7C BERUF VATER

Page 1 of 1

| SPAN | Count Row Pct Col Pct | F7C | | | | | | | | | | Row Total |
|--------------|-----------------------------|--------------------|---------------------|---------------------|---------------------|-------------------|-----------------------|-----------------------|---------------------------|---------------------------|-------------------|---------------|
| | | SONSTIGE S | UNG.ARB. 1 | ANG.ARB. 2 | FACHARB. 3 | MEISTER 4 | ANGESTEL LTER 5 | LEITEND. ANG. 6 | SELBSTST AENDIGER 7 | NICHT BE RUFSTAET 8 | IN RENTE 9 | |
| REST | 0 | 30 1.2 100.0 | 634 26.2 98.7 | 650 26.9 96.6 | 468 19.3 93.8 | 88 3.6 90.6 | 84 3.5 94.2 | 48 2.0 95.8 | 276 11.4 96.5 | 63 2.6 94.7 | 79 3.2 96.9 | 2419 96.2 |
| | 1 | 9 9.1 1.3 | 23 9.1 3.4 | 31 23.9 3.4 | 32.7 32.7 6.2 | 9 9.7 9.4 | 5 5.5 5.8 | 2 2.2 4.2 | 10 10.5 3.5 | 4 3.7 5.3 | 3 2.6 3.1 | 95 3.8 |
| Column Total | | 30 1.2 | 643 25.6 | 673 26.8 | 499 19.8 | 97 3.9 | 90 3.6 | 50 2.0 | 285 11.4 | 66 2.6 | 81 3.2 | 2514 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 30.48780 | 9 | .00036 |
| Likelihood Ratio | 31.06113 | 9 | .00029 |
| Mantel-Haenszel test for linear association | 4.27967 | 1 | .03857 |

Minimum Expected Frequency - 1.130
Cells with Expected Frequency < 5 - 6 OF 20 (30.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .11013 | | | .00036 *1 |
| Cramer's V | .11013 | | | .00036 *1 |
| Contingency Coefficient | .10947 | | | .00036 *1 |

*1 Pearson chi-square probability

Number of Missmg Observations: 893

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:30:18 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F8 STAATSANG. MUTTER

Page 1 of 1

| SPAN | Count Row Pct Col Pct | F8 | | | | Row Total |
|--------------|-----------------------------|--------------------------|----------------------|-------------------|-------------------|---------------|
| | | LEBT NIC HT MEHR 1 | GLEICHE 2 | DEUTSCH 3 | ANDERE 4 | |
| REST | 0 | 117 3.6 96.3 | 2995 93.4 95.9 | 52 1.6 91.4 | 42 1.3 94.6 | 3205 95.8 |
| | 1 | 5 3.2 3.7 | 128 91.5 4.1 | 5 3.5 6.6 | 2 1.7 5.4 | 140 4.2 |
| Column Total | | 121 3.6 | 3122 93.4 | 56 1.7 | 45 1.3 | 3345 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 3.03614 | 3 | .38609 |
| Likelihood Ratio | 2.40134 | 3 | .49339 |
| Mantel-Haenszel test for linear association | 1.20475 | 1 | .27237 |

Minimum Expected Frequency = 1.865
 Cells with Expected Frequency < 5 = 2 OF 8 (25.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03013 | | | .38609 *1 |
| Cramer's V | .03013 | | | .38609 *1 |
| Contingency Coefficient | .03012 | | | .38609 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 62

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:30:19 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F8A AUFENTHLD, MUTTER

Page 1 of 1

| Count Row Pct Col Pct | F8A | | | Row Total |
|-----------------------------|----------------------|---------------------|------------------|---------------|
| | BRD | HK.LAND | ANDERES LAND | |
| | 1 | 2 | 3 | |
| SPAN | | | | |
| 0 | 2335 76.2 95.9 | 710 23.2 95.4 | 19 .6 93.9 | 3064 95.8 |
| 1 | 99 73.5 4.1 | 35 25.6 4.6 | 1 .9 6.1 | 135 4.2 |
| Column Total | 2434 76.1 | 744 23.3 | 20 .6 | 3199 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .63071 | 2 | .72953 |
| Likelihood Ratio | .60058 | 2 | .74060 |
| Mantel-Haenszel test for linear association | .59221 | 1 | .44157 |

Minimum Expected Frequency = .862
 Cells with Expected Frequency < 5 = 1 OF 6 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .01404 | | | .72953 *1 |
| Cramer's V | .01404 | | | .72953 *1 |
| Contingency Coefficient | .01404 | | | .72953 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 208

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:30:19 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF8B ERSTEINREISE MUTTER

Page 1 of 1

| Count Row Pct Col Pct | RF8B | | | | | Row Total |
|-----------------------------|--------------------|----------------------|---------------------|--------------------|---------------------|---------------|
| | 1950-106 | 1961-197 | 1974-198 | 1981-HEU TE | NIE IN DER BRD | |
| | 0 | 1 | 2 | 3 | 4 | 5 |
| SPAN | | | | | | |
| 0 | 110 3.7 93.0 | 1640 55.6 95.5 | 576 19.5 98.1 | 127 4.3 98.1 | 499 16.9 94.9 | 2952 95.9 |
| 1 | 8 6.6 7.0 | 77 61.1 4.5 | 11 8.7 1.9 | 3 2.0 1.9 | 27 21.5 5.1 | 126 4.1 |
| Column Total | 119 3.9 | 1717 55.8 | 587 19.1 | 129 4.2 | 526 17.1 | 3077 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 13.60830 | 4 | .00866 |
| Likelihood Ratio | 15.17971 | 4 | .00434 |
| Mantel-Haenszel test for linear association | .17057 | 1 | .67961 |

Minimum Expected Frequency = 4.841

| Statistic | Value | ASF1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06650 | | | .00866 *1 |
| Cramer's V | .06650 | | | .00866 *1 |
| Contingency Coefficient | .06635 | | | .00866 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 330

8-NOV-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:30:20 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F8C BERUF MUTTER

Page 1 of 2

| Count Row Pct Col Pct | F8C | | | | | | | | | | | Row Total | |
|-----------------------------|--------------------|---------------------|---------------------|--------------------|------------------|---------------------|--------------------|----------------------|--------------------|----------------------|--------------------|--------------------|---------------|
| | UNG.ASBE ITERIN | ANG.ARBE ITERIN | PACHARBE ITERIN | MEISTERI N | ANGESTEL LTE | LEITENDE ANGESTE | SEBSTSTA ENDIGE | MITHELF. FAM.ANGE | HAUSFRAU | ARBEITSL OS | SONSTIGE S | | |
| SPAN | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| REST | 0 | 574 23.0 98.9 | 351 14.1 95.2 | 126 5.0 92.5 | 8 .3 100.0 | 91 3.6 84.0 | 21 .9 100.0 | 48 1.9 94.3 | 118 4.7 96.3 | 1010 40.5 96.1 | 100 4.0 97.1 | 32 1.3 100.0 | 2492 96.0 |
| TRIFFT ZU | 1 | 6 6.1 1.1 | 18 17.1 4.8 | 10 9.8 7.5 | | 17 16.7 16.0 | | 3 2.8 5.7 | 5 4.4 3.7 | 41 40.1 3.9 | 23 2.3 2.9 | | 103 4.0 |
| (Continued) | Column Total | 580 22.4 | 369 14.2 | 136 5.2 | 8 .3 | 108 4.2 | 21 .8 | 51 2.0 | 123 4.7 | 1052 40.5 | 103 4.0 | 32 1.2 | 2595 100.0 |

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:30:20 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F8C BERUF MUTTER

Page 2 of 2

| Count Row Pct Col Pct | F8C | | Row Total |
|-----------------------------|------------------|-------------------|---------------|
| | TRIFFT N ICHT | ZU | |
| SPAN | 12 | | |
| REST | 0 | 13 .5 100.0 | 2492 96.0 |
| TRIFFT ZU | 1 | | 103 4.0 |
| | Column Total | 13 .5 | 2595 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 62.22806 | 11 | .00000 |
| Likelihood Ratio | 52.17929 | 11 | .00000 |
| Mantel-Haenszel test for linear association | .68970 | 1 | .40627 |

Minimum Expected Frequency - .313
Cells with Expected Frequency < 5 - 8 OF 24 (33.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .15486 | | | .00000 *1 |
| Cramer's V | .15486 | | | .00000 *1 |
| Contingency Coefficient | .15304 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 812

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:30:21 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F9 RUECKKEHRPLAENE ELTERN

Page 1 of 1

| Count Row Pct Col Pct | F9 | | | | | | Row Total | |
|-----------------------------|--------------|---------------------|---------------------|---------------------|----------------------|--------------------|---------------------|--------------|
| | BALD UECK | ZUR AHRE | EINIGE J BRD | IMMER IN DER BRD | KEINE GE NAUEN PL | IN EIN LAND CHT | | WEISS NI |
| SPAN | 1 | 2 | 3 | 4 | 5 | 6 | | |
| REST | 0 | 255 10.6 97.4 | 722 30.1 95.6 | 394 16.4 95.4 | 703 29.4 96.0 | 10 .4 100.0 | 311 13.0 95.5 | 2395 95.9 |
| | 1 | 7 | 33 | 19 | 29 | | 15 | 103 |

| | | | | | | | |
|-----------|------|------|------|------|----|------|-------|
| VRIFFT ZU | 6.6 | 32.2 | 18.3 | 28.6 | | 14.3 | 4.1 |
| | 2.6 | 4.4 | 4.6 | 4.0 | | 4.5 | |
| Column | 261 | 755 | 413 | 733 | 10 | 326 | 2498 |
| Total | 10.5 | 30.2 | 16.5 | 29.3 | .4 | 13.1 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 2.49682 | 5 | .77697 |
| Likelihood Ratio | 3.13805 | 5 | .67871 |
| Mantel-Haenszel test for linear association | .31653 | 1 | .57370 |

Minimum Expected Frequency = .425
 Cells with Expected Frequency < 5 = 1 OF 12 (8.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03162 | | | .77697 *1 |
| Cramer's v | .03162 | | | .77697 *1 |
| Contingency Coefficient | .03160 | | | .77697 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 909

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:30:21 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF9 RUECKKEHRPLAENE ELTERN - REC.

Page 1 of 1

| | | RF9 | | | | | | Row Total |
|-----------|---------|---------------------|---------------------|---------------------|---------------------|--------------------|---------------------|--------------|
| Count | Row Pct | BALD ZUR UECK | EINIGE AHRE BRD | IMMER DER BRD | IN KEINE NAUEN PL | GE IN EIN AND.LAND | WEISS NI CHT | Row Total |
| Col Pct | | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | | | | | | | |
| REST | 0 | 255 10.6 97.4 | 722 30.2 95.6 | 394 16.5 95.4 | 702 29.3 96.0 | 10 .4 100.0 | 311 13.0 95.5 | 2393 95.9 |
| TRIFFT ZU | 1 | 7 6.6 2.6 | 33 32.2 4.4 | 19 18.3 4.6 | 29 28.6 4.0 | | 15 14.3 4.5 | 103 4.1 |
| Column | | 261 | 755 | 413 | 731 | 10 | 325 | 2496 |
| Total | | 10.5 | 30.2 | 16.5 | 29.3 | .4 | 13.0 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 2.49891 | 5 | .77666 |
| Likelihood Ratio | 3.14169 | 5 | .67815 |
| Mantel-Haenszel test for linear association | .32566 | 1 | .56823 |

Minimum Expected Frequency = .425
 Cells with Expected Frequency < 5 = 1 OF 12 (8.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03164 | | | .77666 *1 |
| Cramer's v | .03164 | | | .77666 *1 |
| Contingency Coefficient | .03163 | | | .77666 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 911

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:30:22 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F10 EIG. STAATEANGEHOERIGKEIT

Page 1 of 1

| | | F10 | | | | | | Row Total |
|-----------|---------|---------------------|----------------------|----------------------|--------------------|-----------------------|-----------------------|--------------|
| Count | Row Pct | GRIECHIS CH | ITALIENI SCH | JUGOSLAW ISCH | PORTUGIE SISCH | SPANISCH | TUERKISC H | Row Total |
| Col Pct | | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | | | | | | | |
| REST | 0 | 307 9.4 100.0 | 661 20.2 100.0 | 350 10.7 100.0 | 92 2.8 100.0 | | 1855 56.8 100.0 | 3264 95.8 |
| TRIFFT ZU | 1 | | | | | 143 100.0 100.0 | | 143 4.2 |
| Column | | 307 | 661 | 350 | 92 | 143 | 1855 | 3407 |
| Total | | 9.0 | 19.4 | 10.3 | 2.7 | 4.2 | 54.4 | 100.0 |

| Chi-Square | Value | DF | Significance |
|------------|------------|----|--------------|
| Pearson | 3407.00020 | 5 | .00000 |

Likelihood Ratio 1187.55743 5 .00000
 Mantel-Haenszel test for 15.71542 1 .00007
 linear association
 Minimum Expected Frequency - 3.852
 Cells with Expected Frequency < 5 - 1 OF 12 (8.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|---------|------|---------|--------------------------|
| Phi | 1.00000 | | | .00000 *1 |
| Cramer's V | 1.00000 | | | .00000 *1 |
| Contingency Coefficient | .70711 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 0

8-Nov-94 ** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:30:22 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F11 GEBURT IN BRD

Page 1 of 1

| | | F11 | | Row |
|-----------|---------|---------------------|----------------------|--------------|
| | | JA | NEIN | Total |
| Count | Row Pct | 1 | 2 | |
| Col Pct | | | | |
| SPAN | 0 | 694 21.3 92.7 | 2570 78.7 96.7 | 3264 95.8 |
| REST | 1 | 54 38.1 7.3 | 89 61.9 3.3 | 143 4.2 |
| TRIPFT ZU | | | | |
| Column | | 748 | 2659 | 3407 |
| Total | | 22.0 | 78.0 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 22.56770 | 1 | .00000 |
| Continuity Correction | 21.59843 | 1 | .00000 |
| Likelihood Ratio | 19.87982 | 1 | .00001 |
| Mantel-Haenszel test for linear association | 22.56108 | 1 | .00000 |

Minimum Expected Frequency - 31.439

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .08139 | | | .00000 *1 |
| Cramer's V | .08139 | | | .00000 *1 |
| Contingency Coefficient | .08112 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 0

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:30:23 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF11A EINREISEALTER

Page 1 of 1

| | | RF11A | | | | | Row |
|-----------|---------|---------------------|---------------------|---------------------|---------------------|---------------------|--------------|
| | | BIS 3 J. | 4-6 J. | 7-10 J. | 11-15 J. | 16 J. U. MEHR | Total |
| Count | Row Pct | 1 | 2 | 3 | 4 | 5 | |
| Col Pct | | | | | | | |
| SPAN | 0 | 486 19.6 95.7 | 417 16.8 96.9 | 443 17.8 98.4 | 401 16.2 98.5 | 734 29.6 95.4 | 2481 96.7 |
| REST | 1 | 22 25.8 4.3 | 13 15.7 3.1 | 7 8.8 1.6 | 6 7.3 1.5 | 36 42.4 4.6 | 84 3.3 |
| TRIPFT ZU | | | | | | | |
| Column | | 507 | 431 | 450 | 407 | 770 | 2565 |
| Total | | 19.8 | 16.8 | 17.6 | 15.9 | 30.0 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 13.91473 | 4 | .00757 |
| Likelihood Ratio | 15.11632 | 4 | .00447 |
| Mantel-Haenszel test for linear association | .09918 | 1 | .75282 |

Minimum Expected Frequency - 13.313

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-----------|-------|------|---------|--------------------------|
|-----------|-------|------|---------|--------------------------|

Phi .07365 .00757 *1
 Cramer's V .07365 .00757 *1
 Contingency Coefficient .07345 .00757 *1

*1 Pearson chi-square probability

Number of Missing Observations: 842

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:30:23 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RRF11A GEBURT BRD-EINREISEALTER - KOMB.

Page 1 of 1

| Count Row Pct Col Pct | RRF11A | | | | | | Row Total |
|-----------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------|
| | IN BRD EB. | G BIS 3 J. | 4-6 J. | 7-10 J. | 11-15 J. | 16 J. U. MEHR | |
| SPAN | 0 | 1 | 2 | 3 | 4 | 5 | |
| REST | 694 21.9 92.7 | 486 15.3 95.7 | 417 13.1 96.9 | 443 13.9 98.4 | 401 12.6 98.5 | 734 23.1 95.4 | 3175 95.8 |
| TRIFFT ZU | 54 39.4 7.3 | 22 15.7 4.3 | 13 9.5 3.1 | 7 5.3 1.6 | 6 4.4 1.5 | 36 25.7 4.6 | 138 4.2 |
| Column Total | 748 22.6 | 507 15.3 | 431 13.0 | 450 13.6 | 407 12.3 | 770 23.2 | 3314 100.0 |

| Chi-Square | Value | DF | Significance |
|--|----------|----|--------------|
| Pearson | 34.27615 | 5 | .00000 |
| Likelihood Ratio | 35.64303 | 5 | .00000 |
| Mantel-Haenszel test for linear association | 10.39003 | 1 | .00127 |

Minimum Expected Frequency - 17.000

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|-----------------------------|
| Phi | .10170 | | | .00000 *1 |
| Cramer's V | .10170 | | | .00000 *1 |
| Contingency Coefficient | .10118 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 93

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:30:24 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F11C URBANITAET GEBURTSORT

Page 1 of 1

| Count Row Pct Col Pct | F11C | | | Row Total |
|-----------------------------|---------------------|----------------------|---------------------|---------------|
| | DORF | STADT | GROSSTADT | |
| SPAN | 1 | 2 | 3 | |
| REST | 666 26.8 96.0 | 1113 44.7 97.5 | 709 28.5 96.4 | 2487 96.8 |
| TRIFFT ZU | 28 33.8 4.0 | 28 33.8 2.5 | 27 32.4 3.6 | 83 3.2 |
| Column Total | 694 27.0 | 1141 44.4 | 735 28.6 | 2570 100.0 |

| Chi-Square | Value | DF | Significance |
|--|---------|----|--------------|
| Pearson | 4.01747 | 2 | .13416 |
| Likelihood Ratio | 4.08317 | 2 | .12982 |
| Mantel-Haenszel test for linear association | .13483 | 1 | .71347 |

Minimum Expected Frequency - 22.323

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|-----------------------------|
| Phi | .03954 | | | .13416 *1 |
| Cramer's V | .03954 | | | .13416 *1 |
| Contingency Coefficient | .03951 | | | .13416 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 837

| SPAN | | ----- | | | | | | |
|--------------|---|--------------------------|---------------------|---------------------|---------------------|--------------------|-------------------|---------------|
| REST | 0 | 21 1.3 94.8 | 772 48.6 97.1 | 391 24.6 99.5 | 257 16.2 97.7 | 102 6.4 91.2 | 46 2.9 92.4 | 1589 97.2 |
| | 1 | 1 2.6 5.2 | 23 50.3 2.9 | 2 4.6 .5 | 6 13.0 2.3 | 10 21.4 8.8 | 4 8.2 7.6 | 46 2.8 |
| Column Total | | 23 1.4 | 795 48.6 | 393 24.1 | 263 16.1 | 112 6.9 | 49 3.0 | 1635 100.0 |

| Chi-Square | Value | DF | Significance |
|---|-----------------|----|--------------|
| Pearson | 27.03240 | 5 | .00006 |
| Likelihood Ratio | 24.13717 | 5 | .00020 |
| Mantel-Haenszel test for linear association | 6.47441 | 1 | .01094 |

Minimum Expected Frequency - .635
 Cells with Expected Frequency < 5 - 3 OF 12 (25.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .12858 | | | .00006 *1 |
| Cramer's V | .12858 | | | .00006 *1 |
| Contingency Coefficient | .12753 | | | .00006 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1772

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:30:26 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF12A2 NIVEAU SCHULART HKLAND ABGESCHLOSSEN

Page 1 of 1

| | | RF12A2 | | | | | | |
|--------------|---------|---------------------|---------------------|---------------------|---------------------|-------------------|-------------------|---------------|
| Count | Row Pct | UNI-EBEN | | | | | Row Total | |
| | | TRIFFT N .ZU | NIEDRIG | MITTEL | HOCH | SONSTIGE | | |
| SPAN | 0 | 618 38.9 97.6 | 436 27.5 96.8 | 224 14.1 99.4 | 218 13.7 97.3 | 65 4.1 89.7 | 28 1.8 95.8 | 1589 97.2 |
| | 1 | 15 33.4 2.4 | 15 31.8 3.2 | 1 2.7 .6 | 6 13.1 2.7 | 7 16.2 10.3 | 1 2.7 4.2 | 46 2.8 |
| Column Total | | 633 38.7 | 451 27.6 | 225 13.8 | 224 13.7 | 72 4.4 | 29 1.8 | 1635 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 19.86323 | 5 | .00133 |
| Likelihood Ratio | 15.99443 | 5 | .00686 |
| Mantel-Haenszel test for linear association | 2.37371 | 1 | .12339 |

Minimum Expected Frequency - .828
 Cells with Expected Frequency < 5 - 2 OF 12 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .11022 | | | .00133 *1 |
| Cramer's V | .11022 | | | .00133 *1 |
| Contingency Coefficient | .10955 | | | .00133 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1772

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14.30:26 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F13 BERUFSAUSB. HKLAND

Page 1 of 1

| | | F13 | | | |
|--------|---------|--------------------|----------------------|--------------|--|
| Count | Row Pct | JA NEIN | | Row Total | |
| | | 1 | 2 | | |
| SPAN | 0 | 244 7.7 96.3 | 2920 92.3 95.8 | 3164 95.9 | |
| | 1 | 9 6.9 3.7 | 127 93.1 4.2 | 137 4.1 | |
| Column | | 254 | 3047 | 3301 | |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .13624 | 1 | .71204 |
| Continuity Correction | .04211 | 1 | .83741 |
| Likelihood Ratio | .14020 | 1 | .70808 |
| Mantel-Haenszel test for linear association | .13620 | 1 | .71208 |

Minimum Expected Frequency - 10.516

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .00642 | | | .71204 *1 |
| Cramer's V | .00642 | | | .71204 *1 |
| Contingency Coefficient | .00642 | | | .71204 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 106

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:30:27 >>> SPANISCHE JUGENDLICHE >>>

SPAN SPANIER by RP13A BERUF IM HERKLAND

Page 1 of 1

| | | RP13A | | | | | Row |
|-----------|---------|----------|----------|----------|----------|----------|-------|
| Count | Row Pct | FERTIGUN | TECHNISC | DIENSTLE | AKADEM.B | SONSTIGE | Total |
| Col Pct | Col Pct | GSBERUFE | HE BERUF | IST.BERU | ERUFE | BERUFE | |
| | | 1 | 2 | 3 | 4 | 5 | |
| SPAN | | | | | | | |
| REST | 0 | 110 | 8 | 71 | 26 | 11 | 227 |
| | | 48.6 | 3.6 | 31.4 | 11.6 | 4.8 | 97.0 |
| | | 96.8 | 100.0 | 97.0 | 95.7 | 100.0 | |
| TRIFFT ZU | 1 | 4 | | 2 | 1 | | 7 |
| | | 51.9 | | 31.2 | 17.0 | | 3.0 |
| | | 3.2 | | 3.0 | 4.3 | | |
| Column | | 114 | 8 | 73 | 27 | 11 | 234 |
| Total | | 48.7 | 3.4 | 31.4 | 11.8 | 4.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | .76334 | 4 | .94329 |
| Likelihood Ratio | 1.30993 | 4 | .85969 |
| Mantel-Haenszel test for linear association | .02194 | 1 | .88226 |

Minimum Expected Frequency - .240
 Cells with Expected Frequency < 5 - 5 OF 10 (50.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05715 | | | .94329 *1 |
| Cramer's V | .05715 | | | .94329 *1 |
| Contingency Coefficient | .05706 | | | .94329 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3173

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:30:27 *** SPANISCHE JUGENDLICHE >>>

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 32.74 seconds CPU time; 45.05 seconds elapsed.

```
234 0 MULT RESPONSE GROUPS=F14 SCHULBESUCH IN BRD (F141 TO F148,DUMMY(1))/
235 0 VARIABLES=SPAN(0,1) /
236 0 TABLES=SPAN BY F14 /
237 0 STATISTICS 1 2
```

MULT RESPONSE requires 1264 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:30:50 *** SPANISCHE JUGENDLICHE ***

* * * C R O S S T A B U L A T I O N * * *

SPAN SPANIER
 by F14 (tabulating 1) SCHULBESUCH IN BRD

F14

| Count Row pct Col pct | GRUNDSCH | | HAUPTSCH | | SONDERSC | | REALSCHU | | GYMNASIU | | GESAMTSC | | SONST.SC | | KEIN SCH | | Row Total |
|-----------------------------|----------|---------|----------|--------|----------|----------|----------|-----------------|----------|-------|----------|--|----------|--|----------|--|--------------|
| | ULE BRD | ULE BRD | HULE BRD | LE BRD | M BRD | HULE BRD | HULE BRD | ULBESUCH BRD | DUMMY | | | | | | | | |
| | F141 | F142 | F143 | F144 | F145 | F146 | F147 | F148 | | | | | | | | | |
| SPAN | ----- | | | | | | | | | | | | | | | | |
| REST | 0 | 1439 | 1540 | 101 | 599 | 498 | 225 | 152 | 741 | 3264 | | | | | 3264 | | |
| | | 44.1 | 47.2 | 3.1 | 18.4 | 15.2 | 6.9 | 4.7 | 22.7 | 100.0 | | | | | 95.8 | | |
| | | 95.5 | 96.8 | 96.4 | 94.3 | 94.5 | 95.5 | 96.9 | 95.6 | 95.8 | | | | | | | |
| TRIFFT ZU | 1 | 67 | 51 | 4 | 36 | 29 | 11 | 5 | 34 | 143 | | | | | 143 | | |
| | | 46.8 | 35.6 | 2.6 | 25.4 | 20.1 | 7.3 | 3.4 | 24.0 | 100.0 | | | | | 4.2 | | |
| | | 4.5 | 3.2 | 3.6 | 5.7 | 5.5 | 4.5 | 3.1 | 4.4 | 4.2 | | | | | | | |
| Column | | 1506 | 1591 | 105 | 636 | 526 | 236 | 157 | 775 | 3407 | | | | | 3407 | | |
| Total | | 44.2 | 46.7 | 3.1 | 18.7 | 15.5 | 6.9 | 4.6 | 22.7 | 100.0 | | | | | 100.0 | | |

Percents and totals based on respondents

3,407 valid cases; 0 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:30:51 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211

>On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 17.79 seconds CPU time; 23.60 seconds elapsed.

238 0 CROSSTABS TABLES-
239 0 SPAN BY F14A RF1 4B RF14C F14D TO F14H RF14I
240 0 OPTIONS 3 4
241 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:31:16 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F14A SCHULABSCHL. BRD

Page 1 of 1

| Count Row Pct Col Pct | F14A | | | | | | | Row Total | |
|-----------------------------|----------------------|----------------------|---------------------|--------|---------------|--------------------|---------------|--------------|-------|
| | HAUPTSCH ULABSCHL | SONDERSC HULABSCH | REALSCHU LABSHL. | ABITUR | SONSTIGE S | SCHULE HNE ABSC | NOCH UELER | | SCH |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | |
| SPAN | ----- | | | | | | | | |
| REST | 0 | 913 | 59 | 336 | 202 | 77 | 207 | 643 | 2440 |
| | | 37.4 | 2.4 | 13.8 | 8.3 | 3.2 | 8.5 | 26.4 | 95.9 |
| | | 97.1 | 96.7 | 94.5 | 95.0 | 95.2 | 99.0 | 94.2 | |
| TRIFFT ZU | 1 | 27 | 2 | 20 | 11 | 4 | 2 | 40 | 105 |
| | | 25.7 | 2.0 | 18.7 | 10.1 | 3.7 | 2.0 | 37.8 | 4.1 |
| | | 2.9 | 3.3 | 5.5 | 5.0 | 4.8 | 1.0 | 5.8 | |
| Column | | 940 | 61 | 356 | 213 | 81 | 209 | 683 | 2545 |
| Total | | 37.0 | 2.4 | 14.0 | 8.4 | 3.2 | 8.2 | 26.8 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 16.12677 | 6 | .01309 |
| Likelihood Ratio | 18.00465 | 6 | .00622 |
| Mantel-Haenszel test for linear association | 4.58244 | 1 | .03230 |

Minimum Expected Frequency = 2.530
Cells with Expected Frequency < 5 = 2 OF 14 (14.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .07961 | | | .01309 *1 |
| Cramer's v | .07961 | | | .01309 *1 |
| Contingency Coefficient | .07936 | | | .01309 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 862

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:31:16 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF14B SCHULE BEENDET

Page 1 of 1

| Count Row Pct Col Pct | RF14B | | | Row |
|-----------------------------|--------|----------|---------------|-----|
| | 1974-1 | 1980 - 1 | 1983-1 1986 + | |
| | 979 | 982 | 985 | |

| | | 1 | 2 | 3 | 4 | Total |
|------|--------------|---------------------|---------------------|---------------------|---------------------|---------------|
| SPAN | | | | | | |
| | 0 | 321 17.1 96.0 | 411 21.9 96.2 | 501 26.7 96.2 | 645 34.3 97.3 | 1879 96.5 |
| | 1 | 14 20.1 4.0 | 16 24.0 3.8 | 20 29.4 3.8 | 18 26.5 2.7 | 67 3.5 |
| | TRIFFT ZU | | | | | |
| | Column Total | 335 17.2 | 427 22.0 | 521 26.8 | 663 34.1 | 1946 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.82324 | 3 | .60989 |
| Likelihood Ratio | 1.89068 | 3 | .59540 |
| Mantel-Haenszel test for linear association | 1.38533 | 1 | .23920 |

Minimum Expected Frequency - 11.587

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03061 | | | .60989 *1 |
| Cramer's V | .03061 | | | .60989 *1 |
| Contingency Coefficient | .03059 | | | .60989 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1461

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:31:17 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF14C SCHULBESUCHSDAUER BRD

RF14C Page 1 of 1

| | | 1 - 2 JA HRE | 3 - 5 JA HRE | 6 - 8 JA HRE | 9 - 10 JA AHRE | 11+ JAHR E | Row Total |
|------|--------------|---------------------|---------------------|---------------------|----------------------|---------------------|---------------|
| SPAN | | | | | | | |
| | 0 | 123 5.0 100.0 | 288 11.7 98.3 | 471 19.2 97.5 | 1047 42.6 94.8 | 531 21.6 94.6 | 2459 95.9 |
| | 1 | | 5 4.7 1.7 | 12 11.4 2.5 | 57 54.9 5.2 | 30 29.0 5.4 | 104 4.1 |
| | TRIFFT ZU | | | | | | |
| | Column Total | 123 4.8 | 293 11.4 | 483 18.8 | 1104 43.1 | 561 21.9 | 2563 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 18.73602 | 4 | .00089 |
| Likelihood Ratio | 24.90920 | 4 | .00005 |
| Mantel-Haenszel test for linear association | 16.53806 | 1 | .00005 |

Minimum Expected Frequency - 4.989
Cells with Expected Frequency < 5 - 1 OF 10 (10.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .08549 | | | .00089 *1 |
| Cramer's V | .08549 | | | .00089 *1 |
| Contingency Coefficient | .08518 | | | .00089 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 844

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:31:17 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F14D BESCHULUNGSFORM

F14D Page 1 of 1

| | | 1 REINE AU SLAENDER | 2 GEMISCHT E | 3 TRIFFT N ICHT ZU | Row Total |
|------|-----------|---------------------|----------------------|--------------------|--------------|
| SPAN | | | | | |
| | 0 | 232 9.4 97.6 | 2054 83.0 95.7 | 189 7.6 96.7 | 2476 95.9 |
| | 1 | 6 5.4 2.4 | 92 88.4 4.3 | 7 6.2 3.3 | 105 4.1 |
| | TRIFFT ZU | | | | |
| | Column | 238 | 2147 | 195 | 2580 |

Total 9.2 83.27.6 100.0

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 2.33417 | 2 | .31127 |
| Likelihood Ratio | 2.63385 | 2 | .26796 |
| Mantel-Haenszel test for linear association | .39355 | 1 | .53044 |

Minimum Expected Frequency - 7.917

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03008 | | | .31127 *1 |
| Cramer's V | .03008 | | | .31127 *1 |
| Contingency Coefficient | .03006 | | | .31127 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 827

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:31:18 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F14E UNTERBRECHUNG D. SCHULZEIT

Count
Row Pct
Col Pct

| | P14E | | Row Total |
|--------------|--------------------|----------------------|---------------|
| | JA | NEIN | |
| SPAN | 1 | 2 | |
| REST | 156 6.3 96.0 | 2311 93.7 96.0 | 2467 96.0 |
| TRIFFT ZU | 7 6.3 4.0 | 97 93.7 4.0 | 104 4.0 |
| Column Total | 163 6.3 | 2408 93.7 | 2571 100.0 |

Page 1 of 1

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .00021 | 1 | .98843 |
| Continuity Correction | .00000 | 1 | 1.00000 |
| Likelihood Ratio | .00043 | 1 | .98352 |
| Mantel-Haenszel test for linear association | .00021 | 1 | .98843 |

Minimum Expected Frequency - 6.565

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .00029 | | | .98843 *1 |
| Cramer's V | .00029 | | | .98843 *1 |
| Contingency Coefficient | .00029 | | | .98843 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 836

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:31:18 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F14P1 GRUENDE F. SCHULUNTERBRECHUNG 1.NENN.

Count
Row Pct
Col Pct

| | F14P1 | | | | | | | | Row Total |
|--------------|--------------------|--------------------|---------------------|-------------------|--------------------|-------------------|-------------------|--------------|-----------|
| | KEINE GABE | AN AUFENTH. IMHEIM | KRANKHEI T | SPRACHPR OBLEME | SONST.PR OBLEME | MILITAER DI.HLAND | SONST. | | |
| SPAN | 0 | 1 | 2 | 4 | 5 | 6 | 9 | | |
| REST | 86 61.7 97.7 | 15 10.9 86.2 | 15 10.9 100.0 | 2 1.3 100.0 | 11 7.7 100.0 | 7 5.0 77.3 | 4 2.5 100.0 | 139 95.5 | |
| TRIFFT ZU | 2 31.4 2.3 | 2 37.2 13.8 | | | | 2 31.4 22.7 | | 7 4.5 | |
| Column Total | 88 60.3 | 18 12.1 | 15 10.4 | 2 1.2 | 11 7.3 | 9 6.2 | 4 2.4 | 145 100.0 | |

Page 1 of 1

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 12.91519 | 6 | .04440 |
| Likelihood Ratio | 10.01771 | 6 | .12391 |
| Mantel-Haenszel test for linear association | 1.15112 | 1 | .28332 |

Minimum Expected Frequency - .079

Cells with Expected Frequency < 5 - 9 OF 14 (64.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .29825 | | | .04440 *1 |
| Cramer's V | .29825 | | | .04440 *1 |
| Contingency Coefficient | .28581 | | | .04440 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3262

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:31:19 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F14F2 GRUENDE F. SCHULUNTERBRECHUNG 2.NENN.

Page 1 of 1

| | | F14F2 | | | | | | | |
|-----------|---------|-----------|----------|----------|----------|----------|----------|-------|-------|
| Count | Row Pct | AUFENTH. | KRANKHEI | VOM SCHU | SPRACHPR | SONST.PR | MILITAE | SONS. | Row |
| Col Pct | | IM HEIM T | 2 | LAMT AMG | OBLEME | OBLEME | DI.HLAND | 9 | Total |
| | | 1 | 2 | 3 | 4 | 5 | 6 | | |
| SPAN | 0 | 34 | 12 | 2 | 1 | 24 | 4 | 10 | 87 |
| REST | | 39.0 | 14.3 | 2.2 | 1.2 | 27.7 | 4.5 | 11.1 | 97.7 |
| | | 100.0 | 85.8 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | |
| | 1 | | 2 | | | | | | 2 |
| TRIFFT ZU | | | 100.0 | | | | | | 2.3 |
| | | | 14.2 | | | | | | |
| Column | | 34 | 14 | 2 | 1 | 24 | 4 | 10 | 89 |
| Total | | 38.1 | 16.2 | 2.1 | 1.2 | 27.1 | 4.3 | 10.9 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 10.82584 | 6 | .09391 |
| Likelihood Ratio | 7.71222 | 6 | .25995 |
| Mantel-Haenszel test for linear association | .59902 | 1 | .43895 |

Minimum Expected Frequency - .025
Cells with Expected Frequency < 5 - 10 OF 14 (71.4%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .34926 | | | .09391 *1 |
| Cramer's V | .34926 | | | .09391 *1 |
| Contingency Coefficient | .32973 | | | .09391 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3318

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:31:19 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F14F3 GRUENDE F. SCHULUNTERBRECHUNG 3.NENN.

Page 1 of 1

| | | F14F3 | | |
|---------|---------|----------|----------|-------|
| Count | Row Pct | KEINE AN | SPRACHPR | Row |
| Col Pct | | GABE | OBLEME | Total |
| | | 0 | 4 | |
| SPAN | 0 | 1 | 1 | 2 |
| REST | | 43.7 | 56.3 | 100.0 |
| | | 100.0 | 100.0 | |
| Column | | 1 | 1 | 2 |
| Total | | 43.7 | 56.3 | 100.0 |

>Warning # 10307
>Statistics cannot be computed when the number of non-empty rows or columns is >one.

Number of Missing Observations: 3405

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:31:20 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by FUG AKT. STATUS

Page 1 of 1

| | | F14G | | | | | |
|---------|---------|---------|----------|----------|----------|----------|-------|
| Count | Row Pct | SCHULAU | BERUFSAU | ERWERBST | NICHT B | STUDENTE | Row |
| Col Pct | | BILDUNG | SBILDUNG | AETIG | ERUFSTAE | N | Total |
| | | 1 | 2 | 3 | 4 | 5 | |
| SPAN | 0 | 769 | 379 | 869 | 562 | 165 | 2743 |
| REST | | 28.0 | 13.8 | 31.7 | 20.5 | 6.0 | 96.0 |

| | | | | | | | |
|-----------|---|------|------|------|------|------|-------|
| | | 94.5 | 96.7 | 97.6 | 95.6 | 95.1 | |
| TRIFFT ZU | 1 | 45 | 13 | 21 | 26 | 9 | 113 |
| | | 39.5 | 11.3 | 18.9 | 22.7 | 7.5 | 4.0 |
| | | 5.5 | 3.3 | 2.4 | 4.4 | 4.9 | |
| Column | | 814 | 392 | 890 | 588 | 174 | 2857 |
| Total | | 28.5 | 13.7 | 31.2 | 20.6 | 6.1 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 11.91299 | 4 | .01801 |
| Likelihood Ratio | 12.28106 | 4 | .01538 |
| Mantel-Haenszel test for linear association | 1.58272 | 1 | .20837 |

Minimum Expected Frequency - 6.909

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06457 | | | .01801 *1 |
| Cramer's V | .06457 | | | .01801 *1 |
| Contingency Coefficient | .06444 | | | .01801 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 550

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:31:20 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F14H PLAENE VON SCHUELERN

Page 1 of 1

| Count | | F14H | | | | | | Row Total |
|-----------|---------|--------------|-----------|------------------|------------------|------------|----------------|-----------|
| Row Pct | Col Pct | BERUF LERNEN | ER DIENEN | GELD VER SCHULEN | WEITERF. STUDIUM | SONSTIGE S | KEINE PL ANENE | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | 0 | 271 | 40 | 130 | 207 | 11 | 71 | 729 |
| | | 37.1 | 5.5 | 17.8 | 28.3 | 1.5 | 9.7 | 94.3 |
| | | 94.8 | 97.9 | 92.3 | 96.0 | 92.7 | 90.2 | |
| TRIFFT ZU | 1 | 15 | 1 | 11 | 9 | 1 | 8 | 44 |
| | | 34.0 | 2.0 | 24.7 | 19.8 | 2.0 | 17.5 | 5.7 |
| | | 5.2 | 2.1 | 7.7 | 4.0 | 7.3 | 9.8 | |
| Column | | 286 | 41 | 141 | 215 | 12 | 79 | 773 |
| Total | | 36.9 | 5.3 | 18.2 | 27.8 | 1.5 | 10.2 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 5.78545 | 5 | .32766 |
| Likelihood Ratio | 5.66680 | 5 | .34000 |
| Mantel-Haenszel test for linear association | .97616 | 1 | .32315 |

Minimum Expected Frequency - .680
Cells with Expected Frequency < 5 - 3 OF 12 (25.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .08650 | | | .32766 *1 |
| Cramer's V | .08650 | | | .32766 *1 |
| Contingency Coefficient | .08618 | | | .32766 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2634

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:31:21 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF14I AUSBILDUNGSWUNSCH SCHUELER

Page 1 of 1

| Count | | RF14I | | | | Row Total |
|-----------|---------|-------------------|---------------|-------------------|-----------------|-----------|
| Row Pct | Col Pct | FERTIGUN GSBERUFE | TECHN.BE RUFE | DIENSTLE ISTUNGSB | SONSTIGE BERUFE | |
| | | 1 | 2 | 3 | 4 | |
| SPAN | 0 | 86 | 9 | 122 | 37 | 255 |
| | | 33.8 | 3.5 | 48.0 | 14.6 | 94.5 |
| | | 94.8 | 91.2 | 94.2 | 95.4 | |
| TRIFFT ZU | 1 | 5 | 1 | 6 | 2 | 15 |
| | | 31.6 | 5.8 | 50.6 | 12.0 | 5.5 |
| | | 5.2 | 8.8 | 5.8 | 4.6 | |
| Column | | 91 | 10 | 130 | 39 | 270 |
| Total | | 33.7 | 3.6 | 48.2 | 14.5 | 100.0 |

| Chi-Square | Value | DF | Significance |
|------------|-------|----|--------------|
|------------|-------|----|--------------|

Pearson .31544 3 .95710
 Likelihood Ratio .28976 3 .96194
 Mantel-Haenszel test for linear association .00020 1 .98867

Minimum Expected Frequency = .545
 Cells with Expected Frequency < 5 = 2 OF 8 (25.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03419 | | | .95710 *1 |
| Cramer's V | .03419 | | | .95710 *1 |
| Contingency Coefficient | .03417 | | | .95710 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3137

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:31:21 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211

>On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 21.73 seconds CPU time; 30.31 seconds elapsed.

242 0 BREAKDOWN TABLES=F14B F14C BY SPAN

There are 4,441,568 bytes of memory available.

Given workspace allows for 32,767 cells of 1 dimensions for MEANS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:31:44 *** SPANISCHE JUGENDLICHE ***

- - Description of Subpopulations - -

Summaries of F14B SCHULE BEENDET
 By levels of SPAN SPANIER

| Variable | Value | Label | Mean | Std Dev | Cases |
|-----------------------|-------|-----------|---------|---------|-------|
| For Entire Population | | | 83.2374 | 3.6220 | 1920 |
| SPAN | 0 | REST | 83.2484 | 3.6292 | 1853 |
| SPAN | 1 | TRIFFT ZU | 82.9357 | 3.4308 | 67 |

Total Cases = 3407
 Missing Cases = 1487 or 43.6 Pct

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:31:45 *** SPANISCHE JUGENDLICHE ***

- - Description of Subpopulations - -

Summaries of F14C SCHULBESUCHSDAUER
 By levels of SPAN SPANIER

| Variable | Value | Label | Mean | Std Dev | Cases |
|-----------------------|-------|-----------|--------|---------|-------|
| For Entire Population | | | 8.6849 | 3.1014 | 2579 |
| SPAN | 0 | REST | 8.6401 | 3.1239 | 2475 |
| SPAN | 1 | TRIFFT ZU | 9.7473 | 2.2721 | 104 |

Total Cases = 3407
 Missing Cases = 828 or 24.3 Pct

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:31:46 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211

>On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 16.49 seconds CPU time; 24.46 seconds elapsed.

243 0 MULT RESPONSE GROUPS=F15 TAETIGK.N.D.SCHULE (F151 TO F1522(1))/
 244 0 VARIABLES=SPAN(0,1) /
 245 0 TABLES=SPAN BY F15 /
 246 0 STATISTICS 1 2

MULT RESPONSE requires 1576 bytes of workspace for execution.

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:32:10 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
 by F15 (tabulating 1) TAETIGK.N.D.SCHULE
 Page 1 of 2

| | | F15 | | | | | | | | | | Row Total | |
|--------------|---------|--------|-------|------------|---------|-------------|------------|---------|--------------------|--------|----------|-----------|-------|
| Count | Row pct | ARBEIT | LEHRE | PRAKTIKU M | GEJOBBT | ARBEITSL OS | ELTERL. HH | EIG. HH | MITH. FA M. ANGEH. | FA BJV | BVJ AUSL | BGJ | |
| Col pct | Col pct | F151 | F152 | F153 | F154 | F155 | F156 | F157 | F158 | F159 | F1510 | F1511 | |
| SPAN | 0 | 496 | 586 | 77 | 242 | 210 | 100 | 108 | 52 | 75 | 67 | 50 | 2276 |
| REST | | 21.8 | 25.8 | 3.4 | 10.6 | 9.2 | 4.4 | 4.7 | 2.3 | 3.3 | 2.9 | 2.2 | 96.4 |
| | | 98.6 | 95.7 | 95.5 | 93.5 | 97.5 | 98.8 | 97.7 | 100.0 | 97.3 | 95.3 | 94.0 | |
| | 1 | 7 | 26 | 4 | 17 | 5 | 1 | 3 | 0 | 2 | 3 | 3 | 84 |
| TRIFFT ZU | | 8.6 | 31.1 | 4.3 | 19.9 | 6.4 | 1.5 | 3.0 | .0 | 2.5 | 3.9 | 3.6 | 3.6 |
| | | 1.4 | 4.3 | 4.5 | 6.5 | 2.5 | 1.2 | 2.3 | .0 | 2.7 | 4.7 | 6.0 | |
| Column Total | | 504 | 612 | 80 | 259 | 215 | 102 | 110 | 52 | 77 | 70 | 54 | 2360 |
| | | 21.3 | 25.9 | 3.4 | 11.0 | 9.1 | 4.3 | 4.7 | 2.2 | 3.3 | 3.0 | 2.3 | 100.0 |

Percents and totals based on respondents

(Continued)

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:32:11 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
 by F15 (tabulating 1) TAETIGK.N.D.SCHULE
 Page 2 of 2

| | | F15 | | | | | | | | | | Row Total | |
|--------------|---------|-------|-------------------|----------|---------------|-----------------------|-----------------|-------------|-------|----------------------|---------------------|-----------|-----------|
| Count | Row pct | MBSE | ANDERE L EHRG.ARB | BB10 AMT | BERUFSSC HULE | BERUFSSFA CHSCHULE LE | FACHSCHU SCHULE | FACHOBER FH | UNI | ZWEITER BILDUNGS WEG | SONST. BILDUNGS WEG | | Row Total |
| Col pct | Col pct | F1512 | F1513 | F1514 | F1515 | F1516 | F1517 | F1518 | F1519 | F1520 | F1521 | F1522 | |
| SPAN | 0 | 84 | | 37 | 259 | 62 | 27 | 21 | 39 | 235 | 9 | 68 | 2276 |
| REST | | 3.7 | | 1.6 | 11.4 | 2.7 | 1.2 | .9 | 1.7 | 10.3 | .4 | 3.0 | 96.4 |
| | | 100.0 | 100.0 | 96.8 | 97.2 | 96.7 | 100.0 | 94.6 | 94.9 | 95.2 | 100.0 | 91.6 | |
| | 1 | 0 | 0 | 1 | 8 | 2 | 0 | 1 | 2 | 12 | 0 | 6 | 84 |
| TRIFFT ZU | | .0 | .0 | 1.5 | 9.0 | 2.5 | .0 | 1.4 | 2.5 | 13.9 | .0 | 7.4 | 3.6 |
| | | .0 | .0 | 3.2 | 2.8 | 3.3 | .0 | 5.4 | 5.1 | 4.8 | .0 | 8.4 | |
| Column Total | | 84 | 16 | 39 | 266 | 64 | 27 | 22 | 42 | 246 | 9 | 74 | 2360 |
| | | 3.6 | .7 | 1.6 | 11.3 | 2.7 | 1.1 | .9 | 1.8 | 10.4 | .4 | 3.2 | 100.0 |

Percents and totals based on respondents

2,360 valid cases; 1,047 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:32:12 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 19.26 seconds CPU time; 25.30 seconds elapsed.

```
247 0 CROSSTABS TABLES=
248 0 SPAN BY F16 TO F18 RF18A1 RF18A2 RF18A3
249 0 OPTIONS 3 4
250 0 STATISTICS 1 2 3
```

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14.32:40 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F16 BERUFSBERATUNG

| | | F16 | | | Row Total |
|---------|---------|--------------|------|------|-----------|
| Count | Row pct | EINZELBE BIZ | NEIN | | |
| Col pct | Col pct | RATUNG | 1 | 2 | 3 |
| SPAN | 0 | 854 | 288 | 1118 | 2260 |
| REST | | 37.8 | 12.7 | 49.5 | 96.3 |

| | | | | | |
|-----------|---|------|------|------|-------|
| | | 95.4 | 96.8 | 96.9 | |
| TRIFFT ZU | 1 | 41 | 9 | 36 | 86 |
| | | 47.2 | 10.9 | 41.9 | 3.7 |
| | | 4.6 | 3.2 | 3.1 | |
| Column | | 895 | 297 | 1154 | 2346 |
| Total | | 38.1 | 12.7 | 49.2 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 3.09178 | 2 | .21312 |
| Likelihood Ratio | 3.02168 | 2 | .22072 |
| Mantel-Haenszel test for linear association | 2.75339 | 1 | .09705 |

Minimum Expected Frequency - 10.941

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03630 | | | .21312 *1 |
| Cramer's V | .03630 | | | .21312 *1 |
| Contingency Coefficient | .03628 | | | .21312 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1061

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:32:41 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F16A1 GRUND FUER NICHTBERATUNG 1.NENN.

Page 1 of 2

| | | F16A1 | | | | | | | | | | | | Row Total | |
|-------------------|---------|---------------|-------------|------------|------|---------|--------------|-------------|-------|-------------|-----------------|--------------|------------------|-------------------|-----|
| Count | Row Pct | UNWISSEN HEIT | MISSTRAU EN | NICHT ETIG | NO | STUDIUM | GLEICH RBEIT | A WUSSTE AS | w ICH | DT.FREUN DE | AUSL.BEK BERAT. | SONST.IN FOS | STELLUNG GEFUNDE | BERUFSAU SBILDUNG | Row |
| Col Pct | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | Total | |
| SPAN | | | | | | | | | | | | | | | |
| REST | 0 | 107 | 28 | 202 | 84 | 80 | 121 | 4 | 3 | 14 | 196 | 25 | 979 | | |
| | | 10.9 | 2.8 | 20.6 | 8.6 | 8.2 | 12.3 | .4 | .3 | 1.4 | 20.0 | 2.6 | 96.9 | | |
| | | 97.0 | 100.0 | 98.2 | 94.2 | 97.1 | 95.4 | 100.0 | 100.0 | 92.1 | 97.6 | 100.0 | | | |
| TRIFFT ZU | 1 | 3 | | 4 | 5 | 2 | 6 | | | | 1 | 5 | 31 | | |
| | | 10.5 | | 11.8 | 16.6 | 7.8 | 18.7 | | | | 3.8 | 15.3 | 3.1 | | |
| | | 3.0 | | 1.8 | 5.8 | 2.9 | 4.6 | | | | 7.9 | 2.4 | | | |
| Column | | 110 | 28 | 206 | 89 | 83 | 127 | 4 | 3 | 15 | 201 | 25 | 1010 | | |
| (Continued) Total | | 10.9 | 2.8 | 20.4 | 8.8 | 8.2 | 12.5 | .4 | .3 | 1.5 | 19.9 | 2.5 | 100.0 | | |

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:32:42 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F16A1 GRUND FUER NICHTBERATUNG 1.NENN.

Page 2 of 2

| | | F16A1 | | | Row Total |
|-----------|---------|-----------------|----------------|------------|-----------|
| Count | Row Pct | FORMALE GRUENDE | KEIN BES GRUND | SONSTIGE S | Row |
| Col Pct | | 13 | 14 | 15 | Total |
| SPAN | | | | | |
| REST | 0 | 24 | 36 | 56 | 979 |
| | | 2.4 | 3.7 | 5.7 | 96.9 |
| | | 86.5 | 100.0 | 97.9 | |
| TRIFFT ZU | 1 | 4 | | 1 | 31 |
| | | 12.0 | | 3.8 | 3.1 |
| | | 13.5 | | 2.1 | |
| Column | | 28 | 36 | 57 | 1010 |
| Total | | 2.7 | 3.5 | 5.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 19.24854 | 13 | .11560 |
| Likelihood Ratio | 17.10212 | 13 | .19468 |
| Mantel-Haenszel test for linear association | .02615 | 1 | .87153 |

Minimum Expected Frequency - .099
 Cells with Expected Frequency < 5 - 14 OF 28 (50.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .13803 | | | .11560 *1 |
| Cramer's V | .13803 | | | .11560 *1 |
| Contingency Coefficient | .13673 | | | .11560 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2397

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:32:42 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F16A2 GRUND FUER NICHTBERATUNG 2.NENN.

F16A2 Page 1 of 1

| Count | Row Pct | Col Pct | STELLUNG GEFUNDE | FORMALE GRUENDE | Row Total |
|--------------|---------|---------|------------------|-----------------|-----------|
| 0 | | | 11 | 13 | 6 |
| REST | 66.1 | 100.0 | 4 | 33.9 | 100.0 |
| Column Total | | | 4 | 2 | 6 |
| Total | 66.1 | 33.9 | 100.0 | | |

>Warning # 10307
>Statistics cannot be computed when the number of non-empty rows or columns is >one.

Number of Missing Observations: 3401

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:32:43 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F16A3 GRUND FUER NICHTBERATUNG 3.NENN.

F16A3 Page 1 of 1

| Count | Row Pct | Col Pct | KEIN BES GRUND | Row Total |
|--------------|---------|---------|----------------|-----------|
| 0 | | | 14 | 6 |
| REST | 100.0 | 100.0 | 6 | 100.0 |
| Column Total | | | 6 | 6 |
| Total | 100.0 | 100.0 | | |

>Warning # 10307
>Statistics cannot be computed when the number of non-empty rows or columns is >one.

Number of Missing Observations: 3401

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:32:43 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F17 PLAENE NACH DER SCHULE

F17 Page 1 of 1

| Count | Row Pct | Col Pct | BERUF LERNEN | ER I | GELD RDIENEN | VE 2 | WEITERF. SCHULE 3 | STUDIUM 4 | KEINE PL AENE 5 | SONSTIGE 6 | Row Total |
|--------------|---------|---------|--------------|------|--------------|------|-------------------|-----------|-----------------|------------|-----------|
| 0 | | | 1092 | 547 | 110 | 294 | 198 | 43 | 2284 | | |
| REST | 47.8 | 96.4 | 23.9 | 4.8 | 12.9 | 8.6 | 1.9 | 96.3 | | | |
| 1 | | | 40 | 15 | 7 | 17 | 6 | 3 | SS | | |
| TRIFFT ZU | 45.9 | 3.6 | 16.8 | 2.6 | 7.6 | 5.4 | 7.0 | 3.8 | 3.7 | | |
| Column Total | | | 1133 | 561 | 117 | 311 | 204 | 47 | 2372 | | |
| Total | 47.8 | 23.7 | 4.9 | 13.1 | 8.6 | 2.0 | 100.0 | | | | |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 7.39346 | 5 | .19298 |
| Likelihood Ratio | 6.84190 | 5 | .23267 |
| Mantel-Haenszel test for linear association | 1.49649 | 1 | .22121 |

Minimum Expected Frequency - 1.726
Cells with Expected Frequency < 5 - 2 OF 12 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05583 | | | .19298 *1 |
| Cramer's V | .05583 | | | .19298 *1 |
| Contingency Coefficient | .05575 | | | .19298 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1035

8-NOV-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:32:43 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F171 EINFLUSS VATER

Page 1 of 1

| | | F171 | | | | |
|-----------|---------|-------|-----------------|-------------|----------------------------|--------------|
| Count | Row Pct | GROSS | WENIG.GR OSS | EHER ING | GER OHNE JED .EINFL. | Row Total |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | |
| SPAN | | ----- | | | | |
| 0 | | 947 | 379 | 284 | 562 | 2173 |
| REST | | 43.6 | 17.4 | 13.1 | 25.9 | 96.1 |
| | | 96.5 | 94.3 | 97.3 | 96.2 | |
| 1 | | 34 | 23 | 8 | 22 | 88 |
| TRIFFT ZU | | 39.3 | 26.2 | 9.1 | 25.3 | 3.9 |
| | | 3.5 | 5.7 | 2.7 | 3.8 | |
| Column | | 981 | 402 | 292 | 585 | 2260 |
| Total | | 43.4 | 17.8 | 12.9 | 25.9 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 5.05282 | 3 | .16797 |
| Likelihood Ratio | 4.72680 | 3 | .19293 |
| Mantel-Haenszel test for linear association | .00389 | 1 | .95025 |
| Minimum Expected Frequency - | 11.335 | | |

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04728 | | | .16797 *1 |
| Cramer's V | .04728 | | | .16797 *1 |
| Contingency Coefficient | .04723 | | | .16797 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1147

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:32:44 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F172 EINFLUSS MUTTER

Page 1 of 1

| | | F172 | | | | |
|-----------|---------|-------|-----------------|-------------|----------------------------|--------------|
| Count | Row Pct | GROSS | WENIG.GR OSS | EHER ING | GER OHNE JED .EINFL. | Row Total |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | |
| SPAN | | ----- | | | | |
| 0 | | 605 | 522 | 457 | 586 | 2170 |
| REST | | 27.9 | 24.0 | 21.1 | 27.0 | 96.1 |
| | | 96.3 | 94.4 | 96.7 | 97.1 | |
| 1 | | 23 | 31 | 16 | 18 | 88 |
| TRIFFT ZU | | 26.3 | 35.6 | 18.0 | 20.1 | 3.9 |
| | | 3.7 | 5.6 | 3.3 | 2.9 | |
| Column | | 628 | 553 | 473 | 604 | 2258 |
| Total | | 27.8 | 24.5 | 20.9 | 26.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 6.50907 | 3 | .08931 |
| Likelihood Ratio | 6.12111 | 3 | .10586 |
| Mantel-Haenszel test for linear association | 1.45653 | 1 | .22748 |
| Minimum Expected Frequency - | 18.342 | | |

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05369 | | | .08931 *1 |
| Cramer's V | .05369 | | | .08931 *1 |
| Contingency Coefficient | .05362 | | | .08931 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1149

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:32:44 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F173 EINFLUSS GESCHWISTER

Page 1 of 1

| | | F173 | | | | |
|---------|---------|-------|-----------------|-------------|----------------------------|--------------|
| Count | Row Pct | GROSS | WENIG.GR OSS | EHER ING | GER OHNE JED .EINFL. | Row Total |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | |
| SPAN | | ----- | | | | |
| 0 | | 233 | 377 | 503 | 1011 | 2125 |
| REST | | 11.0 | 17.7 | 23.7 | 47.6 | 96.1 |
| | | 97.7 | 98.3 | 96.2 | 95.0 | |

| | | | | | | |
|--------------|---|-----------------|-----------------|-------------------|-------------------|---------------|
| TRIFFT ZU | 1 | 5 6.3 2.3 | 7 7.7 1.7 | 20 23.4 3.8 | 53 62.6 5.0 | 85 3.9 |
| Column Total | | 239 10.8 | 383 17.4 | 523 23.7 | 1065 48.2 | 2210 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 10.21932 | 3 | .01679 |
| Likelihood Ratio | 11.37904 | 3 | .00984 |
| Mantel-Haenszel test for linear association | 8.96137 | 1 | .00276 |

Minimum Expected Frequency - 9.207

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06800 | | | .01679 *1 |
| Cramer's V | .06800 | | | .01679 *1 |
| Contingency Coefficient | .06784 | | | .01679 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1197

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:32:45 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F174 EINFLUSS AND. VERWANDTE

Page 1 of 1

| Count | Row Pct | Col Pct | F174 | | | | Row Total |
|--------------|---------|---------|-------|--------------|--------------|------------------|-----------|
| | | | GROSS | WENIG.GR OSS | EHER GER ING | OHNE JED .EINFL. | |
| | | 1 | 2 | 3 | 4 | | |
| SPAN | 0 | | 207 | 281 | 426 | 1181 | 2095 |
| REST | | | 9.9 | 13.4 | 20.3 | 56.4 | 96.1 |
| | | | 97.3 | 96.4 | 96.5 | 95.8 | |
| TRIFFT ZU | 1 | | 6 | 10 | 16 | 52 | 84 |
| | | | 6.7 | 12.5 | 18.5 | 62.3 | 3.9 |
| | | | 2.7 | 3.6 | 3.5 | 4.2 | |
| Column Total | | | 212 | 292 | 441 | 1234 | 2179 |
| Total | | | 9.7 | 13.4 | 20.3 | 56.6 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.51077 | 3 | .67979 |
| Likelihood Ratio | 1.59897 | 3 | .65962 |
| Mantel-Haenszel test for linear association | 1.35884 | 1 | .24374 |

Minimum Expected Frequency - 8.193

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .02633 | | | .67979 *1 |
| Cramer's V | .02633 | | | .67979 *1 |
| Contingency Coefficient | .02632 | | | .67979 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1228

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:32:45 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F175 EINFLUSS AUSL. FREUNDE

Page 1 of 1

| Count | Row Pct | Col Pct | F175 | | | | Row Total |
|--------------|---------|---------|-------|--------------|--------------|------------------|-----------|
| | | | GROSS | WENIG.GR OSS | EHER GER ING | OHNE JED .EINFL. | |
| | | 1 | 2 | 3 | 4 | | |
| SPAN | 0 | | 185 | 303 | 446 | 1163 | 2097 |
| REST | | | 8.8 | 14.5 | 21.3 | 55.4 | 96.1 |
| | | | 97.1 | 96.4 | 96.6 | 95.7 | |
| TRIFFT ZU | 1 | | 6 | 11 | 16 | 52 | 84 |
| | | | 6. | 13.4 | 18.5 | 61.5 | 3.9 |
| | | | 2.9 | 3.6 | 3 | 4.3 | |
| Column Total | | | 191 | 314 | 462 | 1214 | 2181 |
| Total | | | 8.7 | 14.4 | 21.2 | 55.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|------------------|---------|----|--------------|
| Pearson | 1.34539 | 3 | .71838 |
| Likelihood Ratio | 1.38460 | 3 | .70915 |

Mantel-Haenszel test for linear association 1.09575 † .29520
 Minimum Expected Frequency - 7.348

| Statistic | Value | ASE† | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .02484 | | | .71838 *1 |
| Cramer's V | .02484 | | | .71838 *1 |
| Contingency Coefficient | .02483 | | | .71838 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1226

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:32:46 *** SPANISCHE JUGENDLICHE .**

SPAN SPANIER by F176 EINFLUSS DEUT. FREUNDE

Page 1 of 1

| | | F176 | | | | Row |
|-----------|---------------------------|--------------------|-----------------|---------------------|----------------------|---------------|
| | | GROSS | WENIG.GR OSS | EHER GER ING | OHNE JED .EINFL. | Total |
| SPAN | Count RowPct ColPct | 1 | 2 | 3 | 4 | |
| REST | 0 | 157 7.6 97.2 | 276 | 396 19.1 95.0 | 1246 60.0 96.0 | 2075 96.1 |
| TRIFFT ZU | 1 | 5 .4 .8 | 7 8.4 2.5 | 21 24.6 5.0 | 52 61.6 4.0 | 84 3.9 |
| | Column Total | 161 7.5 | 283 13.1 | 417 19.3 | 1297 60.1 | 2159 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 3.32228 | 3 | .34455 |
| Likelihood Ratio | 3.48632 | 3 | .32254 |
| Mantel-Haenszel test for linear association | 1.01407 | 1 | .31393 |

Minimum Expected Frequency - 6.282

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03923 | | | .34455 *1 |
| Cramer's V | .03923 | | | .34455 *1 |
| Contingency Coefficient | .03920 | | | .34455 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1248

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:32:46 ** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F177 EINFLUSS LEHRER

Page 1 of 1

| | | F177 | | | | Row |
|-----------|----------------------------|---------------------|-------------------|---------------------|----------------------|---------------|
| | | GROSS | WENIG.GR OSS | EHER GER ING | OHNE JED .EINFL. | Total |
| SPAN | Count RowPct Col Pct | 1 | 2 | 3 | 4 | |
| REST | 0 | 320 15.3 95.3 | 376 | 324 15.4 95.9 | 1078 51.4 96.4 | 2098 96.2 |
| TRIFFT ZU | 1 | 16 19.0 4.7 | 14 16.4 3.5 | 14 16.5 4.1 | 40 48.0 3.6 | 83 3.8 |
| | Column Total | 336 15.4 | 389 17.9 | 337 15.5 | 1118 51.3 | 2181 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.07756 | 3 | .78249 |
| Likelihood Ratio | 1.03274 | 3 | .79333 |
| Mantel-Haenszel test for linear association | .53353 | 1 | .46513 |

Minimum Expected Frequency - 12.763

| Statistic | Value | ASE† | T-value | Approximate Significance |
|------------|--------|------|---------|--------------------------|
| Phi | .02223 | | | .78249 *1 |
| Cramer's V | .02223 | | | .78249 *1 |

Contingency Coefficient .02222

.78249 *1

*1 Pearson Chi-square probability

Number of Missing Observations: 1226

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:32:47 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F178 EINFLUSS BERATER

Page 1 of 1

| | | F178 | | | | | |
|--------------|---------|---------------------|---------------------|---------------------|----------------------|----------|---------------|
| Count | Row Pct | GROSS | WENIG.GR | EHER | GER | OHNE JED | Row |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | .EINFL. | Total |
| SPAN | | | | | | | |
| REST | 0 | 312 14.9 97.2 | 286 13.7 94.1 | 233 11.1 97.7 | 1263 60.3 96.0 | | 2094 96.1 |
| TRIFFT ZU | 1 | 9 10.6 2.8 | 18 21.2 5.9 | 6 6.6 2.3 | 53 61.7 4.0 | | 85 3.9 |
| Column Total | | 321 14.7 | 304 14.0 | 238 10.9 | 1316 60.4 | | 2180 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 5.90981 | 3 | .11608 |
| Likelihood Ratio | 5.83616 | 3 | .11986 |
| Mantel-Haenszel test for linear association | .04188 | 1 | .83784 |

Minimum Expected Frequency - 9.311

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|------------------------|--------|------|---------|--------------------------|
| Phi | .05207 | | | .11608 *1 |
| Cramer's V | .05207 | | | .11608 *1 |
| Contmgency Coefficient | .05200 | | | .11608 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1227

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:32:47 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F179 EINFLUSS PRAKTIKUM

Page 1 of 1

| | | F179 | | | | | |
|--------------|---------|--------------------|--------------------|--------------------|----------------------|----------|---------------|
| Count | Row Pct | GROSS | WENIG.GR | EHER | GER | OHNE JED | Row |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | .EINFL. | Total |
| SPAN | | | | | | | |
| REST | 0 | 154 7.5 95.6 | 176 8.5 96.1 | 193 9.3 94.8 | 1544 74.7 96.2 | | 2067 96.0 |
| TRIFFT ZU | 1 | 7 8.4 4.4 | 7 8.4 3.9 | 11 12.4 5.2 | 60 70.8 3.8 | | 85 4.0 |
| Column Total | | 161 7.5 | 183 8.5 | 203 9.5 | 1604 74.5 | | 2152 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.08918 | 3 | .77969 |
| Likelihood Ratio | 1.01657 | 3 | .79724 |
| Mantel-Haenszel test for linear association | .30799 | 1 | .57891 |

Minimum Expected Frequency - 6.391

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|------------------------|--------|------|---------|--------------------------|
| Phi | .02250 | | | .77969 *1 |
| Cramer's V | .02250 | | | .77969 *1 |
| Contmgency Coefficient | .02249 | | | .77969 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1255

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:32:48 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F18 AUSBILDUNGSPLATZSUCHE

Page 1 of 1

| | | F18 | | | Row |
|--------------|---------|---------------------|----------------------|---|---------------|
| | | JA | NEIN | | Total |
| Count | Row Pct | 1 | 2 | 3 | |
| Row Pct | Col Pct | | | | |
| SPAN | | | | | |
| REST | 0 | 967 42.3 95.3 | 1318 57.7 97.0 | | 2285 96.3 |
| TRIFFT ZU | 1 | 47 54.1 4.7 | 40 45.9 3.0 | | 88 3.7 |
| Column Total | | 1014 42.7 | 1359 57.3 | | 2373 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 4.80680 | 1 | .02835 |
| Continuity Correction | 4.33640 | 1 | .03731 |
| Likelihood Ratio | 4.74512 | 1 | .02938 |
| Mantel-Haenszel test for linear association | 4.80477 | 1 | .02838 |

Minimum Expected Frequency - 37.438

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04501 | | | .02835 *1 |
| Cramer's V | .04501 | | | .02835 *1 |
| Contingency Coefficient | .04496 | | | .02835 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1034

8-Nov-94 14:32:48 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF18A1 GESUCHTER BERUF 1.NENNUNG

Page 1 of 1

| | | RF18A1 | | | | | Row |
|--------------|---------|---------------------|--------------------|---------------------|-------------------|-------------------|--------------|
| | | FERTIGUN GSBERUFE | TECHNISC HE BERUF | DIENTSTLE ISTUNGSB | AKADEMIS CHE BERU | SONSTIGE BERUFE | Total |
| Count | Row Pct | 1 | 2 | 3 | 4 | 5 | |
| Row Pct | Col Pct | | | | | | |
| SPAN | | | | | | | |
| REST | 0 | 517 54.8 95.4 | 19 2.0 100.0 | 376 39.8 94.9 | 14 1.5 92.0 | 18 1.9 95.3 | 944 95.2 |
| TRIFFT ZU | 1 | 25 52.6 4.6 | | 20 42.9 5.1 | 1 2.6 8.0 | 1 1.8 4.7 | 47 4.8 |
| Column Total | | 542 54.7 | 19 1.9 | 396 39.9 | 16 1.6 | 19 1.9 | 992 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.46681 | 4 | .83250 |
| Likelihood Ratio | 2.32064 | 4 | .67701 |
| Mantel-Haenszel test for linear association | .21202 | 1 | .64519 |

Minimum Expected Frequency - .747
 Cells with Expected Frequency < 5 - 3 OF 10 (30.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03846 | | | .83250 *1 |
| Cramer's V | .03846 | | | .83250 *1 |
| Contingency Coefficient | .03843 | | | .83250 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2415

8-Nov-94 14:32:49 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF18A2 GESUCHTER BERUF 2.NENNUNG

Page 1 of 1

| | | RF18A2 | | | | | Row |
|---------|---------|---------------------|--------------------|---------------------|-------------------|------------------|-------------|
| | | FERTIGUN GSBERUFE | TECHNISC HE BERUF | DIENTSTLE ISTUNGSB | AKADEMIS CHE BERU | SONSTIGE BERUFE | Total |
| Count | Row Pct | 1 | 2 | 3 | 4 | 5 | |
| Row Pct | Col Pct | | | | | | |
| SPAN | | | | | | | |
| REST | 0 | 261 54.8 95.4 | 15 2.0 100.0 | 171 39.8 94.9 | 9 1.5 92.0 | 4 1.9 95.3 | 461 95.2 |

| | | | | | | |
|--------------|------------------|--------------|------------------|--------------|--------------|--------------|
| REST | 56.7 97.6 | 3.2 100.0 | 37.1 97.2 | 1.9 100.0 | 1.0 100.0 | 97.6 |
| TRIFFT ZU | 6 56.9 2.4 | | 5 43.1 2.8 | | | 11 2.4 |
| Column Total | 268 56.7 | 15 3.2 | 176 37.3 | 9 1.9 | 4 .9 | 472 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | .80500 | 4 | .93778 |
| Likelihood Ratio | 1.48231 | 4 | .82977 |
| Mantel-Haenszel test for linear association | .00110 | 1 | .97357 |

Minimum Expected Frequency - .107
 Cells with Expected Frequency < 5 - 5 OF 10 (50.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04129 | | | .93778 *t |
| Cramer's V | .04129 | | | .93778 *1 |
| Contingency Coefficient | .04126 | | | .93778 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2935

8-Nov-94 14:32:49 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF18A3 GESUCHTER BERUF 3.NENNUNG

Page 1 of 1

| Count Row Pct Col Pct | RF18A3 | | | | | Row Total | |
|-----------------------------|----------------------|-----------------------|----------------------|----------------------|--------------------|-------------------|--------------|
| | FERTIGUN GSBERUFE | TECHNISCH HE BERUF | DIENSTLE ISTUNGSB | AKADEMIS CHE BERU | SONSTIGE BERUFE | | |
| | 1 | 2 | 3 | 4 | 5 | | |
| SPAN | 0 | 121 64.8 98.3 | 5 2.8 100.0 | 54 29.0 96.8 | 3 1.8 100.0 | 3 1.6 100.0 | 186 98.0 |
| REST | 1 | 2 53.4 1.7 | | 2 46.6 3.2 | | | 4 2.0 |
| Column Total | | 123 64.6 | 5 2.7 | 56 29.4 | 3 1.8 | 3 1.5 | 190 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .70914 | 4 | .95020 |
| Likelihood Ratio | .88643 | 4 | .92650 |
| Mantel-Haenszel test for linear association | .14904 | 1 | .69946 |

Minimum Expected Frequency - .059
 Cells with Expected Frequency < 5 - 7 OF 10 (70.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06110 | | | .95020 *1 |
| Cramer's V | .06110 | | | .95020 *1 |
| Contingency Coefficient | .06099 | | | .95020 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3217

8-Nov-94 14:32:51 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 *** SPANISCHE JUGENDLICHE ***

>Warning ff 3211
 >On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 26.22 seconds CPU time; 39.14 seconds elapsed.

```
251 0 MULT RESPONSE GROUPS=F18B GRUENDE F.BERUFSWUNSCH (F18B1 TO F18B3(1,14))/
252 0     VARIABLES=SPAN(G,i) /
253 0     TABLES=SPAN BY F18B /
254 0 STATISTICS 1 2
```

MULT RESPONSE requires 1384 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***

14:33:11 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
by F18B (group) GRUENDE F.BERUFSWUNSCH

Page 1 of 2

F18B

| SPAN | Count Row pct Col pct | INTERESS | GEFUEHLT | ZUKUNFT | SELBSTST | VERDIENS | AUFSTIEG | ANSEHEN | TYPISCH | SOZIALER | KONTAKT | BERUF HK | Row Total |
|-----------------|-----------------------------|---------------------|--------------------|-------------------|-------------------|--------------------|--------------------|--------------|------------------|-------------------|-------------------|-------------------|--------------|
| | | E | ELTERN | 3 | AEND.MAC HEN | T | 6 | 7 | FUER M B TW.F | ASPEKT | ZU AND | .LAND AU CH | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | |
| REST | 0 | 625 71.2 95.7 | 17 2.0 100.0 | 80 9.1 97.1 | 17 2.0 87.9 | 23 2.7 100.0 | 11 1.2 100.0 | .6 100.0 | 6 .7 100.0 | 19 2.2 86.0 | 27 3.1 95.6 | 21 2.4 94.4 | 878 95.2 |
| TRIFFT ZU | 1 | 28 63.4 4.3 | 0 .0 0 | 2 5.4 2.9 | 2 5.4 12.1 | 0 .0 0 | 0 .0 0 | 0 .0 0 | 0 .0 0 | 3 7.1 14.0 | 1 2.8 4.4 | 1 2.8 5.6 | 44 4.8 |
| Column Total | | 653 70.8 | 17 1.9 | 82 8.9 | 19 2.1 | 23 2.5 | 11 1.1 | 5 .6 | 6 .7 | 22 2.4 | 29 3.1 | 22 2.4 | 922 100.0 |

Percents and totals based on respondents

(Continued)

8-Nov-94 *** p 1.503 ausl.jugendliche ~ jugenddaten - ***
14:33:12 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
by F18B (group) GRUENDE F.BERUFSWUNSCH

Page 2 of 2

F18B

| SPAN | Count Row pct Col pct | GUTE ERF | KEIN BES | SONSTIGE | Row Total |
|-----------------|-----------------------------|-------------------|-------------------|--------------------|--------------|
| | | AHRUNGEN | .GRUND | S | |
| | | 12 | 13 | 14 | |
| REST | 0 | 51 88.4 | 22 2.5 94.6 | 28 3.2 100.0 | 878 95.2 |
| TRIFFT ZU | 1 | 7 15.2 11.6 | 1 2.8 5.4 | 0 .0 0 | 44 4.8 |
| Column Total | | 57 6.2 | 23 2.5 | 28 3.1 | 922 100.0 |

Percents and totals based on respondents

922 valid cases; 2,485 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:33:12 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
>On at least one case, the value of the weight variable was zero, negative, or
>missing. Such cases are considered missing by statistical procedures which
>need positively weighted cases, but remain on the file and are processed by
>non-statistical facilities such as LIST and SAVE.

Preceding task required 15.98 seconds CPU time; 21.55 seconds elapsed.

```
255 0 CROSSTABS TABLES=
256 0 SPAN BY RF18C RF18D F18E
257 0 OPTIONS 3 4
258 0 STATISTICS 1 2 3
```

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:33:36 *** SPANISCHE JUGENDLICHE **

SPAN SPANIER by RF18C BEWORBENE BETRIEBE

RF18C

Page 1 of 1

| SPAN | Count Row Pct Col Pct | 1 - 3 | 4 - 6 | 7 - 9 | 10+ | WEISS NI | Row Total |
|-----------|-----------------------------|---------------------|---------------------|-------------------|---------------------|---------------------|--------------|
| | | 1 | 2 | 3 | 4 | 5 | |
| REST | 0 | 351 37.6 94.2 | 146 15.7 95.9 | 37 4.0 96.9 | 192 20.6 96.1 | 206 22.1 95.6 | 932 95.3 |
| TRIFFT ZU | 1 | 21 46.5 | 6 13.5 | 1 2.6 | 8 17.1 | 9 20.4 | 46 4.7 |

| | | | | | | |
|--------|------|------|-----|------|------|-------|
| | 5.8 | 4.1 | 3.1 | 3.9 | 4.4 | |
| Column | 372 | 152 | 38 | 200 | 215 | 978 |
| Total | 38.1 | 15.6 | 3.9 | 20.5 | 22.0 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.58573 | 4 | .81135 |
| Likelihood Ratio | 1.58097 | 4 | .81221 |
| Mantel-Haenszel test for linear association | .82426 | 1 | .36394 |

Minimum Expected Frequency - 1.799
 Cells with Expected Frequency < 5 - 1 OF 10 (10.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04027 | | | .81135 *1 |
| Cramer's V | .04027 | | | .81135 *1 |
| Contingency Coefficient | .04024 | | | .81135 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2429

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:33:36 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF18D DAUER AUSBILDUNGSPLATZSUCHE

Page 1 of 1

| Count | RF18D | | | | | | Row Total | |
|-----------|----------------|--------------|---------------|---------------|------------|--------|-----------|----------|
| | SOFORT EFUNDEN | G 1 - 3 NATE | MO 4 - 6 NATE | MO 7 - 9 NATE | MO 10+ ATE | MON CH | | SUCHE NO |
| Row Pct | 1 | 2 | 3 | 4 | 5 | 6 | Row Total | |
| SPAN | 0 | 182 | 363 | 181 | 78 | 109 | 30 | 943 |
| REST | | 19.3 | 38.4 | 19.2 | 8.3 | 11.6 | 3.2 | 95.4 |
| | | 95.3 | 94.3 | 95.8 | 98.5 | 96.7 | 94.3 | |
| | 1 | 9 | 22 | 8 | 1 | 4 | 2 | 45 |
| TRIFFT ZU | | 19.7 | 48.2 | 17.4 | 2.6 | 8.1 | 4.0 | 4.6 |
| | | 4.7 | 5.7 | 4.2 | 1.5 | 3.3 | 5.7 | |
| Column | | 191 | 384 | 189 | 79 | 113 | 32 | 989 |
| Total | | 19.3 | 38.9 | 19.2 | 8.0 | 11.4 | 3.2 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 3.41931 | 5 | .63563 |
| Likelihood Ratio | 3.99183 | 5 | .55059 |
| Mantel-Haenszel test for linear association | 1.01360 | 1 | .31404 |

Minimum Expected Frequency - 1.455
 Cells with Expected Frequency < 5 - 2 OF 12 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05881 | | | .63563 *1 |
| Cramer's V | .05881 | | | .63563 *1 |
| Contingency Coefficient | .05871 | | | .63563 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2418

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:33:37 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F18E EINSTELLUNGSTESTS

Page 1 of 1

| Count | F18E | | Row Total | |
|-----------|------|------|-----------|-------|
| | JA | NEIN | | |
| Row Pct | 1 | 2 | Row Total | |
| SPAN | 0 | 368 | 573 | 941 |
| REST | | 39.1 | 60.9 | 95.2 |
| | | 95.8 | 94.8 | |
| | 1 | 16 | 31 | 47 |
| TRIFFT ZU | | 33.8 | 66.2 | 4.8 |
| | | 4.2 | 6.2 | |
| Column | | 384 | 605 | 989 |
| Total | | 38.8 | 61.2 | 100.0 |

| Chi-Square | Value | DF | Significance |
|-----------------------|--------|----|--------------|
| Pearson | .52597 | 1 | .46831 |
| Continuity Correction | .32779 | 1 | .56696 |

```

Likelihood Ratio          .53470          1          .46464
Mantel-Haenszel test for  .52543          1          .46853
  linear association

```

Minimum Expected Frequency - 18.415

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .02306 | | | .46831 *1 |
| Cramer's v | .02306 | | | .46831 *1 |
| Contingency Coefficient | .02306 | | | .46831 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2418

```

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:33:37 *** SPANISCHE JUGENDLICHE ***

```

>Warning # 3211

```

>On at least one case, the value of the weight variable was zero, negative, or
>missing. Such cases are considered missing by statistical procedures which
>need positively weighted cases, but remain on the file and are processed by
>non-statistical facilities such as LIST and SAVE.

```

Preceding task required 16.59 seconds CPU time; 25.04 seconds elapsed.

259 0 BREAKDOWN TABLES=F18C F18D BY SPAN

There are 4,441,568 bytes of memory available.

Given workspace allows for 32,767 cells of 1 dimensions for MEANS.

```

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:34:02 *** SPANISCHE JUGENDLICHE ***

```

- - Description of Subpopulations - -

```

Summaries of      F18C      BEWORBENE BETRIEBE
By levels of      SPAN      SPANIER

```

| Variable | Value | Label | Mean | Std Dev | Cases |
|-----------------------|-------|-----------|---------|---------|-------|
| For Entire Population | | | | | |
| | | | 27.6994 | 39.0191 | 978 |
| SPAN | 0 | REST | 27.8631 | 39.0599 | 932 |
| SPAN | 1 | TRIFFT ZU | 24.3941 | 38.4568 | 46 |

```

Total Cases = 3407
Missing Cases = 2429 or 71.3 Pct

```

```

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:34:02 *** SPANISCHE JUGENDLICHE ***

```

- - Description of Subpopulations - -

```

Summaries of      F18D      DAUER AUSBILDUNGSPLATZSUCHE
By levels of      SPAN      SPANIER

```

| Variable | Value | Label | Mean | Std Dev | Cases |
|-----------------------|-------|-----------|--------|---------|-------|
| For Entire Population | | | | | |
| | | | 6.9477 | 15.7136 | 989 |
| SPAN | 0 | REST | 6.9614 | 15.6530 | 943 |
| SPAN | 1 | TRIFFT ZU | 6.6615 | 17.1109 | 45 |

```

Total Cases = 3407
Missing Cases = 2418 or 71.0 Pct

```

```

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:34:02 *** SPANISCHE JUGENDLICHE ***

```

>Warning # 3211

```

>On at least one case, the value of the weight variable was zero, negative, or
>missing. Such cases are considered missing by statistical procedures which
>need positively weighted cases, but remain on the file and are processed by
>non-statistical facilities such as LIST and SAVE.

```

Preceding task required 15.99 seconds CPU time; 25.11 seconds elapsed.

```

260 0 MULT RESPONSE GROUPS=F18F TESTBEWERTUNG (F18F1,F18F2(1,1)) /
261 0      VARIABLES=SPAN(0,1) /
262 0      TABLES=SPAN BY F18F /
263 0 STATISTICS 1 2

```

MULT RESPONSE requires 1312 bytes of workspace for execution.

*** CROSSTABULATION ***

SPAN SPANIER
 by F18F (group) TESTBEWERTUNG

F18F

| | Count Row pct Col pct | LEICHT | NICHT SO GUT | SCHLECHT | OBJEKTIV | BENACHTE IL.AUSL. | NICHT BE RUFSORIE NT. | SONST. P OS.NENNUN NG | SONST.NE G.NENNUN G | NOTWENDI G.UEBEL | WEISS NI CHT | SONTIGE S | Row Total |
|--------------|-----------------------------|---------------------|--------------------|--------------------|-------------------|-------------------|-----------------------|-----------------------|---------------------|------------------|-------------------|------------------|--------------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | |
| SPAN | | | | | | | | | | | | | |
| REST | 0 | 127 36.9 95.2 | 59 17.1 95.1 | 59 17.2 96.4 | 9 2.5 100.0 | 6 1.7 100.0 | 12 3.5 100.0 | 13 3.9 100.0 | 59 17.2 94.8 | 8 2.5 87.2 | 9 2.7 100.0 | 0 .0 100.0 | 343 95.5 |
| TRIFFT ZU | 1 | 6 39.5 4.8 | 3 19.0 4.9 | 2 13.6 3.6 | 0 .0 0.0 | 0 .0 0.0 | 0 .0 0.0 | 0 .0 0.0 | 3 20.1 5.2 | 1 7.8 12.8 | 0 .0 0.0 | 0 .0 0.0 | 16 4.5 |
| Column Total | | 133 37.0 | 62 17.1 | 61 17.0 | 9 2.4 | 6 1.6 | 12 3.3 | 13 3.7 | 62 17.3 | 10 2.7 | 9 2.5 | 0 .0 | 359 100.0 |

Percents and totals based on respondents

359 valid cases; 3,048 missing cases

>Warning# 3211
 >On at least one case, the value of the weight variable was zero, negative, or >missing. Such cases are considered missing by statistical procedures which >need positively weighted cases, but remain on the file and are processed by >non-statistical facilities such as LIST and SAVE.

Preceding task required 15.70 seconds CPU time; 22.90 seconds elapsed.

264 0 CROSSTABS TABLES=SPAN BY RF18G rrf18g
 265 0 OPTIONS 3 4
 266 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

SPAN SPANIER by RF18G ERHALTENE ZUSAGEN

Page 1 of 1

| | Count Row Pct Col Pct | RF18G | | | | | | Row Total |
|--------------|-----------------------------|---------------------|---------------------|---------------------|-------------------|--------------------|--------------------|--------------|
| | | KEINE SAGE | ZU 1 | ZUSAGE 2 | ZUSAGE 3 - 4 | ZU 5 - 6 | ZU 7+ ZUSAG | |
| SPAN | | | | | | | | |
| REST | 0 | 174 18.4 96.9 | 521 55.0 93.5 | 175 18.4 98.0 | 46 4.9 95.6 | 19 2.0 100.0 | 12 1.3 100.0 | 947 95.2 |
| TRIFFT ZU | 1 | 5 11.6 3.1 | 36 76.4 6.5 | 4 7.6 2.0 | 2 4.5 4.4 | | | 47 4.8 |
| Column Total | | 179 18.0 | 557 56.1 | 178 17.9 | 49 4.9 | 19 1.9 | 12 1.3 | 995 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 9.39021 | 5 | .09448 |
| Likelihood Ratio | 11.46635 | 5 | .04288 |
| Mantel-Haenszel test for linear association | 1.32030 | 1 | .25054 |

Minimum Expected Frequency = .595
 Cells with Expected Frequency < 5 = 3 OF 12 (25.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .09716 | | | .09448 *1 |
| Cramer's v | .09716 | | | .09448 *1 |
| Contingency Coefficient | .09671 | | | .09448 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2412

SPAN SPANIER by RRF18G ZUSAGE ERHALTEN

RRF18G Page 1 of 1

| Count | RRF18G | | Row Total |
|--------------|--------|------|-----------|
| | JA | NEIN | |
| SPAN | 1 | 2 | 3264 |
| REST | 174 | 3090 | 3264 |
| | 5.3 | 94.7 | 95.8 |
| | 96.9 | 95.7 | |
| TRIFFT ZU | 1 | 138 | 143 |
| | 5 | 138 | 143 |
| | 3.8 | 96.2 | 4.2 |
| | 3.1 | 4.3 | |
| Column Total | 179 | 3228 | 3407 |
| | 5.3 | 94.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .61887 | 1 | .43147 |
| Continuity Correction | .35463 | 1 | .55150 |
| Likelihood Ratio | .67746 | 1 | .41046 |
| Mantel-Haenszel test for linear association | .61869 | 1 | .43154 |

Minimum Expected Frequency - 7.538

| Statistic | Value | ASE† | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .01348 | | | .43147 *1 |
| Cramer's V | .01348 | | | .43147 *1 |
| Contingency Coefficient | .01348 | | | .43147 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 0

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:34:50 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
>On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 16.47 seconds CPU time; 24.16 seconds elapsed.

267 0 BREAKDOWN TABLES=F18G BY SPAN

There are 4,441,568 bytes of memory available.

Given workspace allows for 32,767 cells of 1 dimensions for MEANS.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:35:12 *** SPANISCHE JUGENDLICHE ***

- - Description of Subpopulations - -

| Summaries of | F18G | ERHALTENE ZUSAGEN | | | |
|----------------------------------|-------|-------------------|--------|---------|-------|
| By levels of | SPAN | SPANIER | | | |
| Variable | Value | Label | Mean | Std Dev | Cases |
| For Entire Population | | | 1.3237 | 1.5990 | 995 |
| SPAN | 0 | REST | 1.3374 | 1.6317 | 947 |
| SPAN | 1 | TRIFFT ZU | 1.0494 | .6128 | 47 |
| Total Cases = 3407 | | | | | |
| Missing Cases = 2412 or 70.8 Pct | | | | | |

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:35:13 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
>On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 15.56 seconds CPU time; 22.88 seconds elapsed.

268 0 MULT RESPONSE GROUPS=F18H GRUENDE F.ABLEHNUNG (F18H1 TO F18H3(1,10))/
269 0 VARIABLES=SPAN(0,1) /
270 0 TABLES=SPAN BY F18H /
271 0 STATISTICS 1 2

MULT RESPONSE requires 1288 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:35:34 *** SPANISCHE JUGENDLICHE ***

* * * C R O S S T A B U L A T I O N * * *

SPAN SPANIER
 by F18H (group) GRUENDE F.ABLEHNUNG

F18H

| Count Row pct Col pct | WENIG AETZE | PL SCHULAB | SCHLECHT TSCHEK | SCHL.DEU SCHKENN | DEUT.VOR GEZOGEN | WEIBLICH | ZU WENIG SELB.GE | ELTERN NICHT GE | WEISS NI CHT | SONSTIGE S | Row Total |
|-----------------------------|--------------------|--------------------|--------------------|---------------------|---------------------|-------------------|---------------------|---------------------|---------------------|---------------|--------------|
| | 1 | 2 | 3 | 4 | 6 | 7 KUEM | 8 HOLF | 9 | 10 | | |
| 0 | 31 22.8 90.1 | 36 27.0 96.7 | 18 13.7 95.2 | 22 16.1 100.0 | 0 .2 100.0 | 4 2.7 100.0 | 1 .9 100.0 | 15 10.9 100.0 | 15 11.3 100.0 | 135 96.7 | |
| 1 | 3 72.9 9.9 | 1 27.1 3.3 | 1 20.2 4.8 | 0 .0 .0 | 0 .0 .0 | 0 .0 .0 | 0 .0 .0 | 0 .0 .0 | 0 .0 .0 | 5 3.3 | |
| Column Total | 34 24.4 | 38 27.0 | 19 13.9 | 22 15.5 | 0 .2 | 4 2.6 | 1 .9 | 15 10.6 | 15 10.9 | 139 100.0 | |

Percents and totals based on respondents

139 valid cases; 3,268 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:35:36 *** SPANISCHE JUGENDLICHE ***

>Warning # 321 1
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 15.69 seconds CPU time; 23.18 seconds elapsed.

272 0 CROSSTABS TABLES=SPAN BY RF19 F19A
 273 0 OPTIONS 3 4
 274 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:35:58 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF19 AUSBILD.BERUF BEGONNEN

RF19 Page 1 of 1

| Count Row Pct Col Pct | FERTIGUN GSBERUFE | TECHNISC HE BERUF | DIENSTLE ISTUNGSB | SONSTIGE BERUFE | Row Total |
|-----------------------------|----------------------|----------------------|----------------------|--------------------|--------------|
| | 1 | 2 | 3 | 4 | |
| 0 | 356 54.1 94.6 | 18 2.7 100.0 | 278 42.3 94.3 | 6 .9 86.8 | 658 94.5 |
| 1 | 20 53.5 5.4 | | 17 44.2 5.7 | 1 2.3 13.2 | 38 5.5 |
| Column Total | 376 54.0 | 18 2.6 | 295 42.5 | 7 .9 | 696 100.0 |

| Chi-Square | Value | DF | Significance |
|--|---------|----|--------------|
| Pearson | 1.81667 | 3 | .61131 |
| Likelihood Ratio | 2.59076 | 3 | .45911 |
| Mantel-Haenszel test for linear association | .10244 | 1 | .74892 |

Minimum Expected Frequency - .363
 Cells with Expected Frequency < 5 - 2 OF 8 (25.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|-----------------------------|
| Phi | .05110 | | | .61131 *1 |
| Cramer's V | .05110 | | | .61131 *1 |
| Contingency Coefficient | .05103 | | | .61131 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2711

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:36:00 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F19A WUNSCHBERUF

Page 1 of 1

| | Count | F19A | | Row Total |
|------|-------|------|------|-----------|
| | | JA | NEIN | |
| SPAN | 0 | 530 | 109 | 639 |
| REST | 1 | 24 | 8 | 32 |
| | | 555 | 117 | 672 |
| | | 82.6 | 17.4 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.05145 | 1 | .30517 |
| Continuity Correction | .62031 | 1 | .43093 |
| Likelihood Ratio | .96766 | 1 | .32526 |
| Mantel-Haenszel test for linear association | 1.04988 | 1 | .30553 |

Minimum Expected Frequency - 5.624

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03957 | | | .30517 *1 |
| Cramer's V | .03957 | | | .30517 *1 |
| Contingency Coefficient | .03954 | | | .30517 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2735

8-Nov-94 ** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:36:01 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211

>On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases* but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 15.93 seconds CPU time; 24.44 seconds elapsed.

```
275 0 MULT RESPONSE GROUPS=F19B WIE AUSB.PLATZ GEFUNDEN
276 0 (F19B1 TO F19B10(1))/
277 0 VARIABLES=SPAN(0,1) /
278 0 TABLES=SPAN BY F19B
279 0 STATISTICS 1 2
```

MULT RESPONSE requires 1288 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:36:21 *** SPANISCHE JUGENDLICHE ***

* * * CROSSTABULATION * * *

SPAN SPANIER
 by F19B (tabulating 1) WIE AUSB.PLATZ GEFUNDEN

| | Count | F19B | | | | | | | | | | Row Total |
|-----------|-------|---------|--------|---------|--------|---------|---------------|-----------|-----------|-----------|----------|-----------|
| | | ARB.AMT | ELTERN | FREUNDE | LEHRER | ANZEIGE | AUSSCHREIBUNG | PRAKTIKUM | NACHFRAGE | BEWERBUNG | SONSTIGE | |
| SPAN | 0 | 246 | 88 | 100 | 52 | 23 | 66 | 56 | 139 | 159 | 24 | 680 |
| REST | 1 | 36.2 | 12.9 | 14.6 | 7.6 | 3.4 | 9.7 | 8.3 | 20.4 | 23.4 | 3.6 | 94.7 |
| | | 93.2 | 94.8 | 98.2 | 95.6 | 100.0 | 88.6 | 94.0 | 93.7 | 92.3 | 100.0 | |
| TRIFFT ZU | 1 | 18 | 5 | 2 | 2 | 0 | 8 | 4 | 9 | 13 | 0 | 38 |
| | | 47.1 | 12.5 | 4.7 | 6.2 | .0 | 22.1 | 9.4 | 24.4 | 35.0 | .0 | 5.3 |
| | | 6.8 | 5.2 | 1.8 | 4.4 | .0 | 11.4 | 6.0 | 6.3 | 7.7 | .0 | |
| Column | | 264 | 93 | 101 | 54 | 23 | 74 | 60 | 148 | 173 | 24 | 718 |
| Total | | 36.8 | 12.9 | 14.1 | 7.5 | 3.2 | 10.3 | 8.4 | 20.6 | 24.0 | 3.4 | 100.0 |

Percents and totals based on respondents

718 valid cases; 2,689 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***

>Warning # 3211
 >On at least one case> the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 16.36 seconds CPU time; 20.59 seconds elapsed.

280 0 CROSSTABS TABLES= SPAN BY F19C TO F20
 281 0 OPTIONS 3 4
 282 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:36:44 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F19C AUSB.ART

Page 1 of 1

| Count | Row Pct | F19C | | | Row Total |
|--------------|---------|---------|-------------------|--------------|-----------|
| | | BETRIEB | AUSSERBE TRBL.EIN | WEISS NI CHT | |
| Col Pct | | 1 | 2 | 3 | |
| SPAN | | | | | |
| 0 | | 591 | 66 | 19 | 675 |
| | | 87.5 | 9.8 | 2.7 | 94.6 |
| | | 94.1 | 98.2 | 100.0 | |
| 1 | | 37 | 1 | | 38 |
| | | 96.9 | 3.1 | | 5.4 |
| | | 5.9 | 1.8 | | |
| Column Total | | 628 | 67 | 19 | 713 |
| | | 88.0 | 9.4 | 2.6 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 3.13639 | 2 | .20842 |
| Likelihood Ratio | 4.69859 | 2 | .09544 |
| Mantel-Haenszel test for linear association | 3.03419 | 1 | .08153 |

Minimum Expected Frequency - .994
 Cells with Expected Frequency < 5 - 2 OF 6 (33.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06631 | | | .20842 *1 |
| Cramer's V | .06631 | | | .20842 *1 |
| Contingency Coefficient | .06616 | | | .20842 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2694

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:36:45 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F19D AUSB.BEREICH

Page 1 of 1

| Count | Row Pct | F19D | | | | | | | Row Total |
|--------------|---------|-----------------|----------|------------|--------|------------------|-------------|----------------|-----------|
| | | LANDWIRT SCHAFT | HANDWERK | INDUSTRI E | HANDEL | OEFFENTL .DIENST | FRBIE RUF E | BE SONS TIGE S | |
| Col Pct | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| SPAN | | | | | | | | | |
| 0 | | 5 | 327 | 111 | 79 | 66 | 39 | 44 | 672 |
| | | .8 | 46.7 | 16.5 | 11.8 | 9.8 | 5.8 | 6.6 | 94.9 |
| | | 66.3 | 93.3 | 97.9 | 93.2 | 98.6 | 94.0 | 100.0 | |
| 1 | | 1 | 23 | 2 | 6 | 1 | 3 | | 36 |
| | | 2.4 | 65.3 | 6.6 | 16.2 | 2.6 | 7.0 | | 5.1 |
| | | 13.7 | 6.7 | 2.1 | 6.8 | 1.4 | 6.0 | | |
| Column Total | | 6 | 351 | 113 | 85 | 67 | 41 | 44 | 708 |
| | | .9 | 49.5 | 16.0 | 12.0 | 9.4 | 5.9 | 6.3 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 9.85848 | 6 | .13074 |
| Likelihood Ratio | 12.89140 | 6 | .04479 |
| Mantel-Haenszel test for linear association | 3.78041 | 1 | .05186 |

Minimum Expected Frequency - .321
 Cells with Expected Frequency < 5 - 5 OF 14 (35.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-----------|-------|------|---------|--------------------------|
|-----------|-------|------|---------|--------------------------|

Phi .11803 .13074 *1
 Cramer's V .11803 .13074 *1
 Contingency Coefficient .11722 .13074 *1

*1 Pearson chi-square probability

Number of Missing Observations: 2699

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:36:46 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F19E ANZAHL AZUBI

F19E Page 1 of 1

| | Count Row Pct Col Pct | F19E | | | | | Row Total |
|-----------------|-----------------------------|--------------------|---------------------|--------------------|---------------------|---------------------|--------------|
| | | NUR | ICH | 2 - 5 | 6 - 10 | 11 - 20 | |
| SPAN | | 1 | 2 | 3 | 4 | 5 | |
| REST | 0 | 91 13.5 93.8 | 316 46.8 92.8 | 95 14.1 92.5 | 78 11.6 100.0 | 95 14.1 100.0 | 676 94.6 |
| TRIFFT ZU | 1 | 6 15.8 6.2 | 24 63.9 7.2 | 8 20.3 7.5 | | | 38 5.4 |
| Column Total | | 97 13.6 | 340 47.7 | 103 14.4 | 78 11.0 | 95 13.3 | 714 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 13.15798 | 4 | .01053 |
| Likelihood Ratio | 22.12828 | 4 | .00019 |
| Mantel-Haenszel test for linear association | 8.99901 | 1 | .00270 |

Minimum Expected Frequency - 4.193
 Cells with Expected Frequency < 5 - 1 OF 10 (10.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .13577 | | | .01053 *1 |
| Cramer's V | .13577 | | | .01053 *1 |
| Contingency Coefficient | .13453 | | | .01053 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2693

8-Nov-94 ** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:36:46 *** SPANISCHE JUGENDLICHE **

SPAN SPANIER by F19F AUSB.ERFOLG

F19F Page 1 of 1

| | Count ROW Pct Col Pct | F19F | | | Row Total |
|-----------------|-----------------------------|----------------------|---------------------|---------------------|--------------|
| | | AUSBILD. ABGESCHL | AUSBILD. ABGEER. | NOCH IN AUSBILD | |
| SPAN | | 1 | 2 | 3 | |
| REST | 0 | 366 54.2 92.7 | 83 12.3 97.6 | 226 33.5 96.8 | 674 94.6 |
| TRIFFT ZU | 1 | 29 75.1 7.3 | 2 5.4 2.4 | 7 19.5 3.2 | 38 5.4 |
| Column Total | | 394 55.3 | 85 11.9 | 233 32.8 | 713 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 6.47421 | 2 | .03928 |
| Likelihood Ratio | 6.90752 | 2 | .03163 |
| Mantel-Haenszel test for linear association | 5.29644 | 1 | .02137 |

Minimum Expected Frequency - 4.559
 Cells with Expected Frequency < 5 - 1 OF 6 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .09531 | | | .03928 *1 |
| Cramer's V | .09531 | | | .03928 *1 |
| Contingency Coefficient | .09488 | | | .03928 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2694

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:36:47 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F20 ABRUCH

Page 1 of 1

| Count Row Pct Col Pct | F20 | | | | Row Total |
|-----------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------|
| | WAEHREND PROEBEZ 1 | 1.AUSBIL DUNGSJ. 2 | 2.AUSBIL DUNGSJ. 3 | 3.AUSBIL DUNGSJ. 4 | |
| SPAN | | | | | |
| 0 | 18 24.4 100.0 | 32 42.1 100.0 | 19 25.6 90.3 | 6 7.9 100.0 | 75 97.3 |
| REST | | | | | |
| 1 | | | 2 100.0 9.7 | | 2 2.7 |
| Column Total | 18 23.8 | 32 41.0 | 21 27.5 | 6 7.7 | 77 100.0 |

| Chi-Square | Value | DF | Significance |
|--|---------|----|--------------|
| Pearson | 5.54322 | 3 | .13608 |
| Likelihood Ratio | 5.43792 | 3 | .14240 |
| Mantel-Haenszel test for linear association | 1.72941 | 1 | .18849 |

Minimum Expected Frequency = .158
 Cells with Expected Frequency < 5 = 4 OF 8 (50.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|-----------------------------|
| Phi | .26812 | | | .13608 *1 |
| Cramer's v | .26812 | | | .13608 *1 |
| Contingency Coefficient | .25897 | | | .13608 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3330

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:36:47 *** SPANISCHE JUGENDLICHE ***

>Warning# 321 t
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 17.18 seconds CPU time; 25.89 seconds elapsed.

```

283 0 MULT RESPONSE GROUPS=F20A GRUENDE F.AUSB.ABRUCH
284 0 (F20A1 TO F20A13(1))/
285 0 VARIABLES=SPAN(0,1) /
286 0 TABLES=SPAN BY F20A /
287 0 STATISTICS 1 2
    
```

MULT RESPONSE requires 1360 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:37:10 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
 by F20A (tabulating 1) GRUENDE F.AUSB.ABRUCH

Page 1 of 2

F20A

| Count Row pct Col pct | F20A | | | | | | | | | | | | Row Total |
|-----------------------------|---------------------|--------------------|--------------------------|------------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|--------------------------|-------------------|--------------|
| | GELD VER D. | KEINEN S PASS | AUSB.ZU SCHWIERI G | AUSB.KOE RP.ZU AN STRE | GESUNDHE ITLICHE GRUE | SCHWIERI GK.M.KOL LEGE | SCHWIERI GK.M.AUS B.-L | SPRACHSC HWIERIGK EITE | FAMILIAE RE KONFL IKTE | PROBL.I. D.BERUFS SCHU | WAR LAEN GERE T IN | ZEI | |
| SPAN | | | | | | | | | | | | | |
| 0 | 25 33.0 100.0 | 21 27.4 95.9 | 7 9.1 100.0 | 3 4.5 79.7 | 10 13.1 100.0 | 10 13.0 91.8 | 14 18.1 100.0 | 1 1.4 100.0 | 7 9.5 100.0 | 3 3.7 100.0 | 1 1.8 100.0 | 1 1.8 100.0 | 75 97.3 |
| REST | | | | | | | | | | | | | |
| 1 | 0 .0 .0 | 1 42.4 4.1 | 0 .0 .0 | 1 42.4 20.3 | 0 .0 .0 | 1 42.4 8.2 | 0 .0 .0 | 0 .0 .0 | 0 .0 .0 | 0 .0 .0 | 0 .0 .0 | 0 .0 .0 | 2 2.7 |
| Column Total | 25 32.1 | 21 27.8 | 7 8.8 | 4 5.6 | 10 12.7 | 11 13.8 | 14 17.7 | 1 1.4 | 7 9.2 | 3 3.6 | 1 1.7 | 1 1.7 | 77 100.0 |

Percents and totals based on respondents

(Continued)

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:37:10 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
by F20A (tabulating 1) GRUENDE F.AUSB.ABBRUCH

Page 2 of 2

| | | F20A | | |
|--------------|--------|-------------------|--------|-----------|
| Count | Rowpct | HABE GEH SONSTIGE | | Row Total |
| | | EIRATET | S | |
| Col pct | | F20A12 | F20A13 | |
| SPAN | 0 | 5 | 5 | 75 |
| REST | | 6.1 | 6.1 | 97.3 |
| | | 100.0 | 79.5 | |
| TRIFFT ZU | 1 | 0 | 1 | 2 |
| | | .0 | 57.6 | 2.7 |
| | | .0 | 20.5 | |
| Column Total | | 5 | 6 | 77 |
| | | 5.9 | 7.5 | 100.0 |

Percents and totals based on respondents

77 valid cases; 3,330 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:37:11 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211

>On at least one case, the value of the weight variable was zero, negative or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 16.19 seconds CPU time; 23.38 seconds elapsed.

288 0 CROSSTABS TABLES=SPAN BY F20B RF20C F20D F21
289 0 OPTIONS 3 4
290 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:37:32 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F20B 2.AUSBILDUNG

| | | F20B | | |
|--------------|---------|---------|------|-----------|
| Count | ROW Pct | JA NEIN | | Row Total |
| | | 1 | 2 | |
| Col Pct | | | | |
| SPAN | 0 | 6 | 70 | 75 |
| REST | | 7.4 | 92.6 | 97.3 |
| | | 100.0 | 97.1 | |
| TRIFFT ZU | 1 | 2 | 2 | 2 |
| | | 100.0 | 2.9 | 2.7 |
| Column Total | | 6 | 72 | 77 |
| | | 7.2 | 92.8 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .16333 | 1 | .68610 |
| Continuity Correction | .00000 | 1 | 1.00000 |
| Likelihood Ratio | .31057 | 1 | .57733 |
| Mantel-Haenszel test for linear association | .16122 | 1 | .68804 |
| Fisher's Exact Test: | | | |
| One-Tail | | | .85115 |
| Two-Tail | | | 1.00000 |

Minimum Expected Frequency = .148
Cells with Expected Frequency < 5 = 2 OF 4 (50.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04602 | | | .68610 *1 |
| Cramer's v | .04602 | | | .68610 *1 |
| Contingency Coefficient | .04598 | | | .68610 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3330

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:37:33 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF20C NEUER AUSBILD.BERUF BEGONNEN

RF20C Page 1 of 1

| Count | Row Pct | NEUER AU | Row |
|---------|----------|----------|-------|
| Col Pct | SBILD.BE | 1 | Total |
| SPAN | | | |
| REST | 0 | 6 | 6 |
| | | 100.0 | 100.0 |
| | | 100.0 | |
| Column | | 6 | 6 |
| Total | | 100.0 | 100.0 |

>Warning # 10307
 >Statistics cannot be computed when the number of non-empty rows or columns is >one.

Number of Missing Observations: 3401

6-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:37:33 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F20D STAND DER 2.AUSBILDUNG

F20D Page 1 of 1

| Count | Row Pct | NOCH IN | Row |
|---------|----------|---------|-------|
| Col Pct | AUSBILDU | 3 | Total |
| SPAN | | | |
| REST | 0 | 6 | 6 |
| | | 100.0 | 100.0 |
| | | 100.0 | |
| Column | | 6 | 6 |
| Total | | 100.0 | 100.0 |

>Warning # 10307
 >Statistics cannot be computed when the number of non-empty rows or columns is >one.

Number of Missing Observations: 3401

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:37:33 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F21 AUSB.ZUFRIEDENHEIT

F21 Page 1 of 1

| Count | Row Pct | AUFHOERE | SCHWER | NOTWENDI | GANZ GUT | SPASS | Row |
|-----------|---------|----------|--------|----------|----------|-------|-------|
| Col Pct | N | 1 | 2 | 3 | 4 | 5 | Total |
| SPAN | | | | | | | |
| REST | 0 | 2 | 16 | 51 | 76 | 67 | 212 |
| | | .8 | 7.7 | 23.9 | 35.9 | 31.7 | 96.6 |
| | | 100.0 | 100.0 | 96.0 | 93.4 | 100.0 | |
| TRIFFT ZU | 1 | | | 2 | 5 | | 7 |
| | | | | 28.4 | 71.6 | | 3.4 |
| | | | | 4.0 | 6.6 | | |
| Column | | 2 | 16 | 53 | 82 | 67 | 219 |
| Total | | .8 | 7.4 | 24.0 | 37.1 | 30.6 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 5.53740 | 4 | .23646 |
| Likelihood Ratio | 7.91811 | 4 | .09462 |
| Mantel-Haenszel test for linear association | .26503 | 1 | .60669 |

Minimum Expected Frequency - .061
 Cells with Expected Frequency < 5 - 6 OF 10 (60.0%)

| Statistic | Value | ASE† | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .15884 | | | .23646 *1 |
| Cramer's V | .15884 | | | .23646 *1 |
| Contingency Coefficient | .15689 | | | .23646 >1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3188

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:37:34 *** SPANISCHE JUGENDLICHE ***

>Warning# 3211
 >On at least one case, the value of the weight variable was zero, negative or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 16.09 seconds CPU time; 23.18 seconds elapsed.

```
291 0 MULT RESPONSE GROUPS=F21A STUETZ- U.FOERDERKURSE
292 0          (F21A1 TO F21A5(1))/
293 0          VARIABLES=SPAN(0,1) /
294 0          TABLES=SPAN BY F21A /
295 0 STATISTICS 1 2
```

MULT RESPONSE requires 1168 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:37:57 *** SPANISCHE JUGENDLICHE ***

* * * C R O S S T A B U L A T I O N * * *

SPAN SPANIER
 by F21A (tabulating 1) STUETZ- U.FOERDERKURSE

| | | F21A | | | | | |
|------------|---------|----------|----------|---------------|----------|-------|-----------|
| Count | Row pct | DEUTSCHK | FACHTHEO | MATHEMAT | BERATUNG | NEIN | Row Total |
| | | URSE | RIE | IK-FOERD | | | |
| Col pct | | P21A1 | P21A2 | ERUN P21A3 | F21A4 | F21A5 | |
| SPAN | 0 | 18 | 46 | 19 | 5 | 176 | 241 |
| REST | | 7.4 | 19.0 | 7.9 | 2.2 | 73.0 | 97.0 |
| | | 100.0 | 100.0 | 100.0 | 100.0 | 95.9 | |
| TRIPFET ZU | 1 | 0 | 0 | 0 | 0 | 7 | 7 |
| | | .0 | .0 | .0 | .0 | 100.0 | 3.0 |
| | | .0 | .0 | .0 | .0 | 4.1 | |
| Column | | 18 | 46 | 19 | 5 | 183 | 249 |
| Total | | 7.2 | 18.4 | 7.6 | 2.2 | 73.8 | 100.0 |

Percents and totals based on respondents

249 valid cases; 3,158 missing cases

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:37:58 *** SPANISCHE JUGENDLICHE ***

>Warningff 3211
 >On at least one case, the value of the weight Variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 16.52 seconds CPU time; 23.68 seconds elapsed.

```
296 0 CROSSTABS TABLES= SPAN BY F21B
297 0 OPTIONS 3 4
298 0 STATISTICS 1 2 3
```

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:38:32 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F21B KURSTELNEHMER

| | | F21B | | Page 1 Of 1 |
|---------|---------|--------|-------|-------------|
| Count | ROW Pct | NUR | AUSL | DEU |
| | | AENDER | TSCHE | |
| Col Pct | | 1 | 2 | Row Total |
| SPAN | 0 | 10 | 59 | 69 |
| REST | | 14.7 | 85.3 | 100.0 |
| | | 100.0 | 100.0 | |
| Column | | 10 | 59 | 69 |
| Total | | 14.7 | 85.3 | 100.0 |

>Warningff 10307
 >Statistics cannot be computed when the number of non-empty rows or columns is
 >one.

Number of Missing Observations: 3338

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:38:33 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 15.65 seconds CPU time; 35.01 seconds elapsed.

```
299 0 MULT RESPONSE GROUPS=F21C VERANSTALTER D.KURSE
300 0           (F21C1 TO F21C3(1))
301 0           F21D VERANSTALTUNGSORT D.KURSE
302 0           (F21D1 TO F21D3(1)) /
303 0           VARIABLES=SPAN(0,1) /
304 0           TABLES=SPAN BY F21C F21D /
305 0 STATISTICS 1 2
```

MULT RESPONSE requires 1224 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:38:58 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
 by F21C (tabulating 1) VERANSTALTER D.KURSE

F21C

| Count Row pct Col pct | KURS IN | | | Row Total |
|-----------------------------|---------------------------|---------------------------|------------------------|--------------|
| | AUSBILDU NGSS F21C1 | BERUFSSC HULE F21C2 | SONSTIGE S F21C3 | |
| 0 | 29 46.1 100.0 | 24 37.4 100.0 | 17 26.0 100.0 | 64 100.0 |
| Column Total | 29 46.1 | 24 37.4 | 17 26.0 | 64 100.0 |

Percents and totals based on respondents

64 valid cases; 3,343 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:38:59 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
 by F21D (tabulating 1) VERANSTALTUNGSORT D.KURSE

F21D

| Count Row pct Col pct | KURSE IN | | | Row Total |
|-----------------------------|-----------------------|--------------------------|--------------------------|--------------|
| | FREIZEI T F21D1 | ARBEITS ZEIT F21D2 | WEISS NI CHT F21D3 | |
| 0 | 32 49.5 100.0 | 33 51.1 100.0 | 4 5.6 100.0 | 64 100.0 |
| Column Total | 32 49.5 | 33 51.1 | 4 5.6 | 64 100.0 |

Percents and totals based on respondents

64 valid cases; 3,343 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:38:59 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 17.03 seconds CPU time; 25.75 seconds elapsed.

```
306 0 CROSSTABS TABLES= SPAN BY F21E F22 RF22A F22B RF22C
307 0
308 0 OPTIONS 3 4
309 0 STATISTICS 1 2 3
```

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:39:22 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F21E UEBERNAHME NACH D. AUSB.

Page 1 of 1

| | | F21E | | | | | | |
|-----------|---------|--------|----------|----------|-------|----------|----------|-------|
| Count | Row Pct | SICHER | WAHRSCHL | WAHRSCHL | NEIN | WEISS NI | TRIFFT N | Row |
| Col Pct | Col Pct | 1 | 2 | NICHT | 3 | 4 | 5 | 6 |
| | | | | | | | | Total |
| SPAN | | ----- | | | | | | |
| REST | 0 | 55 | 84 | 9 | 20 | 37 | 4 | 209 |
| | | 26.2 | 40.2 | 4.1 | 9.6 | 17.8 | 2.0 | 96.0 |
| | | 97.9 | 95.9 | 100.0 | 100.0 | 90.6 | 100.0 | |
| TRIFFT ZU | 1 | 1 | 4 | | | 4 | | 9 |
| | | 13.6 | 41.7 | | | 44.6 | | 4.0 |
| | | 2.1 | 4.1 | | | 9.4 | | |
| Column | | 56 | 88 | 9 | 20 | 41 | 4 | 217 |
| Total | | 25.7 | 40.3 | 3.9 | 9.2 | 18.9 | 2.0 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 5.03920 | 5 | .41112 |
| Likelihood Ratio | 5.59992 | 5 | .34711 |
| Mantel-Haenszel test for linear association | 1.36099 | 1 | .24337 |

Minimum Expected Frequency = .169
 Cells with Expected Frequency < 5 = 7 OF 12 (58.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .15223 | | | .41112 *1 |
| Cramer's V | .15223 | | | .41112 *1 |
| Contingency Coefficient | .15050 | | | .41112 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3190

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:39:23 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F22 UEBERNAHME 2. SCHWELLE

Page 1 of 1

| | | F22 | | | | |
|-----------|---------|----------|----------|----------|----------|-------|
| Count | Row Pct | BEPF.ARB | UNBEPF.A | NICHT UE | TRIFFT N | Row |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | Total |
| | | | | | | Total |
| SPAN | | ----- | | | | |
| REST | 0 | 63 | 210 | 90 | 19 | 381 |
| | | 16.5 | 55.0 | 23.6 | 5.0 | 92.7 |
| | | 90.1 | 94.0 | 92.5 | 88.6 | |
| TRIFFT ZU | 1 | 7 | 13 | 7 | 2 | 30 |
| | | 23.0 | 44.7 | 24.3 | 8.1 | 7.3 |
| | | 9.9 | 6.0 | 7.5 | 11.4 | |
| Column | | 70 | 223 | 97 | 21 | 411 |
| Total | | 17.0 | 54.2 | 23.6 | 5.2 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.75839 | 3 | .62403 |
| Likelihood Ratio | 1.65659 | 3 | .64663 |
| Mantel-Haenszel test for linear association | .00081 | 1 | .97726 |

Minimum Expected Frequency = 1.563
 Cells with Expected Frequency < 5 = 1 OF 8 (12.5%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06538 | | | .62403 *1 |
| Cramer's V | .06538 | | | .62403 *1 |
| Contingency Coefficient | .06524 | | | .62403 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2996

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:39:24 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF22A GRUENDE F.NICHTUEBERNAHME

Page 1 of 1

| | | RF22A | | | | | | | |
|---------|---------|----------|----------|----------|----------|----------|----------|-------|--|
| Count | Row Pct | SELBST G | KEINE AN | AUSLAEND | SCHWIERI | WEISS NI | SONSTIGE | Row | |
| Col Pct | Col Pct | 1 | 2 | 3 | 5 | 8 | 9 | Total | |
| | | | | | | | | Total | |
| SPAN | | ----- | | | | | | | |
| | 0 | 29 | 35 | | 2 | 11 | 13 | 90 | |

| | | | | | | | |
|--------------|-------------------|------------------|--------------------|--------------|---------------|---------------|-------------|
| REST | 32.0 88.8 | 38.8 90.6 | | 2.6 100.0 | 12.5 100.0 | 14.1 100.0 | 91.4 |
| TRIFFT ZU | 4 42.6 11.2 | 4 42.6 9.4 | 1 14.8 100.0 | | | | 8 8.6 |
| Column Total | 32 32.9 | 38 39.2 | 1 1.3 | 2 2.4 | 11 11.4 | 13 12.8 | 98 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 15.97950 | 5 | .00690 |
| Likelihood Ratio | 11.12184 | 5 | .04902 |
| Mantel-Haenszel test for linear association | 2.62530 | 1 | .10517 |

Minimum Expected Frequency - .108
 Cells with Expected Frequency < 5 - 8 OF 12 (66.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .40384 | | | .00690 *1 |
| Cramer's V | .40384 | | | .00690 *1 |
| Contingency Coefficient | .37446 | | | .00690 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3309

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:39:24 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F22B ANSCHLUSSBESCHAFTIGUNG

Page 1 of 1

| Count | Row Pct | F22B | | | Row Total |
|--------------|---------|--------------------|--------------------|--------------------|--------------|
| | | ARBEITSL OS | BEFRIST. ANSCHL.V | UNBEFRIS T.ANSCHL | |
| 0 | | 58 53.1 90.5 | 21 19.5 94.4 | 30 27.4 92.7 | 109 91.9 |
| 1 | | 6 62.6 9.5 | 1 13.0 5.6 | 2 24.5 7.3 | 10 8.1 |
| Column Total | | 64 53.9 | 22 18.9 | 32 27.2 | 119 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .37486 | 2 | .82909 |
| Likelihood Ratio | .39179 | 2 | .82210 |
| Mantel-Haenszel test for linear association | .18472 | 1 | .66734 |

Minimum Expected Frequency - 1.826
 Cells with Expected Frequency < 5 - 2 OF 6 (33.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05623 | | | .82909 *1 |
| Cramer's V | .05623 | | | .82909 *1 |
| Contingency Coefficient | .05614 | | | .82909 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3288

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:39:25 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF22C ARBEITSLOS.N.AUSBILD.ABSCHLUSS

Page 1 of 1

| Count | Row Pct | RF22C | | | | | Row Total |
|--------------|---------|---------------------|---------------------|-------------------|-------------------|---------------------|-------------|
| | | 1 - 3 NATE | 4 - 6 NATE | MO 7 - 12 ONATE | M 13+ TE | MONA CH ARBL. IMMER | |
| 0 | | 24 40.7 100.0 | 13 21.7 100.0 | 8 14.5 63.6 | 4 7.6 77.9 | 9 15.5 100.0 | 58 90.5 |
| 1 | | | | 5 79.3 36.4 | 1 20.7 22.1 | | 6 9.5 |
| Column Total | | 24 36.8 | 13 19.7 | 13 20.6 | 6 8.9 | 9 14.0 | 64 100.0 |

| SPAN | | | | | | | | | | | | |
|--------------|---|------|-------|------|------|-------|------|-------|-------|-------|------|-------------|
| REST | 0 | 527 | 61 | 110 | 144 | 15 | 101 | 25 | 35 | 10 | 236 | 951 96.8 |
| | | 55.4 | 6.4 | 11.6 | 15.1 | 1.6 | 10.6 | 2.7 | 3.7 | 1.0 | 24.8 | |
| | | 98.1 | 100.0 | 96.8 | 99.1 | 100.0 | 98.8 | 100.0 | 100.0 | 100.0 | 92.8 | |
| TRIFFT ZU | 1 | 10 | 0 | 4 | 1 | 0 | 1 | 0 | 0 | 0 | 18 | 31 3.2 |
| | | 33.4 | .0 | 11.6 | 4.0 | .0 | 3.8 | .0 | .0 | .0 | 58.8 | |
| | | 1.9 | .0 | 3.2 | .9 | .0 | 1.2 | .0 | .0 | .0 | 7.2 | |
| Column Total | | 537 | 61 | 114 | 145 | 15 | 102 | 25 | 35 | 10 | 254 | 982 |
| | | 54.7 | 6.2 | 11.6 | 14.8 | 1.5 | 10.4 | 2.6 | 3.6 | 1.0 | 25.9 | 100.0 |

Percents and totals based on respondents

982 valid cases; 2,425 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:40:17 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 16.66 seconds CPU time; 22.34 seconds elapsed.

316 0 CROSSTABS TABLES-SPAN BY F24 RF24A RF24B F24C
 317 0 OPTIONS 3 4
 318 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:40:42 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F24 ARBEITSLOS IN BRD

Count F24 Page 1 of 1

| Row | Pct | F24 | | Row Total |
|--------------|-----|------|------|-----------|
| | | NEIN | JA | |
| SPAN | | | | |
| REST | 0 | 1374 | 756 | 2130 |
| | | 64.5 | 35.5 | 96.1 |
| | | 96.0 | 96.3 | |
| TRIFFT ZU | 1 | 58 | 29 | 86 |
| | | 66.8 | 33.2 | 3.9 |
| | | 4.0 | 3.7 | |
| Column Total | | 1432 | 784 | 2216 |
| | | 64.6 | 35.4 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .18678 | 1 | .66561 |
| Continuity Correction | .10074 | 1 | .75094 |
| Likelihood Ratio | .18867 | 1 | .66403 |
| Mantel-Haenszel test for linear association | .18670 | 1 | .66568 |

Minimum Expected Frequency - 30.563

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .00918 | | | .66561 *1 |
| Cramer's V | .00918 | | | .66561 *1 |
| Contingency Coefficient | .00918 | | | .66561 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1191

B-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:40:43 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF24A HAEUFIGKEIT ARBEITSLOSIGKEIT

Count RF24A Page 1 of 1

| Row | Pct | RF24A | | | Row Total |
|-----------|-----|------------|------------|--------|-----------|
| | | 1 - 2 MA L | 3 - 4 MA L | 5+ MAL | |
| SPAN | | | | | |
| REST | 0 | 610 | 79 | 33 | 722 |
| | | 84.6 | 10.9 | 4.5 | 96.2 |
| | | 96.1 | 95.6 | 100.0 | |
| TRIFFT ZU | 1 | 25 | 4 | | 29 |
| | | 87.4 | 12.6 | | 3.8 |
| | | | | | |

| | 3.9 | 4.4 | | |
|--------|------|------|-----|-------|
| Column | 635 | 83 | 33 | 750 |
| Total | 84.7 | 11.0 | 4.3 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.38757 | 2 | .49968 |
| Likelihood Ratio | 2.62724 | 2 | .26884 |
| Mantel-Haenszel test for linear association | .61123 | 1 | .43433 |

Minimum Expected Frequency - 1,244
 Cells with Expected Frequency < 5 - 2 OF 6 (33.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04300 | | | .49968 *1 |
| Cramer's V | .04300 | | | .49968 *1 |
| Contingency Coefficient | .04296 | | | .49968 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2657

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:40:44 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF24B DAUER ARBEITSLOSIGKEIT

RF24B Page 1 of 1

| Count | 1 - 6 | 7 - 12 | M 13+ | MONA | Row |
|-----------|-------|--------|-------|------|-------|
| Row Pct | | | | TE | |
| Col Pct | NATE | ONATE | TE | | Row |
| SPAN | 1 | 2 | 3 | | Total |
| 0 | 275 | 218 | 230 | | 722 |
| REST | 38.0 | 30.2 | 31.8 | | 96.2 |
| | 96.8 | 93.9 | 97.7 | | |
| 1 | 9 | 14 | 5 | | 29 |
| TRIFFT ZU | 31.9 | 49.0 | 19.1 | | 3.8 |
| | 3.2 | 6.1 | 2.3 | | |
| Column | 284 | 232 | 235 | | 751 |
| Total | 37.8 | 30.9 | 31.3 | | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 4.86234 | 2 | .08793 |
| Likelihood Ratio | 4.63485 | 2 | .09853 |
| Mantel-Haenszel test for linear association | .16999 | 1 | .68012 |

Minimum Expected Frequency - 8.863

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .08047 | | | .08793 *1 |
| Cramer's V | .08047 | | | .08793 *1 |
| Contingency Coefficient | .08021 | | | .08793 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2656

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:40:45 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F24C WEITERBILDUNG

F24C Page 1 of 1

| Count | JA | NEIN | Row |
|-----------|------|------|-------|
| Row Pct | | | Total |
| Col Pct | 1 | 2 | Row |
| SPAN | 1 | 2 | Total |
| 0 | 307 | 1842 | 2149 |
| REST | 14.3 | 85.7 | 96.2 |
| | 96.6 | 96.1 | |
| 1 | 11 | 74 | 85 |
| TRIFFT ZU | 12.6 | 87.4 | 3.8 |
| | 3.4 | 3.9 | |
| Column | 318 | 1916 | 2234 |
| Total | 14.2 | 85.8 | 100.0 |

| Chi-Square | Value | DF | Significance |
|-----------------------|--------|----|--------------|
| Pearson | .19875 | 1 | .65573 |
| Continuity Correction | .08277 | 1 | .77358 |
| Likelihood Ratio | .20495 | 1 | .65075 |

Mantel-Haenszel test for linear association .19866 1 .65580

Minimum Expected Frequency - 12.120

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .00943 | | | .65573 *1 |
| Cramer's V | .00943 | | | .65573 *1 |
| Contingency Coefficient | .00943 | | | .65573 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1173

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:40:46 *** SPANISCHE JUGENDLICHE ***

Page 140

>Warning # 3211
>On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 17.31 seconds CPU time; 29.11 seconds elapsed.

319 0 BREAKDOWN TABLES=F24A F24B BY SPAN

There are 4,441,568 bytes of memory available.

Given workspace allows for 32,767 cells of 1 dimensions for MEANS.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:41:09 *** SPANISCHE JUGENDLICHE ***

Page 141

- - Description of Subpopulations - -

Summaries of F24A HAEUFIGK. ARBEITSL.
By levels of SPAN SPANIER

| Variable | Value | Label | Mean | Std Dev | Cases |
|-----------------------|-------|-----------|--------|---------|-------|
| For Entire Population | | | 1.6896 | 1.2079 | 761 |
| SPAN | 0 | REST | 1.6952 | 1.2204 | 733 |
| SPAN | 1 | TRIFFT ZU | 1.5471 | .8295 | 29 |

Total Cases - 3407
Missing Cases - 2646 or 77.7 Pct

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:41:09 *** SPANISCHE JUGENDLICHE ***

Page 142

- - Description of Subpopulations - -

Summaries of F24B DAUER ARBEITSL.
By levels of SPAN SPANIER

| Variable | Value | Label | Mean | Std Dev | Cases |
|-----------------------|-------|-----------|---------|---------|-------|
| For Entire Population | | | 12.4943 | 11.7423 | 753 |
| SPAN | 0 | REST | 12.5133 | 11.6844 | 724 |
| SPAN | 1 | TRIFFT ZU | 12.0150 | 13.3431 | 29 |

Total Cases - 3407
Missing Cases = 2654 or 77.9 Pct

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:41:10 *** SPANISCHE JUGENDLICHE ***

Page 143

>Warning f 3211
>On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 15.84 seconds CPU time; 23.41 seconds elapsed.

320 0 MULT RESPONSE GROUPS=F24D WEITERBILDUNGSKURSE (F24D1 TO F24D3(1,13))/
321 0 VARIABLES=SPAN(0,1) /
322 0 TABLES=SPAN BY F24D /
323 0 STATISTICS 1 2

MULT RESPONSE requires 1360 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***

Page 144

*** CROSSTABULATION ***

SPAN SPANIER
by F24D (group) WEITERBILDUNGSKURSE

F24D

| Count Row pct Col pct | DEUTSCHK | BERUFL.Z | FORBILD | VERANST. | SONST,VE | ZIELG.AR | HAUSWIRT | KUENSTL. | MBSE | MATH.-TE | SONSTIGE | Row | |
|-----------------------------|----------|---------------------|---------------------|--------------------|-------------------|------------------|-------------------|-------------------|-------------------|--------------------|--------------------|--------------------|--------------|
| | URSE | ERTIFIK. | EIG.BE | VHS | RANST. | BL. | SCH. | | | CHN.KURS | S | Total | |
| | 1 | 2 | 3 | 4 | 6 | 7 | 8 | 9 | 10 | 11 | 13 | | |
| SPAN | | | | | | | | | | | | | |
| REST | 0 | 39 14.0 100.0 | 106 38.3 96.7 | 80 28.7 97.4 | 15 5.2 92.1 | 2 .8 100.0 | 3 1.2 100.0 | 10 3.7 89.8 | 11 4.0 89.8 | 12 4.1 100.0 | 17 6.3 100.0 | 10 3.7 100.0 | 278 97.1 |
| TRIFFT ZU | 1 | 0 .0 0 | 4 44.4 3.3 | 2 26.2 2.6 | 1 15.1 7.9 | 0 .0 0 | 0 .0 0 | 1 14.3 10.2 | 1 15.1 10.2 | 0 .0 0 | 0 .0 0 | 0 .0 0 | 8 2.9 |
| Column Total | | 39 13.6 | 110 38.4 | 82 28.7 | 16 5.5 | 2 .7 | 3 1.2 | 12 4.0 | 12 4.3 | 12 4.0 | 17 6.1 | 10 3.6 | 287 100.0 |

Percents and totals based on respondents

287 valid cases; 3,120 missing cases

>Warning # 3211
>On at least one case, the value of the weight variable was zero, negative, or
>missing. Such cases are considered missing by statistical procedures which
>need positively weighted cases, but remain on the file and are processed by
>non-statistical facilities such as LIST and SAVE.

Preceding task required 15.64 seconds CPU time; 27.67 seconds elapsed.

324 0 CROSSTABS TABLES= SPAN BY
325 0 F24E TO F25A F26 RF26 f26ber F27 F28 F29 F29A
326 0 OPTIONS 3 4
327 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

SPAN SPANIER by F24E GEWERK.MITGLIED

F24E Page 1 of 1

| Count Row Pct Col Pct | F24E | | Row Total | |
|-----------------------------|------|---------------------|----------------------|---------------|
| | JA | NEIN | | |
| | 1 | 2 | | |
| SPAN | | | | |
| REST | 0 | 349 16.3 96.8 | 1791 83.7 96.0 | 2140 96.2 |
| TRIFFT ZU | 1 | 11 13.3 3.2 | 74 86.7 4.0 | 85 3.8 |
| Column Total | | 361 16.2 | 1865 83.8 | 2225 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .53043 | 1 | .46642 |
| Continuity Correction | .33452 | 1 | .56301 |
| Likelihood Ratio | .55704 | 1 | .45546 |
| Mantel-Haenszel test for linear association | .53020 | 1 | .46652 |

Minimum Expected Frequency - 13.799

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .01544 | | | .46642 *1 |
| Cramer's V | .01544 | | | .46642 *1 |
| Contingency Coefficient | .01544 | | | .46642 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1182

SPAN SPANIER by F251 WICHTIG: EIGNUNG

Page 1 of 1

| | | F251 | | | | |
|--------------|---------|-----------|-------------|-----------------|-----------|-----------|
| Count | Row Pct | SEHR HTIG | WIC WICHTIG | WENIGER WICHTIG | UNWICHTIG | Row Total |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | |
| SPAN | | | | | | |
| 0 | | 1660 | 1043 | 231 | 124 | 3058 |
| REST | | 54.3 | 34.1 | 7.5 | 4.1 | 95.8 |
| | | 96.1 | 94.8 | 98.1 | 97.2 | |
| 1 | | 68 | 58 | 5 | 4 | 134 |
| TRIFFT ZU | | 50.9 | 43.1 | 3.4 | 2.7 | 4.2 |
| | | 3.9 | 5.2 | 1.9 | 2.8 | |
| Column Total | | 1729 | 1101 | 235 | 128 | 3192 |
| | | 54.2 | 34.5 | 7.4 | 4.0 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 6.87098 | 3 | .07613 |
| Likelihood Ratio | 7.46612 | 3 | .05844 |
| Mantel-Haenszel test for linear association | .24400 | 1 | .62133 |

Minimum Expected Frequency - 5.375

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04639 | | | .07613 *1 |
| Cramer's V | .04639 | | | .07613 *1 |
| Contingency Coefficient | .04634 | | | .07613 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 215

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:42:17 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F252 WICHTIG: MASCHINEN

Page 1 of 1

| | | F252 | | | | |
|--------------|---------|-----------|-------------|-----------------|-----------|-----------|
| Count | Row Pct | SEHR HTIG | WIC WICHTIG | WENIGER WICHTIG | UNWICHTIG | Row Total |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | |
| SPAN | | | | | | |
| 0 | | 561 | 989 | 825 | 664 | 3039 |
| REST | | 18.5 | 32.6 | 27.1 | 21.8 | 95.7 |
| | | 97.2 | 95.4 | 95.4 | 95.5 | |
| 1 | | 16 | 48 | 40 | 31 | 135 |
| TRIFFT ZU | | 12.1 | 35.4 | 29.5 | 23.1 | 4.3 |
| | | 2.8 | 4.6 | 4.6 | 4.5 | |
| Column Total | | 577 | 1037 | 865 | 695 | 3174 |
| | | 18.2 | 32.7 | 27.2 | 21.9 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 3.56381 | 3 | .31258 |
| Likelihood Ratio | 3.92488 | 3 | .26969 |
| Mantel-Haenszel test for linear association | 1.55300 | 1 | .21269 |

Minimum Expected Frequency - 24.586

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03351 | | | .31258 *1 |
| Cramer's V | .03351 | | | .31258 *1 |
| Contingency Coefficient | .03349 | | | .31258 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 233

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:42:18 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F253 WICHTIG: VIEL GELD

Page 1 of 1

| | | F253 | | | | |
|-------------|---------|-----------|-------------|-----------------|-----------|-----------|
| Count | Row Pct | SEHR HTIG | WIC WICHTIG | WENIGER WICHTIG | UNWICHTIG | Row Total |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | |
| SPAN | | | | | | |
| 0 | | 1263 | 1227 | 438 | 140 | 3069 |
| REST | | 41.2 | 40.0 | 14.3 | 4.6 | 95.8 |

| | | | | | | |
|-----------|---|------|------|------|------|-------|
| | | 98.0 | 94.9 | 92.9 | 93.3 | |
| TRIFFT ZU | 1 | 26 | 65 | 34 | 10 | 135 |
| | | 19.2 | 48.4 | 24.9 | 7.5 | 4.2 |
| | | 2.0 | 5.1 | 7.1 | 6.7 | |
| Column | | 1289 | 1293 | 472 | 150 | 3204 |
| Total | | 40.2 | 40.3 | 14.7 | 4.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 29.92299 | 3 | .00000 |
| Likelihood Ratio | 31.38578 | 3 | .00000 |
| Mantel-Haenszel test for linear association | 26.68540 | 1 | .00000 |
| Minimum Expected Frequency - | 6.350 | | |

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .09664 | | | .00000 *1 |
| Cramer's v | .09664 | | | .00000 *1 |
| Contingency Coefficient | .09619 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 203

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:42:18 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F254 WICHTIG: AUFSTIEG

Page 1 of 1

| | | F254 | | | | Row Total |
|-----------|---------|--------------|---------|-----------------|-----------|-----------|
| Count | Row Pct | SEHR WICHTIG | WICHTIG | WENIGER WICHTIG | UNWICHTIG | |
| Col Pct | | 1 | 2 | 3 | 4 | |
| SPAN | 0 | 1142 | 1223 | 505 | 174 | 3044 |
| | | 37.5 | 40.2 | 16.6 | 5.7 | 95.7 |
| | | 97.7 | 94.7 | 94.0 | 95.5 | |
| TRIFFT ZU | 1 | 27 | 68 | 32 | 8 | 135 |
| | | 20.0 | 50.3 | 23.7 | 6.1 | 4.3 |
| | | 2.3 | 5.3 | 6.0 | 4.5 | |
| Column | | 1169 | 1291 | 537 | 182 | 3179 |
| Total | | 36.8 | 40.6 | 16.9 | 5.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 17.94577 | 3 | .00045 |
| Likelihood Ratio | 19.39036 | 3 | .00023 |
| Mantel-Haenszel test for linear association | 10.97246 | 1 | .00092 |
| Minimum Expected Frequency - | 7.753 | | |

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .07513 | | | .00045 *1 |
| Cramer's v | .07513 | | | .00045 *1 |
| Contingency Coefficient | .07492 | | | .00045 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 228

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:42:19 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F255 WICHTIG: INTERESSANTE MENSCHEN

Page 1 of 1

| | | F255 | | | | Row Total |
|-----------|---------|--------------|---------|-----------------|-----------|-----------|
| Count | Row Pct | SEHR WICHTIG | WICHTIG | WENIGER WICHTIG | UNWICHTIG | |
| Col Pct | | 1 | 2 | 3 | 4 | |
| SPAN | 0 | 987 | 1094 | 697 | 262 | 3040 |
| | | 32.5 | 36.0 | 22.9 | 8.6 | 95.7 |
| | | 97.2 | 94.8 | 95.0 | 96.2 | |
| TRIFFT ZU | 1 | 28 | 60 | 37 | 10 | 135 |
| | | 20.7 | 44.2 | 27.4 | 7.7 | 4.3 |
| | | 2.8 | 5.2 | 5.0 | 3.8 | |
| Column | | 1015 | 1154 | 734 | 272 | 3175 |
| Total | | 32.0 | 36.3 | 23.1 | 8.6 | 100.0 |

| Chi-Square | Value | DF | Significance |
|------------|-------|----|--------------|
|------------|-------|----|--------------|

Pearson **9.19310** 3 .02683
 Likelihood Ratio 9.75581 3 .02076
 Mantel-Haenszel test for linear association 3.03681 1 .08140

Minimum Expected Frequency - 11.592

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05381 | | | .02683 *1 |
| Cramer's V | .05381 | | | .02683 *1 |
| Contingency Coefficient | .05373 | | | .02683 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 232

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:42:19 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F256 WICHTIG: SICHERER ARBEITSPLATZ

Count Page 1 of 1
 Row Pct SEHR WIC WICHTIG WENIGER UNWICHTI
 Col Pct HTIG WICHTIG I G
 SPAN 0 1234 1199 405 222 3059
 REST 40.3 39.2 13.2 7.2 95.8
 97.5 94.4 95.5 94.2
 1 31 72 19 14 135
 TRIFFT ZU 23.0 53.0 14.0 10.0 4.2
 2.5 5.6 4.5 5.8
 Column Total 1265 1270 424 235 3194
 Total 39.6 39.8 13.3 7.4 100.0

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 17.43008 | 3 | .00058 |
| Likelihood Ratio | 18.40926 | 3 | .00036 |
| Mantel-Haenszel test for linear association | 8.87756 | 1 | .00289 |

Minimum Expected Frequency - 9.953

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .07387 | | | .00058 *1 |
| Cramer's V | .07387 | | | .00058 *1 |
| Contingency Coefficient | .07367 | | | .00058 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 213

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:42:20 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F257 WICHTIG: FRISCHE LUFT

Count Page 1 of 1
 Row Pct SEHR WIC WICHTIG WENIGER UNWICHTI
 Col Pct HTIG WICHTIG I G
 SPAN 0 228 564 1102 1133 3026
 REST 7.5 18.6 36.4 37.4 95.7
 98.7 94.9 96.2 95.1
 1 21 30 44 58 135
 TRIFFT ZU 1.3 22.3 32.4 43.1 4.3
 1.3 5.1 3.8 4.9
 Column Total 231 594 1146 1191 3162
 Total 7.3 18.8 36.2 37.7 100.0

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 7.66426 | 3 | .05348 |
| Likelihood Ratio | 9.42480 | 3 | .02414 |
| Mantel-Haenszel test for linear association | 2.42242 | 1 | .11961 |

Minimum Expected Frequency - 9.886

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-----------|-------|------|---------|--------------------------|
|-----------|-------|------|---------|--------------------------|

Phi .04924 .05348 *1
 Cramer's V .04924 .05348 *1
 Contingency Coefficient .04918 .05348 *1

*1 Pearson chi-square probability

Number of Missing Observations: 143

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:41:20 ** SPANISCHER JUGENDLICHE **

SPAN SPANIER by F258 WICHTIG: HOHE AUSBILDUNGSVERGÜETUNG

F258 Page 1 of 1

| Count | SEHR WICHTIG | WICHTIG | WENIGER WICHTIG | UNWICHTIG | Row Total | |
|--------------|--------------|---------|-----------------|-----------|-----------|------|
| Row Pct | 1 | 2 | 3 | 4 | | |
| Col Pct | 16.0 | 31.1 | 29.5 | 22.7 | 100.0 | |
| SPAN | 0 | 492 | 950 | 881 | 683 | 3006 |
| REST | 1 | 10 | 46 | 47 | 30 | 134 |
| TRIFFT EU | 2 | 4 | 4 | 5 | 2 | 15 |
| Column Total | 503 | 996 | 928 | 714 | 3141 | |
| Chi-Square | 16.0 | 31.1 | 29.5 | 22.7 | 100.0 | |

Chi-Square Value DF Significance
 Pearson 7.87289 3 .04871
 Likelihood Ratio 9.14060 3 .02748
 Mantel-Haenszel test for linear association 2.49373 1 .11430

Minimum Expected Frequency - 21.504

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05007 | | | .04871 *1 |
| Cramer's V | .05007 | | | .04871 *1 |
| Contingency Coefficient | .05001 | | | .04871 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 166

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:41:21 ** SPANISCHER JUGENDLICHE ***

SPAN SPANIER by F259 WICHTIG: REISEN TOEBENEN

F259 Page 1 of 1

| Count | SEHR WICHTIG | WICHTIG | WENIGER WICHTIG | UNWICHTIG | Row Total | |
|--------------|--------------|---------|-----------------|-----------|-----------|------|
| Row Pct | 1 | 2 | 3 | 4 | | |
| Col Pct | 15.4 | 23.6 | 29.3 | 31.7 | 100.0 | |
| SPAN | 0 | 470 | 706 | 887 | 954 | 3016 |
| REST | 1 | 14 | 33 | 36 | 46 | 134 |
| TRIFFT EU | 2 | 3 | 5 | 3 | 11 | 43 |
| Column Total | 484 | 745 | 923 | 999 | 3151 | |
| Chi-Square | 15.4 | 23.6 | 29.3 | 31.7 | 100.0 | |

Chi-Square Value DF Significance
 Pearson 4.00736 3 .26067
 Likelihood Ratio 4.13587 3 .24716
 Mantel-Haenszel test for linear association .51044 1 .47151

Minimum Expected Frequency - 20.640

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03566 | | | .26067 *1 |
| Cramer's V | .03566 | | | .26067 *1 |
| Contingency Coefficient | .03564 | | | .26067 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 156

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***

14:42:21 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F2510 WICHTIG: SPASS

Page 1 of 1

| | | F2510 | | | | | |
|--------------|---------|----------------------|---------------------|--------------------|-------------------|---------------|-----|
| Count | Row Pct | SEHR | WIC | WICHTIG | WENIGER | UNWICHTIG | Row |
| | | HTIG | | | WICHTIG | | |
| Col Pct | | 1 | 2 | 3 | 4 | Total | |
| SPAN | | | | | | | |
| REST | 0 | 1848 60.7 96.1 | 872 28.6 94.4 | 270 8.8 97.5 | 57 1.9 98.5 | 3047 95.8 | |
| TRIFFT ZU | 1 | 75 55.8 3.9 | 52 38.5 5.6 | 7 5.1 2.5 | 1 .6 1.5 | 134 4.2 | |
| Column Total | | 1923 60.4 | 924 29.1 | 276 8.7 | 58 1.8 | 3181 100.0 | |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 7.95687 | 3 | .04691 |
| Likelihood Ratio | 8.27467 | 3 | .04066 |
| Mantel-Haenszel test for linear association | .04271 | 1 | .83627 |

Minimum Expected Frequency - 2.437
 Cells with Expected Frequency < 5 - 1 OF 8 (12.5%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05001 | | | .04691 *1 |
| Cramer's V | .05001 | | | .04691 *1 |
| Contingency Coefficient | .04995 | | | .04691 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 226

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:42:22 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F2511 WICHTIG: SAUBERER ARBEITSPLATZ

Page 1 of 1

| | | F2511 | | | | | |
|--------------|---------|----------------------|----------------------|---------------------|--------------------|---------------|-----|
| Count | Row Pct | SEHR | WIC | WICHTIG | WENIGER | UNWICHTIG | Row |
| | | HTIG | | | WICHTIG | | |
| Col Pct | | 1 | 2 | 3 | 4 | Total | |
| SPAN | | | | | | | |
| REST | 0 | 1015 33.5 97.5 | 1114 36.7 94.6 | 603 19.9 94.7 | 300 9.9 96.5 | 3032 95.8 | |
| TRIFFT ZU | 1 | 26 19.7 2.5 | 63 46.9 5.4 | 34 25.3 5.3 | 11 8.1 3.5 | 134 4.2 | |
| Column Total | | 1041 32.9 | 1177 37.2 | 637 20.1 | 311 9.8 | 3166 100.0 | |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 13.34543 | 3 | .00395 |
| Likelihood Ratio | 14.18072 | 3 | .00267 |
| Mantel-Haenszel test for linear association | 3.42974 | 1 | .06403 |

Minimum Expected Frequency - 13.208

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06492 | | | .00395 *1 |
| Cramer's V | .06492 | | | .00395 *1 |
| Contingency Coefficient | .06479 | | | .00395 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 241

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:42:22 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F2512 WICHTIG: HOBBYS VERWIRKLICHEN

Page 1 of 1

| | | F2512 | | | | | |
|---------|---------|-------|-----|---------|---------|-----------|-----|
| Count | Row Pct | SEHR | WIC | WICHTIG | WENIGER | UNWICHTIG | Row |
| | | HTIG | | | WICHTIG | | |
| Col Pct | | 1 | 2 | 3 | 4 | Total | |
| SPAN | | | | | | | |

| | | | | | | |
|--------------|---|------|------|------|------|-------|
| REST | 0 | 782 | 910 | 821 | 509 | 3022 |
| | | 25.9 | 30.1 | 27.2 | 16.8 | 95.7 |
| | | 95.8 | 95.1 | 94.9 | 98.1 | |
| TRIFFT ZU | 1 | 34 | 47 | 44 | 10 | 135 |
| | | 25.1 | 34.8 | 32.7 | 7.3 | 4.3 |
| | | 4.2 | 4.9 | 5.1 | 1.9 | |
| Column Total | | 816 | 957 | 866 | 519 | 3157 |
| | | 25.8 | 30.3 | 27.4 | 16.4 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 9.57567 | 3 | .02254 |
| Likelihood Ratio | 11.25884 | 3 | .01041 |
| Mantel-Haenszel test for linear association | 1.97256 | 1 | .16018 |

Minimum Expected Frequency - 22.210

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05507 | | | .02254 *1 |
| Cramer's V | .05507 | | | .02254 *1 |
| Contingency Coefficient | .05499 | | | .02254 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 250

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:42:23 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F2513 WICHTIG: ANDEREN HELFEN

Page 1 of 1

| Count | Row Pct | F2513 | | | | Row Total |
|--------------|---------|--------------|-----------------|-----------|------|-----------|
| | | SEHR WICHTIG | WENIGER WICHTIG | UNWICHTIG | G | |
| SPAN | | 1 | 2 | 3 | 4 | |
| REST | 0 | 750 | 1034 | 756 | 487 | 3027 |
| | | 24.8 | 34.1 | 25.0 | 16.1 | 95.8 |
| | | 97.0 | 95.6 | 94.5 | 96.1 | |
| TRIFFT ZU | 1 | 23 | 47 | 44 | 20 | 134 |
| | | 17.3 | 35.2 | 32.6 | 15.0 | 4.2 |
| | | 3.0 | 4.4 | 5.5 | 3.9 | |
| Column Total | | 774 | 1081 | 799 | 507 | 3161 |
| | | 24.5 | 34.2 | 25.3 | 16.0 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 6.03366 | 3 | .10998 |
| Likelihood Ratio | 6.12204 | 3 | .10582 |
| Mantel-Haenszel test for linear association | 2.04313 | 1 | .15289 |

Minimum Expected Frequency - 21.513

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04369 | | | .10998 *1 |
| Cramer's V | .04369 | | | .10998 *1 |
| Contingency Coefficient | .04365 | | | .10998 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 246

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:42:23 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F2514 WICHTIG: UEBERHAUPT AUSBILDUNGSPLATZ

Page 1 of 1

| Count | Row Pct | F2514 | | | | Row Total |
|--------------|---------|--------------|-----------------|-----------|------|-----------|
| | | SEHR WICHTIG | WENIGER WICHTIG | UNWICHTIG | G | |
| SPAN | | 1 | 2 | 3 | 4 | |
| REST | 0 | 990 | 924 | 534 | 558 | 3006 |
| | | 33.0 | 30.7 | 17.8 | 18.6 | 95.7 |
| | | 97.2 | 94.0 | 94.9 | 96.8 | |
| TRIFFT ZU | 1 | 28 | 59 | 29 | 18 | 134 |
| | | 21.0 | 43.7 | 21.5 | 13.7 | 4.3 |
| | | 2.8 | 6.0 | 5.1 | 3.2 | |
| Column Total | | 1019 | 982 | 563 | 576 | 3140 |
| | | 32.4 | 31.3 | 17.9 | 18.3 | 100.0 |

| Chi-Square | Value | DF | Significance |
|------------|-------|----|--------------|
|------------|-------|----|--------------|

| | | | |
|---|----------|---|--------|
| Pearson | 15.13989 | 3 | .00170 |
| Likelihood Ratio | 15.27136 | 3 | .00160 |
| Mantel-Haenszel test for linear association | .39970 | 1 | .52724 |

Minimum Expected Frequency - 24.086

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06944 | | | .00170 *1 |
| Cramer's V | .06944 | | | .00170 *1 |
| Contingency Coefficient | .06927 | | | .00170 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 267

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:42:24 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F2515 WICHTIG: BERUF IN BRD ANGESEHEN

Page 1 of 1

| Count | F2515 | | | | Row Total |
|--------------|--------------|---------|-----------------|-----------|-----------|
| | SEHR WICHTIG | WICHTIG | WENIGER WICHTIG | UNWICHTIG | |
| Row Pct | 1 | 2 | 3 | 4 | |
| Col Pct | HTIG | | | G | |
| SPAN | 0 | 1 | 1 | 1 | |
| REST | 988 | 1109 | 592 | 353 | 3043 |
| | 32.5 | 36.5 | 19.5 | 11.6 | 95.7 |
| | 97.7 | 94.9 | 94.7 | 95.0 | |
| TRIPFT ZU | 1 | | | | |
| | 24 | 60 | 33 | 19 | 135 |
| | 17.5 | 44.4 | 24.4 | 13.7 | 4.3 |
| | 2.3 | 5.1 | 5.3 | 5.0 | |
| Column Total | 1012 | 1169 | 625 | 371 | 3178 |
| Total | 31.8 | 36.8 | 19.7 | 11.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 13.45864 | 3 | .00374 |
| Likelihood Ratio | 14.91610 | 3 | .00189 |
| Mantel-Haenszel test for linear association | 7.74591 | 1 | .00538 |

Minimum Expected Frequency - 15.800

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06508 | | | .00374 *1 |
| Cramer's V | .06508 | | | .00374 *1 |
| Contingency Coefficient | .06494 | | | .00374 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 229

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:42:24 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F2516 WICHTIG: BERUF IN HEIMATLAND ANGESEHEN

Page 1 of 1

| Count | F2516 | | | | ROW Total |
|--------------|--------------|---------|-----------------|-----------|-----------|
| | SEHR WICHTIG | WICHTIG | WENIGER WICHTIG | UNWICHTIG | |
| Row Pct | 1 | 2 | 3 | 4 | |
| Col Pct | HTIG | | | G | |
| SPAN | 0 | 1 | 1 | 1 | |
| REST | 976 | 1087 | 606 | 372 | 3041 |
| | 32.1 | 35.7 | 19.9 | 12.2 | 95.8 |
| | 98.4 | 95.0 | 93.1 | 96.0 | |
| TRIPFT ZU | 1 | | | | |
| | 16 | 57 | 45 | 16 | 133 |
| | 12.1 | 42.6 | 33.6 | 11.6 | 4.2 |
| | 1.6 | 5.0 | 6.9 | 4.0 | |
| Column Total | 992 | 1143 | 651 | 388 | 3174 |
| Total | 31.3 | 36.0 | 20.5 | 12.2 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 29.68951 | 3 | .00000 |
| Likelihood Ratio | 32.53015 | 3 | .00000 |
| Mantel-Haenszel test for linear association | 13.60448 | 1 | .00023 |

Minimum Expected Frequency - 16.304

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-----------|-------|------|---------|--------------------------|
|-----------|-------|------|---------|--------------------------|

Phi .09671 .00000 *1
 Cramer's V .09671 .00000 *1
 Contingency Coefficient .09626 .00000 *1

*1 Pearson chi-square probability

Number of Missing Observations: 233

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:42:25 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F2517 WICHTIG! AUSUEBBAR IN BRD U. HKLAND

Page 1 of 1

| | | F2517 | | | | |
|--------------|---------|--------------|---------|-----------------|-----------|-----------|
| Count | Row Pct | SEHR WICHTIG | WICHTIG | WENIGER WICHTIG | UNWICHTIG | Row Total |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | |
| SPAN | 0 | 1291 | 1055 | 439 | 269 | 3054 |
| | | 42.3 | 34.6 | 14.4 | 8.8 | 95.9 |
| | | 97.6 | 94.5 | 94.1 | 96.1 | |
| REST | 1 | 32 | 62 | 28 | 11 | 132 |
| | | 23.9 | 46.9 | 21.0 | 8.2 | 4.1 |
| | | 2.4 | 5.5 | 5.9 | 3.9 | |
| TRIFFT ZU | | | | | | |
| Column Total | | 1322 | 1117 | 467 | 280 | 3186 |
| Row Total | | 41.5 | 35.1 | 14.7 | 8.8 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 19.64053 | 3 | .00020 |
| Likelihood Ratio | 20.48954 | 3 | .00013 |
| Mantel-Haenszel test for linear association | 7.90422 | 1 | .00493 |

Minimum Expected Frequency - 11.611

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .07851 | | | .00020 *1 |
| Cramer's V | .07851 | | | .00020 *1 |
| Contingency Coefficient | .07827 | | | .00020 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 221

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:42:25 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F25A LEBEN OHNE ARBEIT?

Page 1 of 1

| | | F25A | | |
|--------------|---------|------|------|-----------|
| Count | Row Pct | JA | NEIN | Row Total |
| Col Pct | Col Pct | 1 | 2 | |
| SPAN | 0 | 1346 | 1669 | 3015 |
| | | 44.7 | 55.3 | 95.9 |
| | | 96.1 | 95.7 | |
| REST | 1 | 54 | 76 | 130 |
| | | 41.7 | 58.3 | 4.1 |
| | | 3.9 | 4.3 | |
| TRIFFT ZU | | | | |
| Column Total | | 1401 | 1745 | 3145 |
| Row Total | | 44.5 | 55.5 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .42546 | 1 | .51423 |
| Continuity Correction | .31591 | 1 | .57407 |
| Likelihood Ratio | .42695 | 1 | .51349 |
| Mantel-Haenszel test for linear association | .42532 | 1 | .51429 |

Minimum Expected Frequency - 57.765

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .01163 | | | .51423 *1 |
| Cramer's V | .01163 | | | .51423 *1 |
| Contingency Coefficient | .01163 | | | .51423 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 262

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:42:26 *** SPANISCHE JUGENDLICHE **

SPAN SPANIER by F26 AKT.STATUS

Page 1 of 2

| | | P26 | | | | | | | | | | | Row Total |
|-------------|--------------|--------------------|------------------|--------------------|--------------------|-------------------|--------------------|-------------------|-------------------|-----------------|-------------------|-------------------|---------------|
| Count | Row Pct | HAUPTSCHULE | SONDERSC HULE | REALSCHULE | GYMNASIUM | GESAMTSC HULE | HOCHSCHULE | SONST.SC HULE | BERUFSFA CHSCHULE | KURSE | BVJ | BGJ | |
| Col Pct | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | |
| SPAN | | ----- | | | | | | | | | | | |
| REST | 0 | 213 6.7 94.6 | 19 .6 95.5 | 130 4.1 93.2 | 185 5.8 93.1 | 62 1.9 95.8 | 278 8.8 94.3 | 65 2.1 98.6 | 48 1.5 98.1 | 3 .1 70.9 | 34 1.1 95.0 | 41 1.3 97.2 | 3177 95.9 |
| TRIFFT ZU | 1 | 12 9.0 5.4 | 1 .6 4.5 | 10 7.0 6.8 | 14 10.1 6.9 | 3 2.0 4.2 | 17 12.4 5.7 | 1 .7 1.4 | 1 .7 1.9 | 1 .9 29.1 | 1 ..1 5.0 | 1 .9 2.8 | 136 4.1 |
| (Continued) | Column Total | 226 6.8 | 19 .6 | 140 4.2 | 199 6.0 | 64 1.9 | 295 8.9 | 66 2.0 | 49 1.5 | 4 .1 | 36 1.1 | 42 1.3 | 3313 100.0 |

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:42:26 *** SPANISCHE JUGENDLICHE **

SPAN SPANIER by F26 AKT.STATUS

Page 2 of 2

| | | F26 | | | | | | | | | | | Row Total |
|-----------|--------------|-------------------|-------------------|--------------------|-------------------|--------------------|----------------------|--------------------|---------------------|-------------------|-------------------|-------------------|---------------|
| Count | Row Pct | SONSTIGE | ALOS,SU. LEHRE | ALOS.SU. ARB | HELFE ZU HAUSE | HAUSFRAU | VOLLZ.ER W. | TEILZ.ER W. | BERUFSAU SB. | SELBSTAE NDIG | JOBBE,SU .ANDERES | JOBBE,SU .NI.ANDE | |
| Col Pct | | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | |
| SPAN | | ----- | | | | | | | | | | | |
| REST | 0 | 46 1.4 93.3 | 45 1.4 98.0 | 272 8.6 95.7 | 51 1.6 93.3 | 175 5.5 95.1 | 1011 31.8 97.7 | 70 2.2 100.0 | 324 10.2 96.5 | 68 2.1 94.9 | 24 .8 90.6 | 14 .4 79.2 | 3177 95.9 |
| TRIFFT ZU | 1 | 3 2.4 6.7 | 1 .7 2.0 | 12 9.0 4.3 | 4 2.6 6.7 | 9 6.6 4.9 | 24 17.5 2.3 | | 12 8.5 3.5 | 4 2.6 5.1 | 3 1.8 9.4 | 4 2.7 20.8 | 136 4.1 |
| | Column Total | 49 1.5 | 46 1.4 | 284 8.6 | 54 1.6 | 184 5.6 | 1035 31.2 | 70 2.1 | 335 10.1 | 71 2.1 | 26 .8 | 18 .5 | 3313 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 47.48428 | 21 | .00081 |
| Likelihood Ratio | 40.84889 | 21 | .00585 |
| Mantel-Haenszel test for linear association | 7.96714 | 1 | .00476 |

Minimum Expected Frequency - .177
 Cells with Expected Frequency < 5 - 15 OF 44 (34.1%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .11972 | | | .00081 *1 |
| Cramer's V | .11972 | | | .00081 *1 |
| Contingency Coefficient | .11887 | | | .00081 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 94

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - **
 14:42:27 *** SPANISCHE JUGENDLICHE **

SPAN SPANIER by RF26 AKT.STATUS - RECODIERT

Page 1 of 1

| | | RF26 | | | | | | | | Row Total |
|-----------|--------------|---------------------|--------------------|--------------------|---------------------|----------------------|---------------------|--------------------|--------------------|---------------|
| Count | Row Pct | SCHULAU BILDUNG | BERUFSFA CHSCHULE | BVJ,BGJ | DUALE BE RUFSAUSB | BERUFSTA ETIG | ARBEITSL OS | HOCHSCHULE | NICHT BE RUFSTAET | |
| Col Pct | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| SPAN | | ----- | | | | | | | | |
| REST | 0 | 612 19.2 93.8 | 113 3.6 98.4 | 121 3.8 95.1 | 324 10.2 96.5 | 1187 37.4 97.2 | 317 10.0 96.0 | 278 8.8 94.3 | 226 7.1 94.7 | 3177 95.9 |
| TRIFFT ZU | 1 | 40 29.5 6.2 | 2 1.4 1.6 | 6 4.6 4.9 | 12 8.5 3.5 | 34 24.6 2.8 | 13 9.7 4.0 | 17 12.4 5.7 | 13 9.3 5.3 | 136 4.1 |
| | Column Total | 652 19.7 | 115 3.5 | 127 3.8 | 335 10.1 | 1221 36.8 | 330 10.0 | 295 8.9 | 238 7.2 | 3313 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 17.98614 | 7 | .01203 |
| Likelihood Ratio | 18.07177 | 7 | .01165 |
| Mantel-Haenszel test for linear association | 1.29504 | 1 | .25512 |

Minimum Expected Frequency - 4.732
 Cells with Expected Frequency < 5 - 1 OF 16 (6.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .07368 | | | .01203 *1 |
| Cramer's V | .07368 | | | .01203 *1 |
| Contingency Coefficient | .07348 | | | .01203 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 94

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:42:28 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F26BER AKT.STATUS - SELEKTIERT

F26BER Page 1 of 1

| SPAN | Count Row Pct Col Pct | BERUFST. NICHT-BE | | Row Total |
|-----------------|-----------------------------|----------------------|---------------------|---------------|
| | | 1 | 2 | |
| REST | 0 | 1149 83.6 97.7 | 226 16.4 94.7 | 1375 97.2 |
| TRIFFT ZU | 1 | 27 68.5 2.3 | 13 31.5 5.3 | 40 2.8 |
| Column Total | | 1177 83.2 | 238 16.8 | 1415 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 6.34384 | 1 | .01178 |
| Continuity Correction | 5.31108 | 1 | .02119 |
| Likelihood Ratio | 5.35491 | 1 | .02066 |
| Mantel-Haenszel test for linear association | 6.33936 | 1 | .01181 |

Minimum Expected Frequency - 6.749

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06696 | | | .01178 *1 |
| Cramer's V | .06696 | | | .01178 *1 |
| Contingency Coefficient | .06681 | | | .01178 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1992

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:42:28 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F27 BERUFSSTATUS

F27 Page 1 of 1

| SPAN | Count Row Pct Col Pct | BERUFSSTATUS | | | | | | | Row Total |
|-----------------|-----------------------------|---------------------|---------------------|---------------------|--------------------|---------------------|-----------|-------------------|---------------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| REST | 0 | 254 23.3 97.3 | 308 28.3 98.1 | 261 24.0 95.1 | 15 1.4 100.0 | 184 16.9 99.4 | | 39 3.6 94.3 | 1088 97.3 |
| TRIFFT ZU | 1 | 7 23.3 2.7 | 6 20.1 1.9 | 13 44.8 4.9 | | 1 0.1 | | 2 7.9 | 30 2.7 |
| Column Total | | 261 23.3 | 314 28.1 | 275 24.6 | 15 1.4 | 185 16.6 | 26 2.3 | 41 3.7 | 1118 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 11.40980 | 6 | .07651 |
| Likelihood Ratio | 12.56199 | 6 | .05054 |
| Mantel-Haenszel test for linear association | .09199 | 1 | .76167 |

Minimum Expected Frequency - .414
 Cells with Expected Frequency < 5 - 4 OF 14 (28.6%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .10102 | | | .07651 *1 |
| Cramer's V | .10102 | | | .07651 *1 |
| Contingency Coefficient | .10050 | | | .07651 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2289

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:42:29 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F28 BERUFL. VERAENDERUNGSWUNSCH

F28 Page 1 of 1

| Count Row Pct Col Pct | F28 | | Row Total |
|-----------------------------|--------------------|--------------|--------------|
| | JA | NEIN | |
| | 1 | 2 | |
| SPAN | 0 | 33 | 39 |
| REST | 6 14.9 100.0 | 85.1 93.4 | 94.3 |
| | 1 | 2 | |
| TRIFFT ZU | 6 100.0 | 6.6 | 5.7 |
| Column | 6 | 36 | 41 |
| Total | 14.1 | 85.9 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .41068 | 1 | .52163 |
| Continuity Correction | .00000 | 1 | 1.00000 |
| Likelihood Ratio | .74019 | 1 | .38960 |
| Mantel-Haenszel test for linear association | .40075 | 1 | .52670 |
| Fisher's Exact Test: | | | |
| One-Tail | | | .72561 |
| Two-Tail | | | 1.00000 |

Minimum Expected Frequency - .333
 Cells with Expected Frequency < 5 - 2 OF 4 (50.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .09965 | | | .52163 *1 |
| Cramer's V | .09965 | | | .52163 *1 |
| Contingency Coefficient | .09916 | | | .52163 *1 |

*1 Pearson chi-square probability

Number of Missmg Observations: 3366

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:42:29 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F29 BEFRISTETER ARB.VERTRAG

F29 Page 1 of 1

| Count Row Pct Col Pct | F29 | | Row Total |
|-----------------------------|---------------------|-------------------|--------------|
| | BEFRISTE | UNBEFRIS | |
| | 1 | 2 | |
| SPAN | 0 | 827 | 1015 |
| REST | 188 18.5 98.7 | 81.5 97.6 | 97.8 |
| | 1 | 2 | |
| TRIFFT ZU | 2 10.7 1.3 | 20 89.3 2.4 | 2.2 |
| Column | 190 | 847 | 1038 |
| Total | 18.4 | 81.6 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | .90731 | 1 | .34083 |
| Continuity Correction | .46032 | 1 | .49748 |
| Likelihood Ratio | 1.03150 | 1 | .30981 |
| Mantel-Haenszel test for linear association | .90644 | 1 | .34106 |
| Fisher's Exact Test: | | | |
| One-Tail | | | .20157 |
| Two-Tail | | | .40245 |

Minimum Expected Frequency - 4.168
 Cells with Expected Frequency < 5 - 1 OF 4 (25.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|------------------------|--------|------|---------|--------------------------|
| Phi | .02957 | | | .34083 *1 |
| Cramer's V | .02957 | | | .34083 *1 |
| Contmgency Coefficient | .02955 | | | .34083 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2369

a-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:42:30 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F29A SCHICHTARBEIT

F29A Page 1 of 1

| | Count Row Pct Col Pct | F29A | | Row Total |
|-----------------|-----------------------------|---------------------|---------------------|---------------|
| | | JA | NEIN | |
| | | 1 | 2 | |
| SPAN | | | | |
| REST | 0 | 771 75.4 98.5 | 251 24.6 94.9 | 1022 97.6 |
| TRIFFT ZU | 1 | 12 46.7 1.5 | 13 53.3 5.1 | 25 2.4 |
| Column Total | | 782 74.7 | 265 25.3 | 1047 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 10.73318 | 1 | .00105 |
| Continuity Correction | 9.26749 | 1 | .00233 |
| Likelihood Ratio | 9.23712 | 1 | .00237 |
| Mantel-Haenszel test for linear association | 10.72293 | 1 | .00106 |

Minimum Expected Frequency - 6.376

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .10124 | | | .00105 *1 |
| Cramer's V | .10124 | | | .00105 *1 |
| Contingency Coefficient | .10072 | | | .00105 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2360

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:42:30 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 36.93 seconds CPU time; 52.55 seconds elapsed.

```
328 0 MULT RESPONSE GROUPS=F29B DEUT.MITARBEITER (F29B1 TO F29B4(1))/
329 0     VARIABLES=SPAN(0,1) /
330 0     TABLES=SPAN BY F29B /
331 0 STATISTICS 1 2
```

MULT RESPONSE requires 1144 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:42:56 *** SPANISCHE JUGENDLICHE ***

*** C R O S S T A B U L A T I O N ***

SPAN SPANIER
 by F29B (tabulating 1) DEUT.MITARBEITER

F29B

| | Count Row pct Col pct | DEUTISCHE | DEUTISCHE | DEUTISCHE | KEINE DT | Row Total |
|-----------------|-----------------------------|---------------------|---------------------|---------------------|---------------------|---------------|
| | | TZTE F29B1 | N F29B2 | BENE F29B3 | SKOL F29B4 | |
| SPAN | | | | | | |
| REST | 0 | 681 66.1 97.6 | 840 81.5 97.4 | 143 13.9 97.0 | 112 10.8 98.9 | 1030 97.6 |
| TRIFFT ZU | 1 | 17 67.6 2.4 | 23 90.1 2.6 | 4 17.8 3.0 | 1 5.0 1.1 | 25 2.4 |
| Column Total | | 698 66.1 | 863 81.7 | 147 14.0 | 113 10.7 | 1055 100.0 |

Percents and totals based on respondents

1,055 valid cases; 2,352 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:42:56 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 16.76 seconds CPU time; 26.29 seconds elapsed.

332 0 CROSSTABS TABLES=SPAN BY F29C
 333 0 OPTIONS 3 4
 334 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:43:19 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F29C MIT DT. TAUSCHEN

F29C Page 1 of 1

| Count Row Pct Col Pct | F29C | | Row Total |
|-----------------------------|------|------|--------------|
| | JA | NEIN | |
| | 1 | 2 | |
| SPAN | | | |
| REST | 0 | 187 | 717 |
| | | 20.7 | 79.3 |
| | | 98.9 | 97.0 |
| TRIFFT ZU | 1 | 2 | 22 |
| | | 8.6 | 91.4 |
| | | 1.1 | 3.0 |
| Column | 189 | 739 | 928 |
| Total | 20.4 | 79.6 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 2.12715 | 1 | .14471 |
| Continuity Correction | 1.44407 | 1 | .22948 |
| Likelihood Ratio | 2.57347 | 1 | .10867 |
| Mantel-Haenszel test for linear association | 2.12486 | 1 | .14493 |
| Fisher's Exact Test: | | | |
| One-Tail | | | .10348 |
| Two-Tail | | | .19781 |

Minimum Expected Frequency - 4.890
 Cells with Expected Frequency < 5 - 1 OF 4 (25.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04787 | | | .14471 *1 |
| Cramer's v | .04787 | | | .14471 *1 |
| Contingency Coefficient | .04781 | | | .14471 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2479

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:43:21 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 15.49 seconds CPU time; 24.01 seconds elapsed.

335 0 MULT RESPONSE GROUPS=F29D MIT DT.TAUSCHEN-N.TAUSCHEN
 336 0 (F29D1 TO F29D3(1,19))/
 337 0 VARIABLES=SPAN(0,1) /
 338 0 TABLES=SPAN BY F29D /
 339 0 STATISTICS 1 2

MULT RESPONSE requires 1504 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:43:41 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
 by F29D (group) MIT DT.TAUSCHEN-N.TAUSCHEN

F29D

| Count Row pct Col pct | ANGENEHM ARB. | BESSER EZ. | B STIEGSCH | BESS.AUF .PLAETZE | QUAL.ARB IT | SICHERHE S | SONSTIGE S | HABE BES SERE ARB | BES ARB | DT. EN | KOENN NICHT | ARB. T | MACH SPASS | BIN IEDEN | ZUFR ICHW. | HABE ARB | GLE ARB | Row Total |
|-----------------------------|------------------|---------------|---------------|----------------------|----------------|---------------|---------------|----------------------|------------|-----------|----------------|-----------|---------------|--------------|---------------|-------------|------------|--------------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 11 | 13 | 14 | 15 | 16 | | | | | | | |
| SPAN | 0 | 77 | 54 | 13 | 13 | 3 | 12 | 20 | 13 | 31 | 189 | 333 | 743 | | | | | |
| REST | | 10.4 | 7.3 | 1.7 | 1.8 | .3 | 1.7 | 2.7 | 1.8 | 4.1 | 25.4 | 44.8 | 97.8 | | | | | |
| | | 100.0 | 96.4 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 97.1 | 97.4 | | | | | | |
| TRIFFT ZU | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 9 | 17 | | | | | |
| | | .0 | 12.2 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 34.1 | 53.7 | 2.2 | | | | | |
| | | .0 | 3.6 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 2.9 | 2.6 | | | | | | |
| Column Total | 77 | 57 | 13 | 13 | 3 | 12 | 20 | 13 | 31 | 194 | 342 | 760 | | | | | | |
| | 10.2 | 7.4 | 1.7 | 1.8 | .3 | 1.6 | 2.7 | 1.8 | 4.0 | 25.6 | 45.0 | 100.0 | | | | | | |

Percents and totals based on respondents

(Continued)

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:43:42 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
by F29D (group) MIT DT.TAUSCHEN-N.TAUSCHEN

F29D

| Count Row pct Col pct | SONSTIGE S | Row Total |
|-----------------------------|---------------|--------------|
| SPAN | 19 | |
| REST | 9 | 743 |
| | 1.2 | 97.8 |
| | 100.0 | |
| TRIFFT ZU | 0 | 17 |
| | .0 | 2.2 |
| | .0 | |
| Column Total | 9 | 760 |
| | 1.2 | 100.0 |

Percents and totals based on respondents

760 valid cases; 2,647 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:43:42 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211

>On at least one case, the value of the weight variable was zero, negative, or
>missing. Such cases are considered missing by statistical procedures which
>need positively weighted cases, but remain on the file and are processed by
>non-statistical facilities such as LIST and SAVE.

Preceding task required 15.73 seconds CPU time; 21.64 seconds elapsed.

340 0 CROSSTABS TABLES=SPAN BY F30 F30A
341 0 OPTIONS 3 4
342 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:44:08 *** SPANISCHE JUGENDLICHE **

SPAN SPANIER by F30 BEFUERCHTUNG V. ARB.LOSIGK.

Page 1 of 1

| Count Row Pct Col Pct | F30 | | | | Row Total |
|-----------------------------|--------------------|---------------|--------------|----------------------------|--------------|
| | WAHRSCHE INLICH | MOEGLICH 2 | EHER AHR. | UNW GANZ AUS GESCHL. | |
| | 1 | 2 | 3 | 4 | |
| SPAN | 90 | 507 | 459 | 210 | 1265 |
| REST | 7.1 | 40.1 | 36.3 | 16.6 | 97.4 |
| | 96.1 | 98.0 | 96.9 | 97.7 | |
| TRIFFT ZU | 4 | 10 | 15 | 5 | 33 |
| | 10.8 | 30.4 | 44.2 | 14.6 | 2.6 |
| | 3.9 | 2.0 | 3.1 | 2.3 | |
| Column Total | 93 | 517 | 473 | 215 | 1298 |
| | 7.2 | 39.8 | 36.5 | 16.5 | 100.0 |

-----Chi-Square----- Value DF Significance

| Row pct | Col pct | VERSTAE NDIG F30B1 | AERGER DT. F30B2 | AERGER DT. F30B3 | AERGER AUSL F30B4 | AERGER AUSL F30B5 | SCHWIER IGKE F30B6 | UNANG. ARB. F30B7 | ARBEITS ANFA F30B8 | SCHMUTZ -ETA F30B9 | LAERM F30B10 | HITZE-K AELT F30B11 | Row Total |
|-----------|---------|--------------------------|------------------------|------------------------|-------------------------|-------------------------|--------------------------|-------------------------|--------------------------|--------------------------|---------------------|---------------------------|--------------|
| SPAN | 0 | 114 19.1 97.2 | 152 25.4 97.9 | 173 28.9 97.6 | 25 4.1 100.0 | 52 8.7 100.0 | 86 14.4 97.3 | 138 23.1 97.5 | 107 17.8 98.9 | 138 23.0 97.7 | 154 25.8 99.2 | 97 16.2 96.8 | 598 97.6 |
| REST | 1 | 2, .? | 21.? | 4 28.1 2.4 | 0 .0 .0 | 0 .0 .0 | 2 15.9 2.7 | 4 23.8 2.5 | 1 7.9 1.1 | 3 21.7 2.3 | 1 7.9 .8 | 3 21.7 3.2 | 15 2.4 |
| TRIFFT ZU | | 2.8 | 2.1 | | | | | | | | | | |
| Column | | 117 19.2 | 155 25.3 | 177 28.9 | 25 4.0 | 52 8.5 | 88 14.4 | 142 23.1 | 108 17.6 | 141 23.0 | 156 25.4 | 100 16.3 | 613 100.0 |

Percents and totals based on respondents

(Continued)

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:44:40 *** SPANISCHE JUGENDLICHE **.

*** CROSSTABULATION ***

SPAN SPANIER
by F30B (tabulating 1) PROBLEME B.AUSBILDUNG

Page 2 of 2

| Count | Row pct | Col pct | PROBLEM: GERINGE ANF F30B12 | PROBLEM: UEBERST UNDE F30B13 | PROBLEM: ABSTIMM UNG F30B14 | PROBLEM: BILLIGE ARB F30B15 | PROBLEM: AUSB.KO ENNE F30B16 | PROBLEM: SONSTIG ES F30B17 | Row Total |
|-----------|---------|---------|--------------------------------------|---------------------------------------|--------------------------------------|--------------------------------------|---------------------------------------|-------------------------------------|--------------|
| SPAN | 0 | | 32 5.3 100.0 | 94 15.8 98.8 | 16 2.7 100.0 | 51 8.5 97.7 | 18 3.0 100.0 | 30 5.0 92.4 | 598 97.6 |
| REST | 1 | | 0 .0 .0 | 1 7.9 1.2 | 0 .0 .0 | 1 7.9 2.3 | 0 .0 .0 | 2 16.4 7.6 | 15 2.4 |
| TRIFFT ZU | | | | | | | | | |
| Column | | | 32 5.2 | 95 15.6 | 16 2.6 | 52 8.5 | 18 2.9 | 32 5.2 | 613 100.0 |

Percents and totals based on respondents

613 valid cases; 2,794 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:44:40 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
>On at least one case, the value of the weight variable was zero, negative, or
>missing. Such cases are considered missing by statistical procedures which
>need positively weighted cases, but remain on the file and are processed by
>non-statistical facilities such as LIST and SAVE.

Preceding task required 17.03 seconds CPU time; 31.00 seconds elapsed.

348 0 CROSSTABS TABLES=SPAN BY F31 TO F31B2 RF32
349 0 OPTIONS 3 4
350 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:45:08 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F31 ARB.ZUFRIEDENHEIT

| Count | Row Pct | Col Pct | F31 | | | | | Row |
|-----------|---------|---------|---------------------|---------------------|---------------------|-------------------|-------------------|---------------|
| | | | RICHTIG SPASS | ZIEMLICH GUT | NOTWENDI G | FAELLT S CHWER | AUFHOERE N | Total |
| | | | 1 | 2 | 3 | 4 | 5 | |
| SPAN | 0 | | 500 36.8 97.5 | 444 32.7 96.3 | 360 26.6 98.5 | 18 1.3 95.4 | 35 2.6 93.6 | 1358 97.2 |
| REST | 1 | | 13 32.8 2.5 | 17 <,.0 .7 | 6 14.6 1.5 | 1 2.2 4.6 | 2 6.3 6.4 | 39 2.8 |
| TRIFFT ZU | | | | | | | | |
| Column | | | 513 36.7 | 461 33.0 | 366 26.2 | 19 1.4 | 38 2.7 | 1396 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 5.78837 | 4 | .21552 |
| Likelihood Ratio | 5.50316 | 4 | .23945 |
| Mantel-Haenszel test for linear association | .09773 | 1 | .75457 |

Minimum Expected Frequency - .527
 Cells with Expected Frequency < 5 - 2 OF 10 (20.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06438 | | | .21552 *1 |
| Cramer's V | .06438 | | | .21552 *1 |
| Contingency Coefficient | .06425 | | | .21552 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2011

8-NOV-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:45:09 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F31A BRANCHE

| | | F31A | | | | | | | | | | | Row Total |
|-------------------|---------|----------|----------|----------|----------|----------|---------|----------|----------|--------|----------|----------|-----------|
| Count | Row Pct | INDUSTRI | HANDWERK | BAUGEWER | HOTEL U. | LANDWIRT | BERGBAU | EINZ.-HA | GROSSHAN | BANKEN | POST U.B | SONST.TR | |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | |
| SPAN | 0 | 452 | 241 | 66 | 181 | 7 | 8 | 61 | 37 | 18 | 1 | 31 | 1347 |
| REST | | 33.5 | 17.9 | 4.9 | 13.4 | .5 | .6 | 4.6 | 2.8 | 1.3 | .0 | 2.3 | 97.3 |
| | | 98.6 | 94.7 | 97.0 | 98.7 | 100.0 | 100.0 | 96.1 | 97.7 | 93.9 | 100.0 | 96.3 | |
| | 1 | 6 | 14 | 2 | 2 | | | 3 | 1 | 1 | | 1 | 38 |
| TRIFFT ZU | | 17.2 | 36.0 | 5.5 | 6.5 | | | 6.7 | 2.3 | 3.1 | | 3.1 | 2.7 |
| | | 1.4 | 5.3 | 3.0 | 1.3 | | | 3.9 | 2.3 | 6.1 | | 3.7 | |
| Column | | 458 | 255 | 68 | 183 | 7 | 8 | 64 | 38 | 19 | 1 | 32 | 1384 |
| (Continued) Total | | 33.1 | 18.4 | 4.9 | 13.2 | .5 | .6 | 4.6 | 2.8 | 1.4 | .0 | 2.3 | 100.0 |

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:45:10 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F31A BRANCHE

| | | F31A | | | | Row Total |
|-----------|---------|----------|----------|----------|----------|-----------|
| Count | Row Pct | GESUND.W | SONST.DI | PRIV.HAU | SONST.WI | |
| Col Pct | Col Pct | 12 | 13 | 14 | 15 | |
| SPAN | 0 | 81 | 105 | 3 | 55 | 1347 |
| REST | | 6.0 | 7.8 | .2 | 4.1 | 97.3 |
| | | 97.0 | 96.7 | 71.8 | 100.0 | |
| | 1 | 3 | 4 | 1 | | 38 |
| TRIFFT ZU | | 6.7 | 9.6 | 3.3 | | 2.7 |
| | | 3.0 | 3.3 | 28.2 | | |
| Column | | 83 | 108 | 4 | 55 | 1384 |
| Total | | 6.0 | 7.8 | .3 | 4.0 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 25.19143 | 14 | .03272 |
| Likelihood Ratio | 19.35951 | 14 | .15166 |
| Mantel-Haenszel test for linear association | .25054 | 1 | .61670 |

Minimum Expected Frequency - .017
 Cells with Expected Frequency < 5 - 15 OF 30 (50.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .13489 | | | .03272 *1 |
| Cramer's V | .13489 | | | .03272 *1 |
| Contingency Coefficient | .13368 | | | .03272 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2023

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:45:11 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F31B1 BETRIEBSGROESSE

| | | F31B1 | | | | | | Row Total | |
|---------|---------|---------|------|------|-------|-------|---------|-----------|------|
| Count | Row Pct | NUR ICH | 2-9 | BESC | 10-49 | 50-99 | 100-499 | UEB.500 | |
| Col Pct | Col Pct | 1 | H. | 2 | SCH. | 3 | 4 | BESCH. | 6 |
| SPAN | 0 | 20 | 373 | 327 | 173 | 243 | 215 | | 1352 |
| REST | | 1.5 | 27.6 | 24.2 | 12.8 | 18.0 | 15.9 | | 97.3 |
| | | 84.6 | 96.1 | 97.3 | 98.5 | 99.0 | 97.8 | | |

| | | | | | | | | |
|--------------|---|------|------|------|------|------|------|-------|
| | 1 | 4 | 15 | 9 | 3 | 2 | 5 | 38 |
| TRIFFT ZU | | 9.8 | 40.3 | 23.9 | 7.0 | 6.3 | 12.8 | 2.7 |
| | | 15.4 | 3.9 | 2.7 | 1.5 | 1.0 | 2.2 | |
| Column Total | | 24 | 389 | 336 | 176 | 246 | 219 | 1389 |
| | | 1.7 | 28.0 | 24.2 | 12.7 | 17.7 | 15.8 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 20.77918 | 5 | .00089 |
| Likelihood Ratio | 14.17577 | 5 | .01453 |
| Mantel-Haenszel test for linear association | 7.67644 | 1 | .00559 |

Minimum Expected Frequency - .647
 Cells with Expected Frequency < 5 - 2 OF 12 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .12231 | | | .00089 *1 |
| Cramer's V | .12231 | | | .00089 *1 |
| Contingency Coefficient | .12140 | | | .00089 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2018

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:45:11 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F31B2 INT.-EINSCH.:BERUFSSIT.D.BEFRAGTEN

Page 1 of 1

| Count | Row Pct | F31B2 | | | Row Total |
|--------------|---------|----------|------|------|-----------|
| | | 1 | 2 | 3 | |
| Col Pct | ST. | .ANDERES | AVON | | |
| SPAN | 0 | 82 | 54 | 1027 | 1164 |
| REST | | 7.0 | 4.7 | 88.3 | 97.2 |
| | | 95.8 | 91.6 | 97.7 | |
| TRIFFT ZU | 1 | 4 | 5 | 24 | 33 |
| | | 10.9 | 15.1 | 74.0 | 2.8 |
| | | 4.2 | 8.4 | 2.3 | |
| Column Total | | 85 | 59 | 1052 | 1197 |
| | | 7.1 | 5.0 | 87.9 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 8.51199 | 2 | .01418 |
| Likelihood Ratio | 6.00776 | 2 | .04959 |
| Mantel-Haenszel test for linear association | 3.57463 | 1 | .05867 |

Minimum Expected Frequency - 1.640
 Cells with Expected Frequency < 5 - 2 OF 6 (33.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .08433 | | | .01418 *1 |
| Cramer's V | .08433 | | | .01418 *1 |
| Contingency Coefficient | .08404 | | | .01418 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2210

8-NOV-94 *** p 1.503 ausl.[jugendliche - jugenddaten - ***
 14:45:12 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF32 WANN SELBSTAENDIG GEMACHT

Page 1 of 1

| Count | Row Pct | RF32 | | | Row Total |
|--------------|---------|-------|--------|------|-----------|
| | | 1 | 2 | 3 | |
| Col Pct | 81 | 5 | PAETER | | |
| SPAN | 0 | 4 | 30 | 32 | 66 |
| REST | | 6.2 | 45.6 | 48.2 | 96.4 |
| | | 100.0 | 96.0 | 96.4 | |
| TRIFFT ZU | 1 | 4 | 1 | 48.6 | 3.6 |
| | | 4 | 31 | 33 | 68 |
| Column Total | | 6.0 | 45.8 | 48.2 | 100.0 |

| Chi-Square | Value | DF | Significance |
|------------|-------|----|--------------|
|------------|-------|----|--------------|

Pearson .16784 2 .91950
 Likelihood Ratio .31215 2 .85549
 Mantel-Haenszel test for .02724 1 .86891
 linear association

Minimum Expected Frequency - .145
 Cells with Expected Frequency < 5 - 4 OF 6 (66.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04967 | | | .91950 *1 |
| Cramer's V | .04967 | | | .91950 *1 |
| Contingency Coefficient | .04961 | | | .91950 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3339

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:45:12 ** SPANISCHE JUGENDLICHE ***

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 17.90 seconds CPU time; 32.09 seconds elapsed.

351 0 BREAKDOWN TABLES=F32 BY SPAN

There are 4,441,568 bytes of memory available.

Given workspace allows for 32,767 cells of 1 dimensions for MEANS.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:45:37 ** SPANISCHE JUGENDLICHE ***

- - Description of Subpopulations - -

Summaries of F32 WANN SELBSTAENDIG GEMACHT
 By levels of SPAN SPANIER

| Variable | Value | Label | Mean | Std Dev | Cases |
|-----------------------|-------|-----------|---------|---------|-------|
| For Entire Population | | | 84.7066 | 2.8794 | 68 |
| SPAN | 0 | REST | 84.7159 | 2.9182 | 66 |
| SPAN | 1 | TRIFFT ZU | 84.4568 | 1.9545 | 2 |

Total Cases - 3407
 Missing Cases = 3339 or 98.0 Pct

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:45:37 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 15.52 seconds CPU time; 24.78 seconds elapsed.

352 0 MULT RESPONSE GROUPS=F32A GRUENDE F.SELBSTAEND.
 353 0 (F32A1 TO F32A3(1,9))
 354 0 F32B UNTERSTUETZ.F.SELBSTAEND.
 355 0 (F32B1 TO F32B3(1,9))/
 356 0 VARIABLES=SPAN (0,1) /
 357 0 TABLES=SPAN BY F32A F32B /
 358 0 STATISTICS 1 2

MULT RESPONSE requires 1512 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:45:58 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
 by F32A (group) GRUENDE F.SELBSTAEND

| Count | F32A | | | Row Total |
|---------|--------------|-----------------|------------------|-----------|
| | EIGENER HERR | HOEH.VER DIENST | LEBEN IN HK.LAND | |
| Row pct | | | | |
| Col pct | | | | |
| SPAN | 1 | 2 | 3 | 9 |

| | | | | | | |
|--------------|---|--------------------|--------------------|-------------------|--------------------|-------------|
| REST | 0 | 34 55.1 90.3 | 14 22.4 92.0 | 4 6.6 100.0 | 26 43.5 91.6 | 61 94.4 |
| | 1 | 4 100.0 9.7 | 1 32.7 8.0 | 0 .0 .0 | 2 67.3 8.4 | 4 5.6 |
| Column Total | | 37 57.6 | 15 22.9 | 4 6.2 | 29 44.9 | 64 100.0 |

Percents and totals based on respondents

64 valid cases; 3,343 missing cases

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:45:59 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
by F32B (group) UNTERSTUETZ.F.SELBSTAEND

| | | F32B | | | | | | |
|--------------|---------|-------------------|---------------------|------------------------|-------------------|--------------------|----|-------------|
| Count | Row pct | KREDITE | FAMILIE | GESCH.UE BERNOMME S | SONSTIGE S | KEINE LFE | HI | Row Total |
| Col pct | Col pct | 1 | 2 | 3 | 8 | 9 | | |
| SPAN | | ----- | | | | | | |
| REST | 0 | 8 14.7 86.9 | 17 32.7 100.0 | 3 6.0 100.0 | 3 5.0 100.0 | 36 68.2 91.1 | | 53 95.8 |
| | 1 | 1 50.0 13.1 | 0 .0 .0 | 0 .0 .0 | 0 .0 .0 | 4 150.0 8.9 | | 2 4.2 |
| Column Total | | 9 16.1 | 17 31.3 | 3 5.8 | 3 4.8 | 40 71.6 | | 56 100.0 |

Percents and totals based on respondents

56 valid cases; 3,351 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:45:59 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
>On at least one case, the value of the weight variable was zero, negative, or
>missing. Such cases are considered missing by statistical procedures which
>need positively weighted cases, but remain on the file and are processed by
>non-statistical facilities such as LIST and SAVE.

Preceding task required 16.11 seconds CPU time; 21.75 seconds elapsed.

359 0 CROSSTABS TABLES= SPAN BY F32C F32D RF33 F33A F33B F33C
360 0 OPTIONS 3 4
361 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:46:23 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F32C KUNDEN

| | | F32C | | | |
|--------------|---------|--------------------|--------------------|---------------------|-------------|
| Count | Row Pct | UEB.AUSL AENDER | UEB.DEUT SCH | GLEICHVI EL | Row |
| Col Pct | Col Pct | 1 | 2 | 3 | Total |
| SPAN | | ----- | | | |
| REST | 0 | 8 12.6 100.0 | 29 44.5 89.0 | 28 43.0 100.0 | 66 94.8 |
| | 1 | | 4 100.0 11.0 | | 4 5.2 |
| Column Total | | 8 11.9 | 33 47.4 | 28 40.7 | 69 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 4.23275 | 2 | .12047 |
| Likelihood Ratio | 5.61706 | 2 | .06029 |
| Mantel-Haenszel test for linear association | .70359 | 1 | .40158 |

Minimum Expected Frequency = .430
Cells with Expected Frequency < 5 = 3 OF 6 (50.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .24730 | | | .12047 *1 |
| Cramer's V | .24730 | | | .12047 *1 |
| Contingency Coefficient | .24007 | | | .12047 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3338

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:46:25 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by P32D RAT ZUR SELBSTAENDIGKEIT

Page 1 of 1

| | Count | F32D | | | Row Total |
|--------------|--------------------|--------------------|------------|--------------------|-------------|
| | | JA | NEIN | KOMMT DR AUF AN | |
| SPAN | Row Pct Col Pct | 1 | 2 | 3 | |
| REST | 0 | 37 57.6 96.9 | 2 100.0 | 26 40.3 95.4 | 64 96.4 |
| TRIFFT ZU | 1 | 1 48.6 3.1 | | 1 51.4 4.6 | 2 3.6 |
| Column Total | | 38 57.3 | 1 2.0 | 27 40.7 | 67 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .15497 | 2 | .92544 |
| Likelihood Ratio | .19982 | 2 | .90492 |
| Mantel-Haenszel test for linear association | .09864 | 1 | .75346 |

Minimum Expected Frequency = .048
Cells with Expected Frequency < 5 = 4 OF 6 (66.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04818 | | | .92544 *1 |
| Cramer's V | .04818 | | | .92544 *1 |
| Contingency Coefficient | .04813 | | | .92544 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3340

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:46:26 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF33 DAUER D. ARBEITSLOSIGKEIT

Page 1 of 1

| | Count | RF33 | | | | Row Total |
|--------------|--------------------|--------------------|--------------------|--------------------|---------------------|--------------|
| | | 1-3 MON. | 4-6 MON. | 7-9 MON. | 10 U.MEH R MON. | |
| SPAN | Row Pct Col Pct | 1 | 2 | 3 | 4 | |
| REST | 0 | 66 19.3 95.2 | 95 27.7 97.6 | 56 16.2 77.8 | 126 36.7 93.7 | 344 94.9 |
| TRIFFT SU | 1 | 3 18.3 4.8 | 2 12.9 2.4 | 4 22.3 6.8 | 9 46.5 6.3 | 18 5.1 |
| Column Total | | 70 19.2 | 98 26.9 | 60 16.7 | 135 37.2 | 363 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 2.25806 | 3 | .52060 |
| Likelihood Ratio | 2.51706 | 3 | .47222 |
| Mantel-Haenszel test for linear association | .93230 | 1 | .33427 |

Minimum Expected Frequency = 3.059
Cells with Expected Frequency < 5 = 3 OF 8 (37.5%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .07891 | | | .52060 *1 |
| Cramer's V | .07891 | | | .52060 *1 |
| Contingency Coefficient | .07867 | | | .52060 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3044

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:46:27 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F33A MELDUNG BEIM ARB.AMT

Page 1 of 1

| | | F33A | | Row |
|-----------|---------|---------------------|---------------------|-------------|
| Count | Row Pct | JA | NEIN | Total |
| Col Pct | Col Pct | 1 | 2 | |
| SPAN | | | | |
| REST | 0 | 229 54.7 93.5 | 190 45.3 98.3 | 419 95.6 |
| TRIFFT ZU | 1 | 16 83.0 6.5 | 3 17.0 1.7 | 19 4.4 |
| Column | | 246 | 193 | 439 |
| Total | | 56.0 | 44.0 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 6.01641 | 1 | .01417 |
| Continuity Correction | 4.92213 | 1 | .02651 |
| Likelihood Ratio | 6.67826 | 1 | .00976 |
| Mantel-Haenszel test for linear association | 6.00270 | 1 | .01428 |
| Minimum Expected Frequency - | 8.516 | | |

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .11710 | | | .01417 *1 |
| Cramer's V | .11710 | | | .01417 *1 |
| Contingency Coefficient | .11631 | | | .01417 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2968

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:46:27 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F33B BEZUG ARB.LOSENGELD

Page 1 of 1

| | | F33B | | | Row |
|-----------|---------|--------------------|--------------------|---------------------|-------------|
| Count | Row Pct | ALOGELD | ALOHILFE | NEIN | Total |
| Col Pct | Col Pct | 1 | 2 | 3 | |
| SPAN | | | | | |
| REST | 0 | 88 20.8 94.0 | 47 11.0 93.4 | 288 68.2 95.8 | 422 95.2 |
| TRIFFT ZU | 1 | 6 26.3 6.0 | 3 15.4 6.6 | 13 58.3 4.2 | 21 4.8 |
| Column | | 93 | 50 | 300 | 444 |
| Total | | 21.1 | 11.2 | 67.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .93405 | 2 | .62687 |
| Likelihood Ratio | .89282 | 2 | .63992 |
| Mantel-Haenszel test for linear association | .71728 | 1 | .39704 |
| Minimum Expected Frequency - | 2.407 | | |
| Cells with Expected Frequency < 5 - | 2 OP | 6 | (33.3%) |

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04589 | | | .62687 *1 |
| Cramer's V | .04589 | | | .62687 *1 |
| Contingency Coefficient | .04584 | | | .62687 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2963

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:46:27 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F33C ANTRAG AUF ARB.LOSENGELD

F33C Page 1 of 1

| Count | Row Pct | F33C | | Row Total |
|-----------|---------|------|------|-----------|
| | | JA | NEIN | |
| | | 1 | 2 | |
| SPAN | 0 | 66 | 221 | 288 |
| REST | | 23.1 | 76.9 | 95.8 |
| | | 96.5 | 95.6 | |
| TRIFFT ZU | 1 | 2 | 10 | 13 |
| | | 19.4 | 80.6 | 4.2 |
| | | 3.5 | 4.4 | |
| Column | | 69 | 231 | 300 |
| Total | | 22.9 | 77.1 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .08955 | 1 | .76475 |
| Continuity Correction | .00000 | 1 | 1.00000 |
| Likelihood Ratio | .09290 | 1 | .76053 |
| Mantel-Haenszel test for linear association | .08925 | 1 | .76513 |
| Fisher's Exact Test: | | | |
| One-Tail | | | .46067 |
| Two-Tail | | | 1.00000 |
| Minimum Expected Frequency - | 2.865 | | |
| Cells with Expected Frequency < 5 - | 1 | OF | 4 (25.0%) |

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .01727 | | | .76475 *1 |
| Cramer's V | .01727 | | | .76475 *1 |
| Contingency Coefficient | .01727 | | | .76475 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3107

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:46:28 *** SPANISCHE JUGENDLICHE ***

Page 205

>Warning # 3211

>On at least one case, the value of the weight variable was zero, negative, or >missing. Such cases are considered missing by statistical procedures which >need positively weighted cases, but remain on the file and are processed by >non-statistical facilities such as LIST and SAVE.

Preceding task required 17.45 seconds CPU time; 28.90 seconds elapsed.

362 0 BREAKDOWN TABLES-F33 BY SPAN

There are 4,441,568 bytes of memory available.

Given workspace allows for 32,767 cells of 1 dimensions for MEANS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:46:49 *** SPANISCHE JUGENDLICHE ***

Page 206

- - Description of Subpopulations - -

| Variable | Value | Label | Mean | Std Dev | Cases |
|---------------------------|-------|----------------------|--------|---------|-------|
| Summaries of By levels of | F33 | DAUER ARB .LOSIGKEIT | | | |
| | SPAN | SPANIER | | | |
| For Entire Population | | | 9.8981 | 10.2520 | 395 |
| SPAN | 0 | REST | 9.9103 | 10.4113 | 375 |
| SPAN | 1 | TRIFFT ZU | 9.6633 | 6.6674 | 20 |

Total Cases = 3407

Missing Cases = 3012 or 88.4 Pct

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:46:51 *** SPANISCHE JUGENDLICHE ***

Page 207

>Warning # 3211

>On at least one case, the value of the weight variable was zero, negative, or >missing. Such cases are considered missing by statistical procedures which >need positively weighted cases, but remain on the file and are processed by >non-statistical facilities such as LIST and SAVE.

Preceding task required 15.39 seconds CPU time; 22.80 seconds elapsed.

363 0 MULT RESPONSE GROUPS=F33D WIE ARB.PLATZ GEFUNDEN
364 0 (F33D1 TO F33D6(1))/
365 0 VARIABLES=SPAN(0,1) /
366 0 TABLES=SPAN BY F33D /

367 0 STATISTICS 1 2

MULT RESPONSE requires 1192 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:47:20 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
 by F33D (tabulating 1) WIE ARB.PLATZ GEFUNDEN

| | | F33D | | | | | | |
|-----------|---------|----------|----------|----------|----------|----------|----------|--------------|
| | | BEWERBUN | BETRIEBE | VERWANDT | BEKANNTE | UMSCHULU | SONSTIGE | Row Total |
| Count | Row pct | GEN | ANSCHRE | E SUCHEN | SUCHEN | NG | S | |
| Col pct | | F33D1 | F33D2 | F33D3 | F33D4 | F33D5 | F33D6 | |
| SPAN | 0 | 201 | 79 | 185 | 234 | 36 | 57 | 388 |
| REST | | 51.7 | 20.5 | tu | 60.3 | 9.3 | 14.7 | 95.5 |
| | | 93.6 | 94.4 | | 96.3 | 96.7 | 90.4 | |
| | 1 | 14 | 5 | 7 | 9 | 1 | 6 | 18 |
| TRIFFT ZU | | 75.2 | 25.7 | 37.3 | 49.6 | 6.8 | 33.3 | 4.5 |
| | | 6.4 | 5.6 | 3.6 | 3.7 | 3.3 | 9.6 | |
| Column | | 214 | 84 | 192 | 243 | 37 | 63 | 407 |
| Total | | 52.7 | 20.7 | 47.2 | 59.8 | 9.2 | 15.6 | 100.0 |

Percents and totals based on respondents

407 valid cases; 3,000 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:47:24 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211

>On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 16.90 seconds CPU time; 33.17 seconds elapsed.

368 0 CROSSTABS TABLES=SPAN BY F341 TO F3427 arbor famor vbock
 369 0 OPTIONS 3 4
 370 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:48:08 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F341 ESSEN

| | | F341 | | | | | | |
|-----------|---------|--------|--------|--------|--------|--------|--------|--------------|
| | | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | ROW Total |
| Count | Row Pct | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | 0 | 1546 | 1127 | 442 | 78 | 29 | 30 | 3250 |
| REST | | 47.6 | 34.7 | 13.6 | 2.4 | .9 | .9 | 95.8 |
| | | 96.6 | 95.0 | 94.9 | 94.7 | 96.8 | 100.0 | |
| | 1 | 55 | 59 | 24 | 4 | 1 | | 143 |
| TRIFFT ZU | | 38.4 | 41.3 | 16.7 | 3.0 | .6 | | 4.2 |
| | | 3.4 | 5.0 | 5.1 | 5.3 | 3.2 | | |
| Column | | 1601 | 1186 | 465 | 82 | 29 | 30 | 3394 |
| Total | | 47.2 | 34.9 | 13.7 | 2.4 | .9 | .9 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 6.73657 | 5 | .24098 |
| Likelihood Ratio | 7.98498 | 5 | .15706 |
| Mantel-Haenszel test for linear association | 1.34482 | 1 | .24619 |

Minimum Expected Frequency - 1.243
 Cells with Expected Frequency < 5 - 3 OF 12 (25.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04455 | | | .24098 *1 |
| Cramer's V | .04455 | | | .24098 *1 |
| Contingency Coefficient | .04451 | | | .24098 *1 |

*1 Pearson chi-square probability

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:48:10 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F342 KLEIDUNG

Page 1 of 1

| | | F342 | | | | | | |
|--------------|---------|--------|--------|--------|--------|--------|--------|-----------|
| Count | Row Pct | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | Row Total |
| Col Pct | | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | 0 | 1258 | 1295 | 519 | 129 | | 18 | 3247 |
| REST | | 38.8 | 39.9 | 16.0 | 4.0 | | .6 | 95.8 |
| | | 97.1 | 96.8 | 92.0 | 90.6 | 92.7 | 93.6 | |
| TRIFFT ZU | 1 | 38 | 43 | 45 | 13 | ul | 1 | 143 |
| | | 26.6 | 30.1 | 31.5 | 9.4 | | .9 | 4.2 |
| | | 2.9 | 3.2 | 8.0 | 9.4 | 7.3 | 6.4 | |
| Column Total | | 1296 | 1338 | 564 | 143 | 30 | 19 | 3390 |
| | | 38.2 | 39.5 | 16.6 | 4.2 | .9 | .6 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 39.06084 | 5 | .00000 |
| Likelihood Ratio | 33.41169 | 5 | .00000 |
| Mantel-Haenszel test for linear association | 27.28015 | 1 | .00000 |

Minimum Expected Frequency = .819
 Cells with Expected Frequency < 5 = 2 OF 12 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .10734 | | | .00000 *1 |
| Cramer's V | .10734 | | | .00000 *1 |
| Contingency Coefficient | .10673 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 17

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:48:10 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F343 FERNSEHEN

Page 1 of 1

| | | F343 | | | | | | |
|--------------|---------|--------|--------|--------|--------|--------|--------|-----------|
| Count | Row Pct | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | Row Total |
| Col Pct | | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | 0 | 598 | 1001 | 1028 | 408 | 136 | 72 | 3243 |
| REST | | 18.4 | 30.9 | 31.7 | 12.6 | 4.2 | 2.2 | 95.8 |
| | | 97.1 | 96.9 | 95.0 | 95.2 | 95.5 | 86.5 | |
| TRIFFT ZU | 1 | 18 | 33 | 54 | 20 | 6 | 11 | 142 |
| | | 12.4 | 22.9 | 38.0 | 14.4 | 4.5 | 7.9 | 4.2 |
| | | 2.9 | 3.1 | 5.0 | 4.8 | 4.5 | 13.5 | |
| Column Total | | 616 | 1034 | 1082 | 428 | 143 | 83 | 3385 |
| | | 18.2 | 30.5 | 32.0 | 12.6 | 4.2 | 2.4 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 25.43550 | 5 | .00011 |
| Likelihood Ratio | 19.62193 | 5 | .00147 |
| Mantel-Haenszel test for linear association | 15.24651 | 1 | .00009 |

Minimum Expected Frequency = 3.482
 Cells with Expected Frequency < 5 = 1 OF 12 (8.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .08668 | | | .00011 *1 |
| Cramer's V | .08668 | | | .00011 *1 |
| Contingency Coefficient | .08636 | | | .00011 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 22

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:48:11 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F344 BERUFSAUSBILDUNG

F344 Page 1 of 1

| Count Row Pct Col Pct | NOTE | | | | | | Row Total |
|-----------------------------|----------------------|---------------------|---------------------|--------------------|--------------------|--------------------|---------------|
| | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | | | | | | |
| 0 | 1436 44.5 96.3 | 828 25.7 95.9 | 429 13.3 93.6 | 278 8.6 94.4 | 123 3.8 96.2 | 133 4.1 98.7 | 3227 95.8 |
| 1 | 55 38.4 3.7 | 36 25.0 4.1 | 29 20.5 6.4 | 16 11.5 5.6 | 5 3.4 3.8 | 2 1.3 1.3 | 143 4.2 |
| Column Total | 1491 44.2 | 864 25.6 | 458 13.6 | 295 8.7 | 128 3.8 | 135 4.0 | 3370 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 10.57724 | 5 | .06044 |
| Likelihood Ratio | 10.83608 | 5 | .05473 |
| Mantel-Haenszel test for linear association | .29181 | 1 | .58907 |

Minimum Expected Frequency - 5.443

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05603 | | | .06044 *1 |
| Cramer's V | .05603 | | | .06044 *1 |
| Contingency Coefficient | .05594 | | | .06044 <1 |

*1 Pearson chi-square probability

Number of Missing Observations: 37

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:48:11 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F345 FREUNDE

F345 Page 1 of 1

| Count Row Pct Col Pct | NOTE | | | | | | Row Total |
|-----------------------------|----------------------|----------------------|---------------------|--------------------|-------------------|-------------------|---------------|
| | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | | | | | | |
| 0 | 1250 38.6 95.7 | 1328 41.0 96.3 | 475 14.7 95.2 | 129 4.0 93.8 | 41 1.3 92.4 | 18 .6 100.0 | 3241 95.8 |
| 1 | 56 38.8 4.3 | 52 36.0 3.7 | 24 16.8 4.8 | 9 6.0 6.2 | 3 2.4 7.6 | | 143 4.2 |
| Column Total | 1306 38.6 | 1380 40.8 | 499 14.7 | 137 4.1 | 44 1.3 | 18 .5 | 3384 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 4.66930 | 5 | .45756 |
| Likelihood Ratio | 5.04147 | 5 | .41084 |
| Mantel-Haenszel test for linear association | .77082 | 1 | .37996 |

Minimum Expected Frequency - .755
Cells with Expected Frequency < 5 - 2 OF 12 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03715 | | | .45756 *1 |
| Cramer's V | .03715 | | | .45756 *1 |
| Contingency Coefficient | .03712 | | | .45756 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 23

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:48:12 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F346 MOPED, AUTO

F346 Page 1 of 1

| Count Row Pct Col Pct | NOTE | | | | | | Row Total |
|-----------------------------|---------------------|---------------------|---------------------|---------------------|--------------------|--------------------|---------------|
| | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | | | | | | |
| 0 | 686 21.2 97.6 | 809 25.0 95.7 | 763 23.6 96.3 | 459 14.2 94.9 | 262 8.1 92.5 | 258 8.0 94.6 | 3238 95.8 |
| 1 | 17 38.9 4.3 | 36 25.0 4.1 | 30 20.5 6.4 | 25 11.5 5.6 | 21 3.4 3.8 | 15 1.3 1.3 | 143 4.2 |
| Column Total | 703 21.2 | 845 25.0 | 793 23.6 | 504 14.2 | 283 8.1 | 273 8.0 | 3381 100.0 |

| | | | | | | | |
|--------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|
| TRIFFT ZU | 11.8 2.4 | 25.2 4.3 | 20.6 3.7 | 17.3 5.1 | 14.9 7.5 | 10.3 5.4 | 4.2 |
| Column Total | 703 20.8 | 845 25.0 | 792 23.4 | 484 14.3 | 283 8.4 | 273 8.1 | 3381 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 15.72521 | 5 | .00767 |
| Likelihood Ratio | 15.30987 | 5 | .00912 |
| Mantel-Haenszel test for linear association | 10.74366 | 1 | .00105 |

Minimum Expected Frequency - 11.553

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06820 | | | .00767 *1 |
| Cramer's V | .06820 | | | .00767 *1 |
| Contingency Coefficient | .06804 | | | .00767 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 26

8-Nov-94 14:48:12 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
*** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F347 ZEITSCHRIFTEN

Page 1 of 1

| Count Row Pct Col Pct | F347 | | | | | | Row Total | |
|-----------------------------|------------|--------------------|---------------------|---------------------|---------------------|---------------------|---------------------|--------------|
| | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | | |
| SPAN | 1 | 2 | 3 | 4 | 5 | 6 | | |
| REST | 0 | 239 7.4 97.0 | 505 15.6 97.2 | 776 24.0 95.5 | 732 22.7 95.8 | 415 12.8 95.1 | 563 17.4 95.8 | 3229 95.8 |
| TRIFFT ZU | 1 | 7 5.2 3.0 | 15 10.5 2.8 | 36 25.8 4.5 | 32 22.8 4.2 | 21 15.2 4.9 | 29 20.5 4.9 | 141 4.2 |
| Column Total | 246 7.3 | 519 15.4 | 813 24.1 | 764 22.7 | 436 12.9 | 592 17.6 | 3370 100.0 | |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 4.68373 | 5 | .45568 |
| Likelihood Ratio | 4.99720 | 5 | .41622 |
| Mantel-Haenszel test for linear association | 3.30568 | 1 | .06904 |

Minimum Expected Frequency - 10.280

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03728 | | | .45568 *1 |
| Cramer's V | .03728 | | | .45568 *1 |
| Contingency Coefficient | .03726 | | | .45568 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 37

8-Nov-94 14:48:13 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
*** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F348 GELD

Page 1 of 1

| Count Row Pct Col Pct | F348 | | | | | | Row Total | |
|-----------------------------|--------------|----------------------|----------------------|---------------------|--------------------|-------------------|-------------------|--------------|
| | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | | |
| SPAN | 1 | 2 | 3 | 4 | 5 | 6 | | |
| REST | 0 | 1493 46.1 97.2 | 1145 35.4 95.6 | 421 13.0 93.7 | 115 3.6 88.2 | 35 1.1 91.1 | 27 .8 100.0 | 3236 95.8 |
| TRIFFT ZU | 1 | 43 30.2 2.8 | 53 36.8 4.4 | 28 19.9 6.3 | 15 10.7 11.8 | 3 2.4 8.9 | | 143 4.2 |
| Column Total | 1536 45.5 | 1198 35.5 | 449 13.3 | 130 3.9 | 39 1.1 | 27 .8 | 3379 100.0 | |

| Chi-Square | Value | DF | Significance |
|--------------------------|----------|----|--------------|
| Pearson | 34.11728 | 5 | .00000 |
| Likelihood Ratio | 29.41462 | 5 | .00002 |
| Mantel-Haenszel test for | 20.84413 | 1 | .00001 |

linear association

Minimum Expected Frequency - 1.130
 Cells with Expected Frequency < 5 - 2 OF 12 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .10048 | | | .00000 *1 |
| Cramer's V | .10048 | | | .00000 *1 |
| Contingency Coefficient | .09997 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 28

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:48:14 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F349 SPORT

Page 1 of 1

| | | F349 | | | | | | |
|-----------|---------|--------|--------|--------|--------|--------|--------|-----------|
| | | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | Row Total |
| Count | Row Pct | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | | | | | | | |
| | 0 | 922 | 970 | 719 | 332 | 144 | 155 | 3242 |
| REST | | 28.4 | 29.9 | 22.2 | 10.2 | 4.4 | 4.8 | 95.8 |
| | | 97.3 | 94.4 | 95.7 | 95.0 | 95.7 | 97.7 | |
| | 1 | 26 | 57 | 32 | 17 | 6 | 4 | 143 |
| TRIFFT ZU | | 18.2 | 40.0 | 22.7 | 12.1 | 4.5 | 2.5 | 4.2 |
| | | 2.7 | 5.6 | 4.3 | 5.0 | 4.3 | 2.3 | |
| Column | | 948 | 1027 | 752 | 349 | 150 | 159 | 3385 |
| Total | | 28.0 | 30.3 | 22.2 | 10.3 | 4.4 | 4.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 11.73276 | 5 | .03864 |
| Likelihood Ratio | 12.30039 | 5 | .03090 |
| Mantel-Haenszel test for linear association | .22900 | 1 | .63227 |

Minimum Expected Frequency - 6.360

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05887 | | | .03864 *1 |
| Cramer's V | .05887 | | | .03864 *1 |
| Contingency Coefficient | .05877 | | | .03864 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 22

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:48:14 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3410 FAMILIE

Page 1 of 1

| | | F3410 | | | | | | |
|-----------|---------|--------|--------|--------|--------|--------|--------|-----------|
| | | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | Row Total |
| Count | Row Pct | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | | | | | | | |
| | 0 | 1694 | 882 | 372 | 164 | 67 | 61 | 3241 |
| REST | | 52.3 | 27.2 | 11.5 | 5.1 | 2.1 | 1.9 | 95.8 |
| | | 96.9 | 95.1 | 93.9 | 90.0 | 98.7 | 100.0 | |
| | 1 | 54 | 46 | 24 | 18 | 1 | | 143 |
| TRIFFT ZU | | 37.7 | 32.0 | 17.0 | 12.7 | .6 | | 4.2 |
| | | 3.1 | 4.9 | 6.1 | 10.0 | 1.3 | | |
| Column | | 1748 | 928 | 396 | 182 | 68 | 61 | 3384 |
| Total | | 51.7 | 27.4 | 11.7 | 5.4 | 2.0 | 1.8 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 29.44318 | 5 | .00002 |
| Likelihood Ratio | 28.66346 | 5 | .00003 |
| Mantel-Haenszel test for linear association | 5.82346 | 1 | .01581 |

Minimum Expected Frequency - 2.600
 Cells with Expected Frequency < 5 - 2 OF 12 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-----------|--------|------|---------|--------------------------|
| Phi | .09328 | | | .00002 *1 |

Cramer's V .09328 .00002 *1
 Contingency Coefficient .09288 .00002 *1

*1 Pearson chi-square probability

Number of Missing Observations: 23

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:48:15 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3411 ARBEIT

Page 1 of 1

| | | P3411 | | | | | | Row Total |
|--------------|---------|--------|--------|--------|--------|--------|--------|-----------|
| Count | Row Pct | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | |
| Col Pct | | 1 I | 2 I | 3 I | 4 I | 5 I | 6 | |
| SPAN | 0 | 1409 | 967 | 478 | 212 | 79 | 92 | 3237 |
| REST | | 43.5 | 29.9 | 14.8 | 6.6 | 2.4 | 2.9 | 95.8 |
| | | 97.1 | 95.3 | 94.9 | 93.7 | 88.9 | 96.5 | |
| TRIPFT ZU | 1 | 42 | 48 | 26 | 14 | 10 | 3 | 143 |
| | | 29.1 | 33.5 | 18.1 | 10.0 | 6.9 | 2.3 | 4.2 |
| | | 2.9 | 4.7 | 5.1 | 6.3 | 11.1 | 3.5 | |
| Column Total | | 1450 | 1015 | 504 | 227 | 89 | 96 | 3380 |
| Total | | 42.9 | 30.0 | 14.9 | 6.7 | 2.6 | 2.8 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 21.11436 | 5 | .00077 |
| Likelihood Ratio | 18.47598 | 5 | .00241 |
| Mantel-Haenszel test for linear association | 11.44112 | 1 | .00072 |

Minimum Expected Frequency - 3.756
 Cells with Expected Frequency < 5 - 2 OF 12 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .07903 | | | .00077 *1 |
| Cramer's V | .07903 | | | .00077 *1 |
| Contingency Coefficient | .07879 | | | .00077 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 27

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:48:15 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3412 DISKOTHEK

Page 1 of 1

| | | F3412 | | | | | | Row Total |
|--------------|---------|--------|--------|--------|--------|--------|--------|-----------|
| Count | Row Pct | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | |
| Col Pct | | 1 I | 2 I | 3 I | 4 I | 5 I | 6 | |
| SPAN | 0 | 303 | 589 | 730 | 605 | 404 | 589 | 3220 |
| REST | | 9.4 | 18.3 | 22.7 | 18.8 | 12.5 | 18.3 | 95.7 |
| | | 96.0 | 95.4 | 94.7 | 95.9 | 95.7 | 97.0 | |
| TRIPFT ZU | 1 | 13 | 28 | 41 | 26 | 18 | 18 | 143 |
| | | 8.8 | 19.7 | 28.3 | 18.1 | 12.5 | 12.5 | 4.3 |
| | | 4.0 | 4.6 | 5.3 | 4.1 | 4.3 | 3.0 | |
| Column Total | | 316 | 617 | 770 | 631 | 422 | 607 | 3363 |
| Total | | 9.4 | 18.3 | 22.9 | 18.8 | 12.5 | 18.1 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 4.69803 | 5 | .45383 |
| Likelihood Ratio | 4.85978 | 5 | .43323 |
| Mantel-Haenszel test for linear association | 1.83999 | 1 | .17495 |

Minimum Expected Frequency - 13.440

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03738 | | | .45383 *1 |
| Cramer's V | .03738 | | | .45383 *1 |
| Contingency Coefficient | .03738 | | | .45383 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 44

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***

14:48:16 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3413 POLITISCHE BETAETIGUNG

Page 1 of 1

| | | F3413 | | | | | | |
|-------------|---------|--------|--------|--------|--------|--------|--------|-------|
| Count | Row Pct | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | Row |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | 5 | 6 | Total |
| SPAN | | ----- | | | | | | |
| REST | 0 | 157 | 408 | 537 | 539 | 626 | 963 | 3230 |
| | | 4.9 | 12.6 | 16.6 | 16.7 | 19.4 | 29.8 | 95.8 |
| | | 97.6 | 93.8 | 96.0 | 94.6 | 95.6 | 97.2 | |
| TRIFFT ZU | 1 | 4 | 27 | 22 | 31 | 29 | 28 | 141 |
| | | 2.7 | 19.1 | 15.9 | 22.0 | 20.7 | 19.6 | 4.2 |
| | | 2.4 | 6.2 | 4.0 | 5.4 | 4.4 | 2.8 | |
| Column | | 161 | 435 | 560 | 570 | 655 | 991 | 3371 |
| Total | | 4.8 | 12.9 | 16.6 | 16.9 | 19.4 | 29.4 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 12.91625 | 5 | .02418 |
| Likelihood Ratio | 13.02758 | 5 | .02312 |
| Mantel-Haenszel test for linear association | 3.41777 | 1 | .06450 |

Minimum Expected Frequency - 6.705

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06190 | | | .02418 *1 |
| Cramer's v | .06190 | | | .02418 *1 |
| Contingency Coefficient | .06178 | | | .02418 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 36

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:48:16 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3414 FREUND-FREUNDIN

Page 1 of 1

| | | F3414 | | | | | | |
|-------------|---------|--------|--------|--------|--------|--------|--------|-------|
| Count | Row Pct | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | Row |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | 5 | 6 | Total |
| SPAN | | ----- | | | | | | |
| REST | 0 | 1061 | 1197 | 534 | 215 | 84 | 136 | 3227 |
| | | 32.9 | 37.1 | 16.6 | 6.7 | 2.6 | 4.2 | 95.8 |
| | | 95.7 | 96.4 | 95.3 | 93.2 | 95.9 | 96.3 | |
| TRIFFT ZU | 1 | 48 | 44 | 26 | 16 | 4 | 5 | 143 |
| | | 33.3 | 31.1 | 18.4 | 11.0 | 2.5 | 3.7 | 4.2 |
| | | 4.3 | 3.6 | 4.7 | 6.8 | 4.1 | 3.7 | |
| Column | | 1109 | 1242 | 560 | 231 | 87 | 141 | 3370 |
| Total | | 32.9 | 36.8 | 16.6 | 6.9 | 2.6 | 4.2 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 5.42951 | 5 | .36574 |
| Likelihood Ratio | 4.94848 | 5 | .42220 |
| Mantel-Haenszel test for linear association | .48867 | 1 | .48452 |

Minimum Expected Frequency - 3.700
Cells with Expected Frequency < 5 - 1 OF 12 (8.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|------------------------|--------|------|---------|--------------------------|
| Phi | .04011 | | | .36574 *1 |
| Cramer's v | .04014 | | | .36574 *1 |
| Contmgency Coefficient | .04011 | | | .36574 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 37

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:48:17 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3415 LESEN

Page 1 of 1

| | | F3415 | | | | | | |
|-------------|---------|--------|--------|--------|--------|--------|--------|-------|
| Count | Row Pct | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | Row |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | 5 | 6 | Total |
| SPAN | | ----- | | | | | | |

| | | | | | | | | |
|--------------|---|---------------------|---------------------|---------------------|---------------------|--------------------|--------------------|---------------|
| REST | 0 | 570 17.6 95.4 | 928 28.7 96.1 | 893 27.6 95.0 | 485 15.0 96.3 | 230 7.1 96.1 | 126 3.9 98.4 | 3232 95.8 |
| | 1 | 27 19.2 4.6 | 38 26.4 3.9 | 47 33.1 5.0 | 19 13.2 3.7 | 9 6.6 3.9 | 2 1.4 1.6 | 142 4.2 |
| Column Total | | 597 17.7 | 966 28.6 | 940 27.9 | 503 14.9 | 240 7.1 | 128 3.8 | 3374 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 4.41832 | 5 | .49089 |
| Likelihood Ratio | 4.99385 | 5 | .41663 |
| Mantel-Haenszel test for linear association | .96893 | 1 | .32495 |

Minimum Expected Frequency - 5.380

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03619 | | | .49089 *1 |
| Cramer's V | .03619 | | | .49089 *1 |
| Contingency Coefficient | .03616 | | | .49089 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 33

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:48:17 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3416 KINO

Page 1 of 1

| | | | | | | | | |
|--------------|---------|--------------------|---------------------|---------------------|---------------------|---------------------|--------------------|---------------|
| | | F3416 | | | | | | |
| Count | Row Pct | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | Row Total |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | ----- | | | | | | |
| REST | 0 | 314 9.7 96.8 | 791 24.5 95.6 | 973 30.1 94.3 | 590 18.3 95.9 | 335 10.4 97.8 | 228 7.1 98.1 | 3232 95.8 |
| TRIFFT ZU | 1 | 10 7.3 3.2 | 37 25.6 4.4 | 59 41.3 5.7 | 25 17.4 4.1 | 8 5.3 2.2 | 4 3.1 1.9 | 143 4.2 |
| Column Total | | 324 9.6 | 827 24.5 | 1032 30.6 | 615 18.2 | 343 10.2 | 233 6.9 | 3375 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 13.19290 | 5 | .02164 |
| Likelihood Ratio | 14.21644 | 5 | .01429 |
| Mantel-Haenszel test for linear association | 2.78214 | 1 | .09532 |

Minimum Expected Frequency - 9.876

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06253 | | | .02164 *1 |
| Cramer's V | .06253 | | | .02164 *1 |
| Contingency Coefficient | .06240 | | | .02164 *1 |

*1 Pearson chi-square probability

Number of Missmg Observations: 32

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:48:18 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3417 SICH UNTERHALTEN

Page 1 of 1

| | | | | | | | | |
|--------------|---------|----------------------|----------------------|---------------------|--------------------|-------------------|-------------------|---------------|
| | | F3417 | | | | | | |
| Count | Row Pct | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | Row Total |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | ----- | | | | | | |
| REST | 0 | 1052 32.6 97.0 | 1409 43.6 95.5 | 518 16.0 94.4 | 142 4.4 95.4 | 65 2.0 90.6 | 45 1.4 97.3 | 3230 95.8 |
| TRIFFT ZU | 1 | 32 22.5 3.0 | 66 45.9 4.5 | 31 21.3 5.6 | 7 4.8 4.6 | 4 2.7 9.4 | 1 .9 2.7 | 143 4.2 |
| Column Total | | 1084 32.1 | 1475 43.7 | 548 16.3 | 148 4.4 | 71 2.1 | 46 1.4 | 3373 100.0 |

| Chi-Square | Value | DF | Significance |
|------------|-------|----|--------------|
|------------|-------|----|--------------|


```

-----
Pearson                11.74970          5          .03838
Likelihood Ratio      10.93053          5          .05277
Mantel-Haenszel test for
  linear association    6.26916           1          .01229
  
```

```

Minimum Expected Frequency - 1.949
Cells with Expected Frequency <= 5 - 2 OF 12 ( 16.7%)
  
```

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05902 | | | .03838 *1 |
| Cramer's V | .05902 | | | .03838 *1 |
| Contingency Coefficient | .05892 | | | .03838 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 34

```

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:48:18 *** SPANISCHE JUGENDLICHE ***
  
```

SPAN SPANIER by F3418 VIDEO

Page 1 of 1

| | | F3418 | | | | | | Row |
|-----------|---------|--------|--------|--------|--------|--------|--------|-------|
| Count | Row Pct | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | Total |
| Col Pct | | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | | | | | | | |
| 0 | | 349 | 641 | 806 | 647 | 384 | 407 | 3234 |
| REST | | 10.8 | 19.8 | 24.9 | 20.0 | 11.9 | 12.6 | 95.8 |
| | | 97.1 | 96.7 | 95.6 | 95.7 | 95.5 | 94.0 | |
| 1 | | 10 | 22 | 37 | 29 | 18 | 26 | 142 |
| TRIFFT ZU | | 7.3 | 15.4 | 25.9 | 20.3 | 12.9 | 18.2 | 4.2 |
| | | 2.9 | 3.3 | 4.4 | 4.3 | 4.5 | 6.0 | |
| Column | | 360 | 663 | 843 | 676 | 403 | 432 | 3376 |
| Total | | 10.7 | 19.6 | 25.0 | 20.0 | 11.9 | 12.8 | 100.0 |

| Chi-Square | Value | DF | Significance |
|--|---------|----|--------------|
| Pearson | 6.33693 | 5 | .27480 |
| Likelihood Ratio | 6.24615 | 5 | .28300 |
| Mantel-Haenszel test for linear association | 5.47401 | 1 | .01930 |

Minimum Expected Frequency - 15.110

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04332 | | | .27480 *1 |
| Cramer's V | .04332 | | | .27480 *1 |
| Contingency Coefficient | .04328 | | | .27480 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 31

```

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:48:19 *** SPANISCHE JUGENDLICHE ***
  
```

SPAN SPANIER by F3419 COMPUTER

Page 1 of 1

| | | F3419 | | | | | | Row |
|-----------|---------|--------|--------|--------|--------|--------|--------|-------|
| Count | Row Pct | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | Total |
| Col Pct | | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | | | | | | | |
| 0 | | 291 | 489 | 593 | 523 | 473 | 863 | 3232 |
| REST | | 9.0 | 15.1 | 18.3 | 16.2 | 14.6 | 26.7 | 95.8 |
| | | 97.5 | 95.7 | 95.2 | 95.9 | 94.7 | 96.1 | |
| 1 | | 7 | 22 | 30 | 22 | 26 | 35 | 143 |
| TRIFFT ZU | | 5.2 | 15.5 | 21.0 | 15.5 | 18.5 | 24.3 | 4.2 |
| | | 2.5 | 4.3 | 4.8 | 4.1 | 5.3 | 3.9 | |
| Column | | 299 | 512 | 623 | 545 | 500 | 898 | 3376 |
| Total | | 8.8 | 15.2 | 18.5 | 16.1 | 14.8 | 26.6 | 100.0 |

| Chi-Square | Value | DF | Significance |
|--|---------|----|--------------|
| Pearson | 4.48949 | 5 | .48129 |
| Likelihood Ratio | 4.75197 | 5 | .44689 |
| Mantel-Haenszel test for linear association | .23790 | 1 | .62573 |

Minimum Expected Frequency - 12.662

| Statistic | Value | ASE1 | T-value | Significance |
|-------------------------|--------|------|---------|--------------|
| Phi | .03647 | | | .48129 *1 |
| Cramer's V | .03647 | | | .48129 *1 |
| Contingency Coefficient | .03644 | | | .48129 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 31

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:48:20 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3420 URLAUB

Page 1 of 1

| | | F3420 | | | | | | Row Total |
|--------------|---------|----------------------|----------------------|---------------------|--------------------|-------------------|-------------------|---------------|
| | | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | |
| Count | Row Pct | | | | | | | |
| Col Pct | | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | | | | | | | |
| REST | 0 | 1513 46.8 96.5 | 1058 32.7 95.1 | 434 13.4 96.1 | 117 3.6 94.0 | 59 1.8 90.4 | 50 1.5 97.7 | 3231 95.8 |
| TRIFFT ZU | 1 | 55 38.7 3.5 | 54 38.4 4.9 | 18 12.4 3.9 | 7 5.3 6.0 | 6 4.4 9.6 | 1 .8 2.3 | 142 4.2 |
| Column Total | | 1568 46.5 | 1112 33.0 | 452 13.4 | 125 3.7 | 65 1.9 | 51 1.5 | 3373 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 9.52544 | 5 | .08985 |
| Likelihood Ratio | 8.32563 | 5 | .13918 |
| Mantel-Haenszel test for linear association | 2.80763 | 1 | .09382 |

Minimum Expected Frequency - 2.142
 Cells with Expected Frequency < 5 - 2 OF 12 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05314 | | | .08985 *1 |
| Cramer's V | .05314 | | | .08985 *1 |
| Contingency Coefficient | .05306 | | | .08985 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 34

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:48:20 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3421 SCHULE

Page 1 of 1

| | | F3421 | | | | | | Row Total |
|--------------|---------|---------------------|---------------------|---------------------|---------------------|--------------------|---------------------|---------------|
| | | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | |
| Count | Row Pct | | | | | | | |
| Col Pct | | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | | | | | | | |
| REST | 0 | 773 24.0 96.4 | 868 27.1 96.0 | 594 18.5 95.6 | 403 12.5 96.0 | 214 6.6 90.3 | 366 11.4 97.9 | 3218 95.8 |
| TRIFFT ZU | 1 | 29 20.5 3.6 | 36 25.7 4.0 | 27 19.5 4.4 | 17 12.1 4.0 | 23 16.5 9.7 | 8 5.6 2.1 | 139 4.2 |
| Column Total | | 801 23.9 | 904 26.9 | 622 18.5 | 420 12.5 | 237 7.1 | 373 11.1 | 3357 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 23.28056 | 5 | .00030 |
| Likelihood Ratio | 19.27995 | 5 | .00170 |
| Mantel-Haenszel test for linear association | .55188 | 1 | .45755 |

Minimum Expected Frequency - 9.832

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .08327 | | | .00030 *1 |
| Cramer's V | .08327 | | | .00030 *1 |
| Contingency Coefficient | .08299 | | | .00030 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 50

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:48:21 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3422 MUSIK

Page 1 of 1

| | | F3422 | | | | | | |
|-----------|---------|--------|--------|--------|--------|--------|--------|-------|
| Count | Row Pct | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | ROW |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | 5 | 6 | Total |
| SPAN | | | | | | | | |
| 0 | | 350 | 473 | 609 | 510 | 528 | 716 | 3186 |
| REST | | 11.0 | 14.9 | 19.1 | 16.0 | 16.6 | 22.5 | 96.0 |
| | | 96.6 | 97.7 | 94.6 | 95.5 | 95.0 | 96.8 | |
| 1 | | 12 | 11 | 35 | 24 | 28 | 24 | 134 |
| TRIFFT ZU | | 9.1 | 8.4 | 25.9 | 18.1 | 20.8 | 17.6 | 4.0 |
| | | 3.4 | 2.3 | 5.4 | 4.5 | 5.0 | 3.2 | |
| Column | | 362 | 485 | 644 | 534 | 556 | 740 | 3320 |
| Total | | 10.9 | 14.6 | 19.4 | 16.1 | 16.7 | 22.3 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 10.23071 | 5 | .06896 |
| Likelihood Ratio | 10.58987 | 5 | .06015 |
| Mantel-Haenszel test for linear association | .18915 | 1 | .66363 |

Minimum Expected Frequency - 14.610

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05551 | | | .06896 *1 |
| Cramer's V | .05551 | | | .06896 *1 |
| Contingency Coefficient | .05542 | | | .06896 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 87

8-Nov-94 ** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:48:21 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3423 GLAUBEN

Page 1 of 1

| | | F3423 | | | | | | |
|-----------|---------|--------|--------|--------|--------|--------|--------|-------|
| Count | Row Pct | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | Row |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | 5 | 6 | Total |
| SPAN | | | | | | | | |
| 0 | | 571 | 755 | 654 | 481 | 309 | 427 | 3196 |
| REST | | 17.9 | 23.6 | 20.5 | 15.0 | 9.7 | 13.4 | 96.0 |
| | | 98.4 | 96.3 | 93.5 | 96.5 | 96.5 | 95.2 | |
| 1 | | 9 | 29 | 46 | 17 | 11 | 22 | 134 |
| TRIFFT ZU | | 6.8 | 21.6 | 34.1 | 13.0 | 8.4 | 16.1 | 4.0 |
| | | 1.6 | 3.7 | 6.5 | 3.5 | 3.5 | 4.8 | |
| Column | | 580 | 784 | 699 | 498 | 320 | 448 | 3330 |
| Total | | 17.4 | 23.5 | 21.0 | 15.0 | 9.6 | 13.5 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 21.99275 | 5 | .00053 |
| Likelihood Ratio | 22.91722 | 5 | .00035 |
| Mantel-Haenszel test for linear association | 3.82138 | 1 | .05060 |

Minimum Expected Frequency - 12.875

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .08127 | | | .00053 *1 |
| Cramer's V | .08127 | | | .00053 *1 |
| Contingency Coefficient | .08100 | | | .00053 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 77

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:48:22 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3424 VATERLAND

Page 1 of 1

| | | F3424 | | | | | |
|-------|---------|--------|--------|--------|--------|--------|--------|
| Count | Row Pct | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 |

| | | Col Pct | | | | | | Row Total |
|-------------|--------------|---------|------|------|------|------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | ----- | | | | | | |
| | 0 | 994 | 878 | 683 | 299 | 150 | 182 | 3187 |
| REST | | 31.2 | 27.5 | 21.4 | 9.4 | 4.7 | 5.7 | 96.0 |
| | | 97.4 | 97.0 | 94.1 | 94.7 | 94.3 | 94.8 | |
| | 1 | 27 | 27 | 43 | 17 | 9 | 10 | 133 |
| TRIFFT ZU | | 20.2 | 20.5 | 32.3 | 12.6 | 6.8 | 7.6 | 4.0 |
| | | 2.6 | 3.0 | 5.9 | 5.3 | 5.7 | 5.2 | |
| | | ----- | | | | | | |
| | Column Total | 1021 | 905 | 726 | 316 | 159 | 192 | 3320 |
| | | 30.8 | 27.3 | 21.9 | 9.5 | 4.8 | 5.8 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 17.52814 | 5 | .00360 |
| Likelihood Ratio | 17.23241 | 5 | .00408 |
| Mantel-Haenszel test for linear association | 11.01510 | 1 | .00090 |
| Minimum Expected Frequency - | 6.377 | | |

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .07266 | | | .00360 *1 |
| Cramer's V | .07266 | | | .00360 *1 |
| Contingency Coefficient | .07247 | | | .00360 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 87

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:48:22 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3425 SICH WAS LEISTEN

Page 1 of 1

| | | F3425 | | | | | | Row Total |
|-------------|--------------|--------|--------|--------|--------|--------|--------|-----------|
| | | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | ----- | | | | | | |
| | 0 | 1239 | 1257 | 514 | 118 | 41 | 21 | 3190 |
| REST | | 38.8 | 39.4 | 16.1 | 3.7 | 1.3 | .6 | 96.0 |
| | | 97.9 | 96.3 | 92.1 | 93.3 | 90.3 | 89.2 | |
| | 1 | 26 | 48 | 44 | 9 | 4 | | 134 |
| TRIFFT ZU | | 19.4 | 36.0 | 33.0 | 6.4 | 3.3 | | 4.0 |
| | | 2.1 | 3.7 | 7.9 | 6.7 | 9.7 | 10.8 | |
| | | ----- | | | | | | |
| | Column Total | 1265 | 1305 | 559 | 127 | 45 | 23 | 3324 |
| | | 38.1 | 39.3 | 16.8 | 3.8 | 1.4 | .7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 43.82352 | 5 | .00000 |
| Likelihood Ratio | 39.63224 | 5 | .00000 |
| Mantel-Haenszel test for linear association | 38.02240 | 1 | .00000 |

Minimum Expected Frequency = .930
 Cells with Expected Frequency < 5 = 2 OF 12 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .11482 | | | .00000 *1 |
| Cramer's V | .11482 | | | .00000 *1 |
| Contingency Coefficient | .11407 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 83

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:48:23 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3426 TREUE

Page 1 of 1

| | | F3426 | | | | | | Row Total |
|-------------|---|--------|--------|--------|--------|--------|--------|-----------|
| | | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | NOTE 5 | NOTE 6 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | ----- | | | | | | |
| | 0 | 1650 | 817 | 403 | 136 | 61 | 91 | 3158 |
| REST | | 52.3 | 25.9 | 12.7 | 4.3 | 1.9 | 2.9 | 96.0 |
| | | 97.2 | 95.2 | 93.2 | 92.7 | 100.0 | 95.6 | |
| | 1 | 47 | 41 | 29 | 11 | | 4 | 132 |
| TRIFFT ZU | | 35.5 | 30.9 | 22.3 | 8.1 | | 3.2 | 4.0 |
| | | 2.8 | 4.8 | 6.8 | 7.3 | | 4.4 | |
| | | ----- | | | | | | |

| | | | | | | | |
|--------|------|------|------|-----|-----|-----|-------|
| Column | 1697 | 858 | 432 | 147 | 61 | 96 | 3291 |
| Total | 51.6 | 26.1 | 13.1 | 4.5 | 1.9 | 2.9 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 23.53095 | 5 | .00027 |
| Likelihood Ratio | 24.50351 | 5 | .00017 |
| Mantel-Haenszel test for linear association | 7.50989 | 1 | .00614 |

Minimum Expected Frequency = 2.455
 Cells with Expected Frequency < 5 = 2 OF 12 (16.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .08456 | | | .00027 *1 |
| Cramer's V | .08456 | | | .00027 *1 |
| Contingency Coefficient | .08426 | | | .00027 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 116

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenndaten - ***
 14:48:23 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F3427 SONSTIGES

F3427 Page 1 of 1

| Count | Row Pct | Col Pct | NOTE 1 | NOTE 2 | NOTE 3 | NOTE 4 | Row Total |
|--------------|---------|---------|---------------------|--------------------|-------------------|-------------------|--------------|
| SPAN | | | 1 | 2 | 3 | 4 | |
| REST | 0 | | 101 78.1 97.6 | 20 15.9 94.2 | 6 4.4 100.0 | 1 1.0 100.0 | 129 97.2 |
| TRIFFT ZU | 1 | | 2 66.0 2.4 | 1 34.0 5.8 | | | 4 2.8 |
| Column Total | | | 103 77.7 | 22 16.4 | 6 4.3 | 2 1.6 | 133 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.00666 | 3 | .79964 |
| Likelihood Ratio | 1.06031 | 3 | .78666 |
| Mantel-Haenszel test for linear association | .01704 | 1 | .89614 |

Minimum Expected Frequency = .059
 Cells with Expected Frequency < 5 = 5 OF 8 (62.5%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .08712 | | | .79964 *1 |
| Cramer's V | .08712 | | | .79964 *1 |
| Contingency Coefficient | .08680 | | | .79964 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 3274

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenndaten - ***
 14:48:24 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by ARBOR ARBEITSORIENTIERUNG

ARBOR Page 1 of 1

| Count | Row Pct | Col Pct | NIEDRIG | HOCH | Row Total |
|--------------|---------|---------|----------------------|----------------------|---------------|
| SPAN | | | 0 | 1 | |
| REST | 0 | | 1190 36.5 94.4 | 2074 63.5 96.6 | 3264 95.8 |
| TRIFFT ZU | 1 | | 70 49.2 5.6 | 73 50.8 3.4 | 143 4.2 |
| Column Total | | | 1260 37.0 | 2147 63.0 | 3407 100.0 |

| Chi-Square | Value | DF | Significance |
|--------------------------|---------|----|--------------|
| Pearson | 9.52846 | 1 | .00202 |
| Continuity Correction | 8.99027 | 1 | .00271 |
| Likelihood Ratio | 9.22582 | 1 | .00239 |
| Mantel-Haenszel test for | 9.52567 | 1 | .00203 |

linear association

Minimum Expected Frequency - 52.949

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05288 | | | .00202 *1 |
| Cramer's V | .05288 | | | .00202 *1 |
| Contingency Coefficient | .05281 | | | .00202 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 0

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:48:24 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by FAMOR familienorientierung

FAMOR Page 1 of 1

| Count Row Pct Col Pct | FAMOR | | Row Total |
|-----------------------------|---------|------|--------------|
| | niedrig | hoch | |
| | 0 | 1 | |
| SPAN | | | |
| REST | 0 | | |
| | 1546 | 1694 | 3241 |
| | 47.7 | 52.3 | 95.8 |
| | 94.5 | 96.9 | |
| TRIFFT ZU | 1 | | |
| | 89 | 54 | 143 |
| | 62.3 | 37.7 | 4.2 |
| | 5.5 | 3.1 | |
| Column | 1636 | 1748 | 3384 |
| Total | 48.3 | 51.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 11.66030 | 1 | .00064 |
| Continuity Correction | 11.08396 | 1 | .00087 |
| Likelihood Ratio | 11.73835 | 1 | .00061 |
| Mantel-Haenszel test for linear association | 11.65685 | 1 | .00064 |

Minimum Expected Frequency - 69.181

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05870 | | | .00064 *1 |
| Cramer's V | .05870 | | | .00064 *1 |
| Contingency Coefficient | .05860 | | | .00064 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 23

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:48:25 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by VBOCK bocklage

VBOCK Page 1 of 1

| Count Row Pct Col Pct | VBOCK | | | | Row Total |
|-----------------------------|----------|-----------------|----------|------------------|--------------|
| | vollbock | arbeltsb ock | nullbock | familien bock | |
| | 1 | 2 | 3 | 4 | |
| SPAN | | | | | |
| REST | 0 | | | | |
| | 1320 | 746 | 800 | 374 | 3241 |
| | 40.7 | 23.0 | 24.7 | 11.5 | 95.8 |
| | 96.9 | 96.1 | 93.2 | 96.9 | |
| TRIFFT ZU | 1 | | | | |
| | 42 | 31 | 59 | 12 | 143 |
| | 29.4 | 21.4 | 40.9 | 8.3 | 4.2 |
| | 3.1 | 3.9 | 6.8 | 3.1 | |
| Column | 1362 | 777 | 859 | 386 | 3384 |
| Total | 40.3 | 23.0 | 25.4 | 11.4 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 19.9326b | 3 | .00018 |
| Likelihood Ratio | 18.36995 | 3 | .00037 |
| Mantel-Haenszel test for linear association | 5.49252 | 1 | .01910 |

Minimum Expected Frequency - 16.322

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|------------|--------|------|---------|--------------------------|
| Phi | .07675 | | | .00018 *1 |
| Cramer's V | .07675 | | | .00018 *1 |

Contingency Coefficient .07653 .00018 *1

*1 Pearson chi-square probability

Number of Missing Observations: 23

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:48:25 *** SPANISCHE JUGENDLICHE ***

>Warning# 3211
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 43.25 seconds CPU time; 61.02 seconds elapsed.

```
371 0 MULT RESPONSE GROUPS=F35 UEBEREINST.M.ELTERN
372 0 (F351 TO F356(1)) /
373 0 VARIABLES=SPAN(0,1) /
374 0 TABLES=SPAN BY F35 /
375 0 STATISTICS 1 2
```

MULT RESPONSE requires 1192 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:48:49 *** SPANISCHE JUGENDLICHE ***

* * * C R O S S T A B U L A T I O N * * *

SPAN SPANIER
 by F35 (tabulating 1) UEBEREINST.M.ELTERN

| | | F35 | | | | | | |
|--------------|---------|----------|----------|----------|----------|----------|----------|-----------|
| Count | Row Pct | UEBEREIN | UEBEREIN | UEBEREIN | UEBEREIN | UEBEREIN | UEBEREIN | Row Total |
| | | ST. ELTE | ST. ELTE | ST. ELTE | ST. ELTE | ST. ELTE | ST. ELTE | |
| Col Pct | | RN: F351 | RN: F352 | RN: F353 | RN: F354 | RN: F355 | RN: F356 | |
| SPAN | 0 | 1057 | 1875 | 1386 | 988 | 1018 | 1305 | 3011 |
| REST | | 35.1 | 62.3 | 46.0 | 32.8 | 33.8 | 43.3 | 95.7 |
| | | 95.4 | 95.4 | 95.8 | 95.3 | 94.3 | 95.6 | |
| TRIFFT ZU | 1 | 51 | 90 | 61 | 49 | 62 | 60 | 137 |
| | | 37.7 | 66.3 | 44.8 | 36.0 | 45.4 | 44.0 | 4.3 |
| | | 4.6 | 4.6 | 4.2 | 4.7 | 5.7 | 4.4 | |
| Column Total | | 1108 | 1965 | 1447 | 1037 | 1080 | 1365 | 3148 |
| | | 35.2 | 62.4 | 46.0 | 32.9 | 34.3 | 43.4 | 100.0 |

Percents and totals based on respondents

3,148 valid cases; 259 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:48:50 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 17.92 seconds CPU time; 24.29 seconds elapsed.

```
376 0 CROSSTABS TABLES=SPAN BY F36 TO F37A rf36a
377 0 OPTIONS 3 4
378 0 STATISTICS 1 2 3
```

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:49:15 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F36 AUSKOMMEN MIT MUTTER

| | | F36 | | | | | | |
|-----------|---------|----------|------|----------|----------|----------|----------|-----------|
| Count | Row Pct | SEHR GUT | GUT | ZUFRIEDE | SCHLECHT | SEHR SCH | TRIFFT N | Row Total |
| | | 1 | 2 | NSTELLEN | LECHT | LECHT | .ZU | |
| Col Pct | | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | 0 | 1365 | 1248 | 410 | 66 | 40 | 85 | 3214 |
| REST | | 42.5 | 38.8 | 12.7 | 2.0 | 1.2 | 2.7 | 95.9 |
| | | 96.2 | 95.6 | 94.7 | 96.8 | 100.0 | 98.9 | |
| TRIFFT ZU | 1 | 54 | 57 | 23 | 2 | | 1 | 137 |
| | | 39.3 | 41.7 | 16.8 | 1.6 | | .7 | 4.1 |
| | | 3.8 | 4.4 | 5.3 | 3.2 | | 1.1 | |

| | | | | | | | |
|--------|------|------|------|-----|-----|-----|-------|
| Column | 1419 | 1306 | 433 | 68 | 40 | 86 | 3351 |
| Total | 42.3 | 39.0 | 12.9 | 2.0 | 1.2 | 2.6 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 6.11706 | 5 | .29499 |
| Likelihood Ratio | 8.43847 | 5 | .13367 |
| Mantel-Haenszel test for linear association | .32857 | 1 | .56650 |

Minimum Expected Frequency - 1.629
 Cells with Expected Frequency < 5 - 3 OF 12 (25.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04273 | | | .29499 *1 |
| Cramer's V | .04273 | | | .29499 *1 |
| Contingency Coefficient | .04269 | | | .29499 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 56

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:49:16 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F36A AUSKOMMEN MIT VATER

Page 1 of 1

| | | F36A | | | | | | Row Total | |
|-----------|---------|------|------|------|----------|----------|----------|-----------|------|
| Count | Row Pct | SEHR | GUT | GUT | ZUFRIEDE | SCHLECHT | SEHR SCH | TRIFFT N | Row |
| | | | | | | | | | |
| SPAN | 0 | 1039 | 1125 | 533 | 158 | 87 | 240 | 3182 | 95.8 |
| REST | | 32.6 | 35.3 | 16.8 | 5.0 | 2.7 | 7.6 | | |
| | | 96.3 | 95.1 | 96.0 | 96.0 | 97.3 | 96.1 | | |
| TRIFFT ZU | 1 | 39 | 58 | 22 | 7 | 2 | 10 | 139 | 4.2 |
| | | 28.4 | 41.9 | 16.2 | 4.8 | 1.8 | 7.0 | | |
| | | 3.7 | 4.9 | 4.0 | 4.0 | 2.7 | 3.9 | | |
| Column | | 1078 | 1183 | 556 | 165 | 89 | 250 | 3321 | |
| Total | | 32.5 | 35.6 | 16.7 | 5.0 | 2.7 | 7.5 | 100.0 | |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 2.92005 | 5 | .71231 |
| Likelihood Ratio | 2.93457 | 5 | .71007 |
| Mantel-Haenszel test for linear association | .02548 | 1 | .87318 |

Minimum Expected Frequency - 3.735
 Cells with Expected Frequency < 5 - 1 OF 12 (8.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .02965 | | | .71231 *1 |
| Cramer's V | .02965 | | | .71231 *1 |
| Contingency Coefficient | .02964 | | | .71231 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 86

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:49:16 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F37 WOHNHAUSZUSAMMENSETZUNG

Page 1 of 1

| | | F37 | | | | | Row Total | | | | | |
|-----------|---------|------|------|------|------|------|-----------|--------|---|-------|----|-----|
| Count | Row Pct | NUR | AUSL | MEHR | AUS | MEHR | DEU | GLEICH | V | WEISS | NI | Row |
| | | | | | | | | | | | | |
| SPAN | 0 | 338 | 680 | 1438 | 587 | 196 | 3238 | | | | | |
| REST | | 10.4 | 21.0 | 44.4 | 18.1 | 6.0 | 95.9 | | | | | |
| | | 97.7 | 96.3 | 95.8 | 95.0 | 94.7 | | | | | | |
| TRIFFT ZU | 1 | 8 | 26 | 64 | 31 | 11 | 140 | | | | | |
| | | 5.8 | 18.6 | 45.4 | 22.3 | 7.8 | 4.1 | | | | | |
| | | 2.3 | 3.7 | 4.2 | 5.0 | 5.3 | | | | | | |
| Column | | 346 | 706 | 1502 | 618 | 207 | 3378 | | | | | |
| Total | | 10.2 | 20.9 | 44.4 | 18.3 | 6.1 | 100.0 | | | | | |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 5.22268 | 4 | .26520 |
| Likelihood Ratio | 5.61629 | 4 | .22970 |
| Mantel-Haenszel test for linear association | 4.89865 | 1 | .02688 |

Minimum Expected Frequency - 8.567

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03932 | | | .26520 *1 |
| Cramer's V | .03932 | | | .26520 *1 |
| Contingency Coefficient | .03929 | | | .26520 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 29

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:49:17 *** SPANISCHE JUGENDLICHE ***

Page 246

SPAN SPANIER by F37A ZUSAMMENSETZUNG D. UMGEBUNG

Page 1 of 1

| Count Row Pct Col Pct | F37A | | | | Row Total | |
|-----------------------------|----------------|---------------------|----------------------|---------------------|--------------------|---------------|
| | UEBERW USL. | A UEBERW EUT. | D GLEICH IEL | v WEISS NI CHT | | |
| | 1 | 2 | 3 | 4 | | |
| SPAN | | | | | | |
| REST | 0 | 607 18.7 95.3 | 1588 49.0 96.3 | 840 25.9 94.9 | 208 6.4 98.1 | 3244 95.9 |
| TRIFFT ZU | 1 | 30 21.4 4.7 | 61 43.5 3.7 | 45 32.2 5.1 | 4 2.8 1.9 | 140 4.1 |
| Column Total | | 637 18.8 | 1649 48.7 | 885 26.2 | 212 6.3 | 3384 100.0 |

| Chi-Square | Value | DF | Significance |
|--|---------|----|--------------|
| Pearson | 6.13909 | 3 | .10504 |
| Likelihood Ratio | 6.68939 | 3 | .08249 |
| Mantel-Haenszel test for linear association | .25587 | 1 | .61297 |

Minimum Expected Frequency - 8.767

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04260 | | | .10504 *1 |
| Cramer's V | .04260 | | | .10504 *1 |
| Contingency Coefficient | .04256 | | | .10504 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 23

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:49:17 *** SPANISCHE JUGENDLICHE ***

Page 247

SPAN SPANIER by RF36 auskommen mit der mutter

Page 1 of 1

| Count Row Pct Col Pct | RF36 | | | | | Row Total | |
|-----------------------------|----------|----------------------|----------------------|----------------------|---------------------|-------------------|---------------|
| | sehr gut | gut | zufriede n | schlecht /sehr sc | trifft n icht zu | | |
| | 1 | 2 | 3 | 5 | 6 | | |
| SPAN | | | | | | | |
| REST | 0 | 1365 42.5 96.2 | 1248 38.8 95.6 | 410 12.7 94.7 | 105 3.3 98.0 | 85 2.7 98.9 | 3214 95.9 |
| TRIFFT ZU | 1 | 54 39.3 3.8 | 57 41.7 4.4 | 23 16.8 5.3 | 2 1.6 2.0 | 1 .7 1.1 | 137 4.1 |
| Column Total | | 1419 42.3 | 1306 39.0 | 433 12.9 | 108 3.2 | 86 2.6 | 3351 100.0 |

| Chi-Square | Value | DF | Significance |
|--|---------|----|--------------|
| Pearson | 5.46112 | 4 | .24317 |
| Likelihood Ratio | 6.40566 | 4 | .17083 |
| Mantel-Haenszel test for linear association | .35487 | 1 | .55137 |

Minimum Expected Frequency - 3.539
Cells with Expected Frequency < 5 - 2 OF 10 (20.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04037 | | | .24317 *1 |
| Cramer's v | .04037 | | | .24317 *1 |
| Contingency Coefficient | .04034 | | | .24317 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 56

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:49:18 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RP36A auskommen mit dem vater

Page 1 of 1

| | | RF36A | | | | | |
|--------------|---------|----------|------|----------|----------|----------|-------|
| Count | Row Pct | sehr gut | gut | zufriede | schlecht | trifft n | Row |
| Col Pct | Col Pct | 1 | 2 | 3 | 5 | 6 | Total |
| SPAN | 0 | 1039 | 1125 | 533 | 245 | 240 | 3182 |
| REST | | 32.6 | 35.3 | 16.8 | 7.7 | 7.6 | 95.8 |
| | | 96.3 | 95.1 | 96.0 | 96.4 | 96.1 | |
| TRIPFT ZU | 1 | 39 | 58 | 22 | 9 | 10 | 139 |
| | | 28.4 | 41.9 | 16.2 | 6.5 | 7.0 | 4.2 |
| | | 3.7 | 4.9 | 4.0 | 3.6 | 3.9 | |
| Column Total | | 1078 | 1183 | 556 | 254 | 250 | 3321 |
| | | 32.5 | 35.6 | 16.7 | 7.7 | 7.5 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 2.66764 | 4 | .61489 |
| Likelihood Ratio | 2.62875 | 4 | .62174 |
| Mantel-Haenszel test for linear association | .02727 | 1 | .86883 |

Minimum Expected Frequency - 10.445

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .02834 | | | .61489 *1 |
| Cramer's V | .02834 | | | .61489 *1 |
| Contingency Coefficient | .02833 | | | .61489 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 86

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:49:18 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or >missing. Such cases are considered missing by statistical procedures which >need positively weighted cases, but remain on the file and are processed by >non-statistical facilities such as LIST and SAVE.

Preceding task required 20.66 seconds CPU time; 28.60 seconds elapsed.

```
379 0 MULT RESPONSE GROUPS=F38 MIT WEM FREIZEIT
380 0 (F381 TO F388,DUMMY(1))
381 0 F38A NATION.D.FZPARTNER
382 0 (F38A1 TO F38A4,DUMMY(1))
383 0 F38B FREIZEITBESCHAETIGUNG
384 0 (F38B1 TO F38B3(1,29))/
385 0 VARIABLES=SPAN(0,1) /
386 0 TABLES=SPAN BY F38 TO F38B /
387 0 STATISTICS 1 2
```

MULT RESPONSE requires 2144 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:49:43 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
 by F38 (tabulating 1) MIT WEM FREIZEIT

F38

| Count | Rowpct | Colpct | FREIZEIT : ALLEIN | FREIZEIT : MIT EL | FREIZEIT : MIT PA | FREIZEIT : MIT FR | FREIZEIT : MIT FR | FREIZEIT : MIT DE | FREIZEIT : MIT KO | FREIZEIT : KEINE | Row Total |
|-----------|--------|--------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|---------------------|-----------|
| | | | F381 | TERN F382 | RTNE F383 | EUND F384 | EUND F385 | R CL F386 | LLEG F387 | FREI F388 | DUMMY |
| SPAN | 0 | | 123 | 684 | 1101 | 1223 | 547 | 449 | 332 | 85 | 3264 |
| REST | | | 3.8 | 20.9 | 33.7 | 37.5 | 16.8 | 13.8 | 10.2 | 2.6 | 95.8 |
| | | | 94.3 | 98.8 | 95.4 | 95.5 | 95.3 | 95.4 | 96.9 | 97.9 | 95.8 |
| TRIPFT ZU | 1 | | 7 | 8 | 53 | 58 | 27 | 22 | 11 | 2 | 143 |
| | | | 5.2 | 5.8 | 37.1 | 40.7 | 18.8 | 15.2 | 7.3 | 1.3 | 100.0 |
| | | | 5.7 | 1.2 | 4.6 | 4.5 | 4.7 | 4.6 | 3.1 | 4.2 | 4.2 |
| Column | | | 130 | 692 | 1154 | 1281 | 574 | 471 | 342 | 87 | 3407 |

Total 3.8 20.3 33.9 37.6 16.8 13.8 10.0 2.6 100.0 100.0

Percents and totals based on respondents

3,407 valid cases; 0 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:49:44 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
by F38A (tabulating 1) NATION.D.FZPARTNER

| | | F38A | | | | | |
|-----------|----------|----------|----------|----------|-------|-------|-------|
| Count | FZPARTNE | FZPARTNE | FZPARTNE | FZPARTNE | | Row | |
| Row pct | R: EIGEN | R: AND. | R: DEUTS | R: KEINE | | Total | |
| Col pct | E NA | NATI | CHE | FRE | DUMMY | | |
| | F38A1 | F38A2 | F38A3 | F38A4 | | | |
| SPAN | 0 | 2142 | 533 | 1299 | 51 | 3264 | 3264 |
| REST | | 65.6 | 16.3 | 39.8 | 1.6 | 100.0 | 95.8 |
| | | 97.1 | 94.0 | 94.0 | 95.4 | 95.8 | |
| TRIFFT ZU | 1 | 63 | 34 | 83 | 2 | 143 | 143 |
| | | 43.9 | 23.9 | 57.8 | 1.7 | 100.0 | 4.2 |
| | | 2.9 | 6.0 | 6.0 | 4.6 | 4.2 | |
| Column | | 2205 | 567 | 1382 | 53 | 3407 | 3407 |
| Total | | 64.7 | 16.7 | 40.6 | 1.6 | 100.0 | 100.0 |

Percents and totals based on respondents

3,407 valid cases; 0 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:49:44 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
by F38B (group) FREIZEITBESCHAEFTIGUNG

Page 1 of 3

| | | F38B | | | | | | | | | | | |
|-----------|-------|---------|----------|-------|----------|--------|------|-------|----------|----------|---------|------|-------|
| Count | SPORT | FREUNDE | UNTERHAL | LESEN | FERNSEHE | VIDEOS | KINO | DISCO | KULTUREL | GASTSTAE | EINKAUF | | Row |
| Row pct | 1 | 2 | TEN | 4 | N | 6 | | | LES | TEN | BUMMEL | | Total |
| Col pct | | | | | | | | | | | | | |
| SPAN | 0 | 865 | 529 | 371 | 622 | 257 | 87 | 166 | 283 | 52 | 339 | 70 | 2999 |
| REST | | 28.8 | 17.6 | 12.4 | 20.7 | 8.6 | 2.9 | 5.5 | 9.4 | 1.7 | 11.3 | 2.3 | 95.6 |
| | | 94.2 | 95.0 | 96.5 | 96.1 | 94.9 | 97.6 | 94.8 | 94.1 | 90.3 | 93.0 | 93.8 | |
| TRIFFT ZU | 1 | 53 | 28 | 13 | 26 | 14 | 9 | 18 | 6 | 26 | 5 | 138 | |
| | | 38.5 | 20.0 | 9.6 | 18.5 | 10.1 | ul | 6.5 | 12.9 | 4.0 | 18.6 | 3.3 | 4.4 |
| | | 5.8 | 5.0 | 3.5 | 3.9 | 5.1 | 2.4 | 5.2 | 5.9 | 9.7 | 7.0 | 6.2 | |
| Column | | 918 | 556 | 384 | 647 | 271 | 89 | 175 | 301 | 57 | 365 | 74 | 3138 |
| Total | | 29.3 | 17.7 | 12.2 | 20.6 | 8.6 | 2.8 | 5.6 | 9.6 | 1.8 | 11.6 | 2.4 | 100.0 |

Percents and totals based on respondents

(Continued)

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:49:45 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
by F38B (group) FREIZEITBESCHAEFTIGUNG

Page 2 of 3

| | | F38B | | | | | | | | | | | | |
|-----------|----------|-------|------|-------|------|----------|----------|---------|----------|--------|------|----------|--------|-------|
| Count | SPAZIERE | MUSIK | HO | MUSIK | MA | HANDARBE | ZEICHNEN | HOBBIES | VIDEO-SP | URLAUB | AUTO | ENTSPANN | LERNEN | Row |
| Row pct | NGEHEN | EREN | CHEN | ITEN | | | | | IELE | | | EN | | Total |
| Col pct | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | | | |
| SPAN | 0 | 247 | 383 | 69 | 180 | 53 | 241 | 133 | 39 | 74 | 109 | 206 | 2999 | |
| REST | | 8.2 | 12.8 | 2.3 | 6.0 | 1.8 | 8.0 | 4.4 | 1.3 | 2.5 | 3.6 | 6.9 | 95.6 | |
| | | 96.1 | 98.3 | 95.1 | 97.7 | 97.7 | 95.5 | 96.4 | 96.9 | 98.8 | 98.1 | 96.9 | | |
| TRIFFT ZU | 1 | 10 | 7 | 4 | 4 | 1 | 11 | 5 | 1 | 2 | 7 | 138 | | |
| | | 7.2 | 4.7 | 2.6 | 3.1 | .9 | 8.2 | 3.6 | .6 | 1.6 | 4.8 | 4.4 | | |
| | | 3.9 | 1.7 | 4.9 | 2.3 | 2.3 | 4.5 | 3.1 | 3.1 | 1.2 | 3.1 | | | |
| Column | | 257 | 389 | 73 | 184 | 54 | 253 | 138 | 40 | 75 | 111 | 213 | 3138 | |
| Total | | 8.2 | 12.4 | 2.3 | 5.9 | 1.7 | 8.1 | 4.4 | 1.3 | 2.4 | 3.5 | 6.8 | 100.0 | |

Percents and totals based on respondents

(Continued)

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:49:45 *** SPANISCHE JUGENDLICHE **.

*** CROSSTABULATION ***

SPAN SPANIER
 by F38B (group) FREIZEITBESCHAFTIGUNG

Page 3 of 3

| | | F38B | | | | | | |
|-----------------|----------------------------|-----------------|----------|----------------|---------------------|---------|---------------|--------------|
| | | SOZ.BERE ICH | ARBEITEN | HAUSARBE IT | KINDERBE TREUUNG | FAMILIE | SONSTIGE S | Row Total |
| SPAN | Count Row pct Colpct | 23 | 24 | 25 | 26 | 27 | 29 | |
| REST | 0 | 12 | 47 | 134 | 128 | 164 | 13 | 2999 |
| | | .4 | 1.6 | 4.5 | 4.3 | 5.5 | .4 | 95.6 |
| | | 91.0 | 93.4 | 99.1 | 96.3 | 95.9 | 91.6 | |
| TRIFFT ZU | 1 | 1 | 3 | 1 | 5 | 7 | 1 | 138 |
| | | .9 | 2.4 | .9 | 3.6 | 5.0 | .9 | 4.4 |
| | | 9.0 | 6.6 | .9 | 3.7 | 4.1 | 8.4 | |
| Column Total | | 13 | 50 | 135 | 133 | 171 | 14 | 3138 |
| | | .4 | 1.6 | 4.3 | 4.3 | 5.4 | .4 | 100.0 |

Percents and totals based on respondents

3,138 valid cases; 269 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:49:46 *** SPANISCHE JUGENDLICHE **

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 21.33 seconds CPU time; 27.33 seconds elapsed.

388 0 CROSSTABS TABLES-SPAN BY rf38 rf38a rf38b F38C TO F394
 389 0 OPTIONS 3 4
 390 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:50:13 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF38 freizeittypen

| | | RF38 | | | | | | |
|-----------------|-----------------------------|----------------------|-------------------|--------------------|-----------------|-------------------------|----------|--------------|
| | | elt.fam. zentiert | partnerz entr. | freundIn zentr. | clique-u .a. | elt+glei chaltrig up | peer-gro | Row Total |
| SPAN | Count Row Pct Col Pct | 1 | 2 | 3 | 4 | 5 | 6 | |
| REST | 0 | 306 | 694 | 922 | 330 | 378 | 240 | 2869 |
| | | 10.7 | 24.2 | 32.1 | 11.5 | 13.2 | 8.4 | 95.8 |
| | | 99.0 | 95.1 | 95.0 | 95.2 | 98.6 | 94.3 | |
| TRIFFT ZU | 1 | 3 | 36 | 49 | 17 | 5 | 15 | 124 |
| | | 2.4 | 29.1 | 39.1 | 13.4 | 4.3 | 11.7 | 4.2 |
| | | 1.0 | 4.9 | 5.0 | 4.8 | 1.4 | 5.7 | |
| Column Total | | 309 | 730 | 971 | 346 | 383 | 254 | 2993 |
| | | 10.3 | 24.4 | 32.4 | 11.6 | 12.8 | 8.5 | 100.0 |

| Chi-Square | Value | DF | Significance |
|--|----------|----|--------------|
| Pearson | 20.09727 | 5 | .00120 |
| Likelihood Ratio | 25.61281 | 5 | .00011 |
| Mantel-Haenszel test for linear association | .20433 | 1 | .65125 |

Minimum Expected Frequency - 10.558

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|-----------------------------|
| Phi | .08194 | | | .00120 *1 |
| Cramer's V | .08194 | | | .00120 *1 |
| Contingency Coefficient | .08167 | | | .00120 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 414

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:50:14 *** SPANISCHE JUGENDLICHE **.

SPAN SPANIER by RF38A nat.d.fzpartner

Page 1 of 1

| | | RF38A | | | | Row Total |
|--------------|---------|----------------------|--------------------|---------------------|---------------------|---------------|
| Count | Row Pct | nur eig. nat. | eig. u. d. nat. | an nur deut. | dt. u. eig. oder an | |
| Col Pct | | 1 | 2 | 3 | 4 | |
| SPAN | | | | | | |
| REST | 0 | 1524 51.9 97.9 | 156 5.3 92.1 | 670 22.8 93.2 | 584 19.9 94.7 | 2934 95.9 |
| TRIFFT ZU | 1 | 32 25.2 2.1 | 13 10.6 7.9 | 49 38.2 6.8 | 33 26.0 5.3 | 127 4.1 |
| Column Total | | 1556 50.8 | 170 5.5 | 718 23.5 | 617 20.2 | 3061 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 37.60372 | 3 | .00000 |
| Likelihood Ratio | 38.06871 | 3 | .00000 |
| Mantel-Haenszel test for linear association | 23.37225 | 1 | .00000 |

Minimum Expected Frequency - 7.040

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .11084 | | | .00000 *1 |
| Cramer's V | .11084 | | | .00000 *1 |
| Contingency Coefficient | .11016 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 346

8-Nov-94 *** p 1 .503 ausl.jugendliche - jugenddaten - ***
14:50:14 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF38B freizeittypen-aus f38b1

Page 1 of 1

| | | RF38B | | | | | | Row Total |
|--------------|---------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------|
| Count | Row Pct | innen ssiv | pa us | innen tiv | ak onsum | k aussen ktiv | a aussen ation | kommunik |
| Col Pct | | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | | | | | | | |
| REST | 0 | 289 11.2 96.7 | 290 11.2 96.5 | 530 20.6 95.3 | 352 13.7 94.4 | 680 26.4 94.1 | 437 17.0 96.5 | 2578 95.3 |
| TRIFFT ZU | 1 | 10 7.8 3.3 | 10 8.2 3.5 | 26 20.7 4.7 | 21 16.6 5.6 | 43 33.9 5.9 | 16 12.7 3.5 | 126 4.7 |
| Column Total | | 299 11.1 | 300 11.1 | 557 20.6 | 373 13.8 | 722 26.7 | 453 16.8 | 2705 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 6.84450 | 5 | .23246 |
| Likelihood Ratio | 6.94434 | 5 | .22481 |
| Mantel-Haenszel test for linear association | 1.07590 | 1 | .29962 |

Minimum Expected Frequency - 13.945

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05031 | | | .23246 *1 |
| Cramer's V | .05031 | | | .23246 *1 |
| Contingency Coefficient | .05024 | | | .23246 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 702

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:50:15 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F38C VEREINSMITGLIED

Page 1 of 1

| | | F38C | | Row Total |
|---------|---------|---------------------|----------------------|--------------|
| Count | Row Pct | JA | NEIN | |
| Col Pct | | 1 | 2 | |
| SPAN | | | | |
| REST | 0 | 768 24.6 94.6 | 2352 75.4 96.1 | 3121 95.7 |

| | | | | |
|--------------|---|------|-------------|-------|
| | | 44 | 95 | 139 |
| TRIFFT ZU | 1 | 31.4 | 68.6 | 4.3 |
| | | 5.4 | 3.9 | |
| Column Total | | 812 | 2448 | 3259 |
| | | 24.9 | 75.1 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|---------------|
| Pearson | 3.30534 | 1 | .06906 |
| Continuity Correction | 2.95084 | 1 | .08583 |
| Likelihood Ratio | 3.14557 | 1 | .07613 |
| Mantel-Haenszel test for linear association | 3.30433 | 1 | .06910 |

Minimum Expected Frequency - 34.593

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03184 | | | .06906 *1 |
| Cramer's V | .03184 | | | .06906 *1 |
| Contingency Coefficient | .03183 | | | .06906 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 148

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:50:15 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F38D VEREINSZUSAMMENSETZUNG

Page 1 of 1

| | | F38D | | | | Row Total |
|--------------|---------|---------------|--------------|---------------|--------------|-----------|
| Count | Row Pct | UEBERW.D EUT. | GLEICH V IEL | UEBERW.A USL. | AND.NATI ON. | |
| Col Pct | | 1 | 2 | 3 | 4 | |
| SPAN | 0 | 373 | 172 | 188 | 22 | 755 |
| | | 49.4 | 22.8 | 24.8 | 3.0 | 94.5 |
| | | 94.2 | 94.4 | 96.3 | 87.4 | |
| TRIFFT ZU | 1 | 23 | 10 | 7 | 3 | 44 |
| | | 52.3 | 23.6 | 16.7 | 7.4 | 5.5 |
| | | 5.8 | 5.6 | 3.7 | 12.6 | |
| Column Total | | 396 | 183 | 195 | 26 | 799 |
| | | 49.5 | 22.9 | 24.4 | 3.2 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 3.72073 | 3 | .29324 |
| Likelihood Ratio | 3.20976 | 3 | .36040 |
| Mantel-Haenszel test for linear association | .02498 | 1 | .87441 |

Minimum Expected Frequency - 1.403
 Cells with Expected Frequency < 5 - 1 OF 8 (12.5%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06825 | | | .29324 *1 |
| Cramer's V | .06825 | | | .29324 *1 |
| Contingency Coefficient | .06809 | | | .29324 *1 |

*1 Pearson chi-square probability

Number of Missmg Observations: 2608

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:50:16 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F38E ALTER VEREINSMITGLIEDER

Page 1 of 1

| | | F38E | | | | Row Total |
|--------------|---------|---------|--------|--------|-------------------|-----------|
| Count | Row Pct | JUENGER | AELTER | GLEICH | ALLE ALT ERSGRUPP | |
| Col Pct | | 1 | 2 | 3 | 4 | |
| SPAN | 0 | 27 | 73 | 374 | 281 | 754 |
| | | 3.5 | 9.7 | 49.6 | 37.2 | 94.5 |
| | | 92.4 | 98.8 | 93.9 | 94.5 | |
| TRIFFT ZU | 1 | 2 | 1 | 24 | 16 | 44 |
| | | 5.0 | 2.0 | 55.3 | 37.7 | 5.5 |
| | | 7.6 | 1.2 | 6.1 | 5.5 | |
| Column Total | | 29 | 74 | 398 | 297 | 798 |
| | | 3.6 | 9.3 | 49.9 | 37.3 | 100.0 |

| Chi-Square | Value | DF | Significance |
|------------|-------|----|--------------|
|------------|-------|----|--------------|

Pearson 3.15519 3 .36831
 Likelihood Ratio 4.30026 3 .23081
 Mantel-Haenszel test for linear association .19652 1 .65755

Minimum Expected Frequency = 1.575
 Cells with Expected Frequency < 5 = 2 OF 8 (25.0%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06289 | | | .36831 *1 |
| Cramer's V | .06289 | | | .36831 *1 |
| Contingency Coefficient | .06277 | | | .36831 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 2609

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:50:16 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F391 GEMEINSAMK. M. AUSL. ERW.

Page 1 of 1

| Count Row Pct Col Pct | F391 | | | | Row Total |
|-----------------------------|---------------------|-----------------------|-----------------------|---------------------|---------------|
| | MEISTEN 1 | ZWEITMEI STEN 2 | DRITTMEI STEN 3 | WENIGSTE N 4 | |
| SPAN | | | | | |
| 0 | 675 21.5 97.1 | 823 26.2 97.0 | 954 30.4 95.3 | 684 21.8 94.1 | 3137 95.8 |
| REST | | | | | |
| 1 | 20 14.8 2.9 | 26 18.9 3.0 | 47 34.6 4.7 | 43 31.7 5.9 | 136 4.2 |
| Column Total | 695 21.2 | 849 25.9 | 1001 30.6 | 727 22.2 | 3273 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 11.93570 | 3 | .00761 |
| Likelihood Ratio | 11.85807 | 3 | .00789 |
| Mantel-Haenszel test for linear association | 10.93556 | 1 | .00094 |

Minimum Expected Frequency = 28.895

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06039 | | | .00761 *1 |
| Cramer's V | .06039 | | | .00761 *1 |
| Contingency Coefficient | .06028 | | | .00761 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 134

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:50:17 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F392 GEMEINSAMK. M. AUSL. JUG.

Page 1 of 1

| Count Row Pct Col Pct | F392 | | | | Row Total |
|-----------------------------|----------------------|-----------------------|-----------------------|--------------------|---------------|
| | MEISTEN 1 | ZWEITMEI STEN 2 | DRITTMEI STEN 3 | WENIGSTE N 4 | |
| SPAN | | | | | |
| 0 | 1337 42.4 96.7 | 1056 33.5 95.8 | 496 15.7 94.9 | 263 8.4 93.0 | 3152 95.8 |
| REST | | | | | |
| 1 | 45 32.9 3.3 | 46 33.4 4.2 | 26 19.3 5.1 | 20 14.4 7.0 | 137 4.2 |
| Column Total | 1382 42.0 | 1102 33.5 | 522 15.9 | 283 8.6 | 3289 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 9.52778 | 3 | .02304 |
| Likelihood Ratio | 8.76627 | 3 | .03257 |
| Mantel-Haenszel test for linear association | 9.14882 | 1 | .00249 |

Minimum Expected Frequency = 11.829

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-----------|-------|------|---------|--------------------------|
|-----------|-------|------|---------|--------------------------|

Phi .05382 .02304 *1
 Cramer's V .05382 .02304 *1
 Contingency Coefficient .05374 .02304 *1

*1 Pearson chi-square probability

Number of Missing Observations: 118

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:50:17 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F393 GEMEINSAMK. M. DT. ERW.

Page 1 of 1

| | | F393 | | | | |
|-------------|---------|---------|----------|----------|----------|-------|
| Count | Row Pct | MEISTEN | ZWEITMEI | DRITTMET | WENIGSTE | Row |
| Col Pct | Col Pct | STEN | STEN | STEN | N | Total |
| | | 1 | 2 | 3 | 4 | |
| SPAN | | | | | | |
| 0 | | 300 | 522 | 924 | 1363 | 3109 |
| REST | | 9.7 | 16.8 | 29.7 | 43.8 | 95.9 |
| | | 95.6 | 93.7 | 96.1 | 96.7 | |
| 1 | | 14 | 35 | 38 | 47 | 134 |
| TRIFFT ZU | | 10.4 | 26.2 | 28.1 | 35.2 | 4.1 |
| | | 4.4 | 6.3 | 3.9 | 3.3 | |
| Column | | 314 | 558 | 962 | 1410 | 3243 |
| Total | | 9.7 | 17.2 | 29.7 | 43.5 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 9.00840 | 3 | .02918 |
| Likelihood Ratio | 8.26459 | 3 | .04085 |
| Mantel-Haenszel test for linear association | 4.93115 | 1 | .02638 |

Minimum Expected Frequency - 12.972

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05270 | | | .02918 *1 |
| Cramer's V | .05270 | | | .02918 *1 |
| Contingency Coefficient | .05263 | | | .02918 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 164

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:50:18 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F394 GEMEINSAMK. M. DT. JUG.

Page 1 of 1

| | | F394 | | | | |
|-------------|---------|---------|----------|----------|----------|-------|
| Count | Row Pct | MEISTEN | ZWEITMEI | DRITTMET | WENIGSTE | Row |
| Col Pct | Col Pct | STEN | STEN | STEN | N | Total |
| | | 1 | 2 | 3 | 4 | |
| SPAN | | | | | | |
| 0 | | 794 | 1359 | 282 | 694 | 3129 |
| REST | | 25.4 | 43.4 | 9.0 | 22.2 | 95.9 |
| | | 92.9 | 96.8 | 97.2 | 97.0 | |
| 1 | | 61 | 44 | 8 | 22 | 135 |
| TRIFFT ZU | | 45.1 | 32.9 | 6.0 | 16.0 | 4.1 |
| | | 7.1 | 3.2 | 2.8 | 3.0 | |
| Column | | 855 | 1404 | 290 | 715 | 3264 |
| Total | | 26.2 | 43.0 | 8.9 | 21.9 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 26.08190 | 3 | .00001 |
| Likelihood Ratio | 23.46245 | 3 | .00003 |
| Mantel-Haenszel test for linear association | 13.70132 | 1 | .00021 |

Minimum Expected Frequency - 12.023

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .08939 | | | .00001 *1 |
| Cramer's V | .08939 | | | .00001 *1 |
| Contingency Coefficient | .08904 | | | .00001 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 143

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:50:18 *** SPANISCHE JUGENDLICHE ***

>Warning # 321 1
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 23.48 seconds CPU time; 32.57 seconds elapsed.

```

391 0 MULT RESPONSE GROUPS=F40A BEHAUPTUNGEN-POS.ANTWORT
392 0           (F401 TO F405(1))
393 0           F40B BEHAUPTUNGEN-NEG.ANTWORT
394 0           (F401 TO F405(2)) /
395 0           VARIABLES=SPAN(0,1) /
396 0           TABLES=SPAN BY F40A F40B /
397 0 STATISTICS 1 2
    
```

MULT RESPONSE requires 1320 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:50:42 *** SPANISCHE JUGENDLICHE ***

*** C R O S S T A B U L A T I O N ***

SPAN SPANIER
 by F40A (tabulating 1) BEHAUPTUNGEN-POS.ANTWORT

F40A

| | Count Row pct Col pct | AUSSCHL. MUETTER | | HAUSARB. | KINDER V | FRAUEN B | Row Total |
|-----------------|-----------------------------|-------------------------|----------------------|------------------------|--------------------------|--------------------------|---------------|
| | | AUS GES ELLS F401 | IM HAUS F402 | F. MAEN NER F403 | ERVOLLST . FA F404 | ERUF ERL ERNE F405 | |
| SPAN | | | | | | | |
| REST | 0 | 527 16.4 96.4 | 2540 78.8 96.0 | 2272 70.5 95.8 | 2280 70.8 95.7 | 2245 69.7 95.3 | 3221 95.8 |
| TRIFFT ZU | 1 | 20 13.9 3.6 | 106 74.8 4.0 | 100 70.2 4.2 | 103 72.5 4.3 | 111 77.9 4.7 | 142 4.2 |
| Column Total | | 547 16.3 | 2646 78.7 | 2372 70.5 | 2383 70.9 | 2356 70.0 | 3363 100.0 |

Percents and totals based on respondents

3,363 valid cases; 44 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:50:43 *** SPANISCHE JUGENDLICHE ***

*** C R O S S T A B U L A T I O N ***

SPAN SPANIER
 by F40B (tabulating 2) BEHAUPTUNGEN-NEG.ANTWORT

F40B

| | Count Row pct Col pct | AUSSCHL. MUETTER | | HAUSARB. | KINDER V | FRAUEN B | Row Total |
|-----------------|-----------------------------|-------------------------|---------------------|------------------------|--------------------------|--------------------------|---------------|
| | | AUS GES ELLS F401 | IM HAUS F402 | F. MAEN NER F403 | ERVOLLST . FA F404 | ERUF ERL ERNE F405 | |
| SPAN | | | | | | | |
| REST | 0 | 2698 88.8 95.7 | 690 22.7 95.2 | 948 31.2 95.7 | 946 31.1 96.3 | 980 32.3 97.0 | 3039 95.7 |
| TRIFFT ZU | 1 | 122 89.7 4.3 | 35 25.6 4.8 | 42 31.1 4.3 | 37 26.8 3.7 | 30 22.1 3.0 | 136 4.3 |
| Column Total | | 2820 88.8 | 725 22.8 | 990 31.2 | 982 30.9 | 1010 31.8 | 3175 100.0 |

Percents and totals based on respondents

3,175 valid cases; 232 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:50:43 *** SPANISCHE JUGENDLICHE ***

>Warning # 321 1
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 18.84 seconds CPU time; 24.84 seconds elapsed.

```

398 0 CROSSTABS TABLES=SPAN BY F41 TO F43A RF44 RF44A
399 0 OPTIONS 3 4
400 0 STATISTICS 1 2 3
    
```

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:51:07 *** SPANISCHE JUGENDLICHE .**

SPAN SPANIER by F41 VERGL. BRD-HK.LAND

Page 1 of 1

| | | F41 | | | |
|-----------|---------|----------|----------|----------|-------|
| Count | Row Pct | BRD MEHR | BRD MEHR | GLEICHAR | Row |
| Col Pct | Col Pct | EINSCHR | FREIHEI | TIG | Total |
| | | 1 | 2 | 3 | |
| SPAN | 0 | 255 | 1726 | 1239 | 3219 |
| REST | | 7.9 | 53.6 | 38.5 | 95.9 |
| | | 96.6 | 96.2 | 95.4 | |
| TRIFFT ZU | 1 | 9 | 69 | 60 | 138 |
| | | 6.6 | 49.8 | 43.6 | 4.1 |
| | | 3.4 | 3.8 | 4.6 | |
| Column | | 264 | 1794 | 1299 | 3357 |
| Total | | 7.9 | 53.4 | 38.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.53079 | 2 | .46515 |
| Likelihood Ratio | 1.52186 | 2 | .46723 |
| Mantel-Haenszel test for linear association | 1.46538 | 1 | .22608 |

Minimum Expected Frequency - 10.816

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .02135 | | | .46515 *1 |
| Cramer's V | .02135 | | | .46515 *1 |
| Contingency Coefficient | .02135 | | | .46515 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 50

fl-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:51:08 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F42 GESUNDHEITZUSTAND

Page 1 of 1

| | | F42 | | | | |
|-----------|---------|------|------|---------|----------|-------|
| Count | Row Pct | SEHR | GUT | WENIGER | SCHLECHT | Row |
| Col Pct | Col Pct | 1 | 2 | GUT | 3 | 4 |
| | | 1 | 2 | 3 | 4 | Total |
| SPAN | 0 | 1539 | 1512 | 159 | 32 | 3242 |
| REST | | 47.5 | 46.6 | 4.9 | 1.0 | 95.8 |
| | | 95.5 | 96.0 | 95.3 | 100.0 | |
| TRIFFT ZU | 1 | 72 | 64 | 8 | | 143 |
| | | 50.1 | 44.4 | 5.5 | | 4.2 |
| | | 4.5 | 4.0 | 4.7 | | |
| Column | | 1611 | 1576 | 167 | 32 | 3385 |
| Total | | 47.6 | 46.5 | 4.9 | .9 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.84670 | 3 | .60482 |
| Likelihood Ratio | 3.19329 | 3 | .36277 |
| Mantel-Haenszel test for linear association | .55338 | 1 | .45694 |

Minimum Expected Frequency - 1.352
 Cells with Expected Frequency < 5 - 1 OF 8 (12.5%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .0233b | | | .60482 *1 |
| Cramer's V | .02336 | | | .60482 *1 |
| Contingency Coefficient | .02335 | | | .60482 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 22

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:51:08 *** SPANISCHE JUGENDLICHE .**

SPAN SPANIER by F43 LEKTUERE AUSL. ZEITUNGEN

Page 1 of 1

| | | F43 | | | | ROW Total |
|-----------|---------|---------------------|---------------------|----------------------|---------------------|--------------|
| Count | Row Pct | JEDEN TA | MEHRM.D. | AB UND Z | GAR NICH | |
| Col Pct | Col Pct | G | WOCHE | U | T | |
| | | 1 | 2 | 3 | 4 | |
| SPAN | | | | | | |
| REST | 0 | 388 12.1 98.3 | 659 20.6 96.8 | 1409 43.9 96.0 | 752 23.4 94.1 | 3208 96.0 |
| TRIFFT ZU | 1 | 7 5.2 1.7 | 22 16.1 3.2 | 58 43.4 4.0 | 47 35.3 5.9 | 134 4.0 |
| Column | | 395 | 681 | 1467 | 799 | 3342 |
| Total | | 11.8 | 20.4 | 43.9 | 23.9 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 14.04106 | 3 | .00285 |
| Likelihood Ratio | 14.55679 | 3 | .00224 |
| Mantel-Haenszel test for linear association | 13.36332 | 1 | .00026 |

Minimum Expected Frequency - 15.833

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06482 | | | .00285 *1 |
| Cramer's v | .06482 | | | .00285 *1 |
| Contingency Coefficient | .06468 | | | .00285 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 65

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:51:09 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F43A LEKTUERE DT. ZEITUNGEN

Page 1 of 1

| | | F43A | | | | Row Total |
|-----------|---------|---------------------|---------------------|----------------------|---------------------|--------------|
| Count | Row Pct | JEDEN TA | MEHRM.D. | AB UND Z | GAR NICH | |
| Col Pct | Col Pct | G | WOCHE | U | T | |
| | | 1 | 2 | 3 | 4 | |
| SPAN | | | | | | |
| REST | 0 | 705 21.9 95.7 | 879 27.3 95.6 | 1214 37.8 96.5 | 418 13.0 96.0 | 3215 96.0 |
| TRIFFT ZU | 1 | 32 23.9 4.3 | 41 30.5 4.4 | 44 32.7 3.5 | 17 12.9 4.0 | 134 4.0 |
| Column | | 737 | 919 | 1258 | 435 | 3349 |
| Total | | 22.0 | 27.5 | 37.6 | 13.0 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.58108 | 3 | .66369 |
| Likelihood Ratio | 1.59749 | 3 | .65996 |
| Mantel-Haenszel test for linear association | .71774 | 1 | .39689 |

Minimum Expected Frequency - 17.398

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .02173 | | | .66369 *1 |
| Cramer's v | .02173 | | | .66369 *1 |
| Contingency Coefficient | .02172 | | | .66369 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 58

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:51:09 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF44 ANZAHL HEIMATAUFENTHALTE

Page 1 of 1

| | | RF44 | | | | Row Total |
|---------|---------|----------------------|----------------------|---------------------|---------------------|--------------|
| Count | Row Pct | 1 | 2 | 3 | 4 | |
| Col Pct | Col Pct | 1 | 2 | 3 | 4 | |
| SPAN | | | | | | |
| REST | 0 | 1034 32.0 95.9 | 1036 32.0 95.6 | 360 11.1 94.4 | 803 24.8 96.4 | 3233 95.8 |

| | | | | | | |
|-----------|---|------|------|------|------|-------|
| TRIFFT ZU | 1 | 44 | 47 | 21 | 30 | 143 |
| | | 30.8 | 33.0 | 15.0 | 21.2 | 4.2 |
| | | 4.1 | 4.4 | 5.6 | 3.6 | |
| Column | | 1078 | 1083 | 382 | 833 | 3376 |
| Total | | 31.9 | 32.1 | 11.3 | 24.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 2.62174 | 3 | .45369 |
| Likelihood Ratio | 2.49827 | 3 | .47560 |
| Mantel-Haenszel test for linear association | .05017 | 1 | .82276 |

Minimum Expected Frequency - 16.191

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .02787 | | | .45369 *1 |
| Cramer's V | .02787 | | | .45369 *1 |
| Contingency Coefficient | .02785 | | | .45369 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 31

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:51:10 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF44A DAUER D. HEIMATAUFENTHALTE

RF44A Page 1 of 1

| Count | 1-3 HOCH | 4-5 WOCH | 6-8 WOCH | 9 U.MEH | Row Total | |
|-----------|----------|----------|----------|----------|-----------|-------|
| Row Pct | EN | EN | EN | R WOCHEN | | |
| Col Pct | 1 | 2 | 3 | 4 | Total | |
| SPAN | 0 | 293 | 515 | 800 | 806 | 2414 |
| | | 12.1 | 21.3 | 33.1 | 33.4 | 95.5 |
| | | 93.8 | 94.9 | 96.4 | 95.7 | |
| TRIFFT ZU | 1 | 19 | 28 | 30 | 36 | 113 |
| | | 17.3 | 24.5 | 26.4 | 31.8 | 4.5 |
| | | 6.2 | 5.1 | 3.6 | 4.3 | |
| Column | | 312 | 543 | 830 | 842 | 2526 |
| Total | | 12.4 | 21.5 | 32.8 | 33.3 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 4.37128 | 3 | .22406 |
| Likelihood Ratio | 4.21412 | 3 | .23925 |
| Mantel-Haenszel test for linear association | 2.36810 | 1 | .12384 |

Minimum Expected Frequency - 13.949

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04160 | | | .22406 *1 |
| Cramer's V | .04160 | | | .22406 *1 |
| Contingency Coefficient | .04156 | | | .22406 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 881

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:51:11 *** SPANISCHE JUGENDLICHE ***

>Warning # 321 1
>On at least one case, the value of the weight variable was zero, negative, or >missing. Such cases are considered missing by statistical procedures which >need positively weighted cases, but remain on the file and are processed by >non-statistical facilities such as LIST and SAVE.

Preceding task required 20.52 seconds CPU time; 27.53 seconds elapsed.

```
401 0 MULT RESPONSE GROUPS=F44B ANLASS F.HEIMATAUFENTHALT
402 0 (F44B1 TO F44B4(1)) /
403 0 VARIABLES=SPAN(0,1) /
404 0 TABLES=SPAN BY F44B /
405 0 STATISTICS 1 2
```

MULT RESPONSE requires 1144 bytes of workspace for execution.

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:51:44 ... SPANISCHE JUGENDLICHE «.*

» * * C R O S S T A B U L A T I O N * * *

SPAN SPANIER
by F44B (tabulating 1) ANLASS F.HEIMATAUFENTHALT

F44B

| | Count Row pct Col pct | ANLASS F | ANLASS B | ANLASS R | ANLASS S | Row Total |
|-----------------|-----------------------------|----------|----------|----------|----------|--------------|
| | | ERIEIN | ESUCHE | UECKKEHR | ONST. | |
| | | F44B1 | F44B2 | F44B3 | F44B4 | |
| SPAN | 0 | 1977 | 1296 | 26 | 73 | 2413 |
| REST | | 81.9 | 53.7 | 1.1 | 3.0 | 95.6 |
| | | 95.7 | 94.5 | 92.8 | 94.2 | |
| TRIFFT ZU | 1 | 88 | 76 | 2 | 4 | 110 |
| | | 80.1 | 68.9 | 1.9 | 4.1 | 4.4 |
| | | 4.3 | 5.5 | 7.2 | 5.8 | |
| Column Total | | 2065 | 1372 | 28 | 77 | 2523 |
| | | 81.8 | 54.4 | 1.1 | 3.1 | 100.0 |

Percents and totals based on respondents

2,523 valid cases; 884 missing cases

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:51:45 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211

>On at least one case, the value of the weight variable was zero, negative, or
>missing. Such cases are considered missing by statistical procedures which
>need positively weighted cases, but remain on the file and are processed by
>non-statistical facilities such as LIST and SAVE.

Preceding task required 17.51 seconds CPU time; 34.16 seconds elapsed.

406 0 CROSSTABS TABLES-SPAN BY F45 TO F46A RF47 RF48 F49 RF49A F49B
407 0 OPTIONS 3 4
408 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - **
14:52:12 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F45 RELIGION

| | Count Row Pct Col Pct | F45 | | | | | | | | | | | Row Total |
|-----------------|-----------------------------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|------|--------------|
| | | CHRISTEN | MUSLIME | SUNNITEN | ALEVITEN | SCHLITEN | ROEM.-KA | ORTH.CHR | PROT.CHR | ARAMAE.C | SONSTIGE | NEIN | |
| | | ALLG. | ALLG. | | | | TH.CHRIS | ISTEN | ISTEN | HRISTEN | | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | |
| SPAN | 0 | 282 | 1250 | 156 | 102 | 20 | 612 | 254 | 9 | 33 | 32 | 454 | 3204 |
| REST | | 8.8 | 39.0 | 4.9 | 3.2 | .6 | 19.1 | 7.9 | .3 | 1.0 | 1.0 | 14.2 | 95.8 |
| | | 92.6 | 99.3 | 100.0 | 100.0 | 100.0 | 88.0 | 100.0 | 90.5 | 100.0 | 89.6 | 95.7 | |
| TRIFFT ZU | 1 | 22 | 9 | | | | 83 | | 1 | | 4 | 21 | 140 |
| | | 16.1 | 6.2 | | | | 59.6 | | .7 | | 2.6 | 14.7 | 4.2 |
| | | 7.4 | .7 | | | | 12.0 | | 9.5 | | 10.4 | 4.3 | |
| Column Total | | 304 | 1259 | 156 | 102 | 20 | 696 | 254 | 10 | 33 | 35 | 475 | 3344 |
| | | 9.1 | 37.6 | 4.7 | 3.1 | .6 | 20.8 | 7.6 | .3 | 1.0 | 1.1 | 14.2 | 100.0 |

| Chi-Square | Value | DF | Significance |
|--|-----------|----|--------------|
| Pearson | 180.35669 | 10 | .00000 |
| Likelihood Ratio | 187.07000 | 10 | .00000 |
| Mantel-Haenszel test for linear association | 16.15879 | 1 | .00006 |

Minimum Expected Frequency = .403
Cells with Expected Frequency < 5 = 5 OF 22 (22.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|-----------------------------|
| Phi | .23225 | | | .00000 *1 |
| Cramer's V | .23225 | | | .00000 *1 |
| Contingency Coefficient | .22623 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 63

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:52:13 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F45A RELIGIOESITAET

F45A Page 1 of 1

| Count Row Pct Col Pct | F45A | | | | | | Row Total |
|-----------------------------|--------------------|---------------------|---------------------|---------------------|---------------------|------------------------|---------------|
| | STRENG P RAKT. | PRAKTIZI EREND | GELFGENT LICH | KAUM 4 | NICHT PR AKTIZ. | GEH. K. GL AUßEN AN | |
| | 1 | 2 | 3 | 4 | 5 | 6 | |
| SPAN | | | | | | | |
| 0 | 196 6.1 98.9 | 833 26.0 94.9 | 722 22.5 95.9 | 593 18.5 96.6 | 547 17.0 96.1 | 319 9.9 95.7 | 3210 96.0 |
| 1 | 2 1.6 1.1 | 45 33.0 5.1 | 11 22.7 4.1 | 21 15.7 3.4 | 22 16.3 3.9 | 14 10.7 4.3 | 135 4.0 |
| Column Total | 198 5.9 | 878 26.2 | 753 22.5 | 614 18.4 | 569 17.0 | 333 10.0 | 3346 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 7.55806 | 5 | .18233 |
| Likelihood Ratio | 9.14901 | 5 | .10327 |
| Mantel-Haenszel test for linear association | .00001 | 1 | .99757 |

Minimum Expected Frequency - 8.014

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04753 | | | .18233 *1 |
| Cramer's V | .04753 | | | .18233 *1 |
| Contingency Coefficient | .04748 | | | .18233 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 61

8-Nov-94 14:52:13 *** p 1.503 ausl.jugendliche - jugenddaten - ***
*** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F46 MUTTERSPR. UNTERRICHT

F46 Page 1 of 1

| Count Row Pct Col Pct | F46 | | Row Total |
|-----------------------------|---------------------|----------------------|---------------|
| | JA | NEIN | |
| | 1 | 2 | |
| SPAN | | | |
| 0 | 443 20.3 90.6 | 1741 79.7 95.7 | 2184 94.6 |
| 1 | 46 36.8 9.4 | 79 63.2 4.3 | 125 5.4 |
| Column Total | 489 21.2 | 1821 78.8 | 2310 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 19.2901b | 1 | .00001 |
| Continuity Correction | 18.31490 | 1 | .00002 |
| Likelihood Ratio | 16.96627 | 1 | .00004 |
| Mantel-Haenszel test for linear association | 19.28179 | 1 | .00001 |

Minimum Expected Frequency - 26.513

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .09139 | | | .00001 *1 |
| Cramer's V | .09139 | | | .00001 *1 |
| Contingency Coefficient | .09101 | | | .00001 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1097

8-Nov-94 14:52:14 *** p 1.503 ausl.jugendliche - jugenddaten - ***
*** SPANISCHE JUGENDLICHE **

SPAN SPANIER by F46A KORANSCHULE

F46A Page 1 of 1

| Count Row Pct Col Pct | F46A | | | | Row Total |
|-----------------------------|--------------------|----------------------|-----------------------|--------------------|---------------|
| | BESUCHE | HABE BES UCHT | NEIN, NIE | SONSTIGE S | |
| | 1 | 2 | 3 | 4 | |
| SPAN | | | | | |
| 0 | 93 5.2 100.0 | 551 30.6 100.0 | 1127 62.6 100.0 | 31 1.7 100.0 | 1802 100.0 |
| Column Total | 93 | 551 | 1127 | 31 | 1802 |

Total 5.2 30.6 62.6 1.7 100.0

>Warning # 10307

>Statistics cannot be computed when the number of non-empty rows or columns is one.

Number of Missing Observations: 1605

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:52:14 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF47 MUTTERSPRACHE

Page 1 of 1

| | | RF47 | | | |
|-------------|---------|----------|---------|----------|-------|
| Count | Row Pct | LANDESSP | DEUTSCH | SONST.SP | Row |
| Col Pct | Col Pct | RACHE | RACHE | RACHE | Total |
| | | 1 | 2 | 3 | |
| SPAN | | | | | |
| 0 | | 2849 | 210 | 116 | 3176 |
| REST | | 89.7 | 6.6 | 3.7 | 95.9 |
| | | 96.2 | 93.4 | 93.0 | |
| 1 | | 113 | 15 | 9 | 137 |
| TRIFFT ZU | | 82.7 | 10.9 | 6.4 | 4.1 |
| | | 3.8 | 6.6 | 7.0 | |
| Column | | 2963 | 225 | 125 | 3313 |
| Total | | 89.4 | 6.8 | 3.8 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 6.83376 | 2 | .03281 |
| Likelihood Ratio | 5.89398 | 2 | .05250 |
| Mantel-Haenszel test for linear association | 6.29407 | 1 | .01211 |

Minimum Expected Frequency - 5.170

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04542 | | | .03281 *1 |
| Cramer's V | .04542 | | | .03281 *1 |
| Contingency Coefficient | .04537 | | | .03281 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 94

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:52:14 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF48 VOLKSGRUPPE

Page 1 of 1

| | | RF48 | | |
|-------------|---------|----------|----------|-------|
| Count | Row Pct | HAUPTGRU | MINDERHE | Row |
| Col Pct | Col Pct | PPE | IT | Total |
| | | 1 | 2 | |
| SPAN | | | | |
| 0 | | 2854 | 410 | 3264 |
| REST | | 87.4 | 12.6 | 95.8 |
| | | 96.6 | 90.3 | |
| 1 | | 99 | 44 | 143 |
| TRIFFT ZU | | 69.3 | 30.7 | 4.2 |
| | | 3.4 | 9.7 | |
| Column | | 2953 | 454 | 3407 |
| Total | | 86.7 | 13.3 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 38.91187 | 1 | .00000 |
| Continuity Correction | 37.35979 | 1 | .00000 |
| Likelihood Ratio | 30.53017 | 1 | .00000 |
| Mantel-Haenszel test for linear association | 38.90045 | 1 | .00000 |

Minimum Expected Frequency - 19.062

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .10687 | | | .00000 *1 |
| Cramer's V | .10687 | | | .00000 *1 |
| Contingency Coefficient | .10626 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 0

SPAN SPANIER by F49 RUECKKEHRPLAENE

Page 1 of 1

| | | F49 | | | | | | |
|-----------|----------|----------|-----------|---------|----------|--------|------------|-------|
| Count | Row Pct | WILL NAC | BEINIGE J | IMMER B | KEINE PL | IN AND | L.WEISS NI | Row |
| Col Pct | H...ZURU | .BLEIBEN | LEIBEN | AENE | AND | CHT | | Total |
| | 1 | 2 | 3 | 4 | 5 | 6 | | |
| SPAN | | | | | | | | |
| REST | 0 | 188 | 661 | 875 | 1096 | 74 | 335 | 3229 |
| | | 5.8 | 20.5 | 27.1 | 34.0 | 2.3 | 10.4 | 95.8 |
| | | 95.0 | 96.7 | 94.5 | 96.7 | 94.1 | 95.9 | |
| TRIFFT ZU | 1 | 10 | 23 | 50 | 38 | 5 | 14 | 140 |
| | | 7.1 | 16.2 | 36.0 | 27.1 | 3.3 | 10.3 | 4.2 |
| | | 5.0 | 3.3 | 5.5 | 3.3 | 5.9 | 4.1 | |
| Column | | 198 | 684 | 926 | 1134 | 78 | 350 | 3369 |
| Total | | 5.9 | 20.3 | 27.5 | 33.7 | 2.3 | 10.4 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 7.92188 | 5 | .16059 |
| Likelihood Ratio | 7.71796 | 5 | .17248 |
| Mantel-Haenszel test for linear association | .08019 | 1 | .77703 |

Minimum Expected Frequency = 3.264
 Cells with Expected Frequency < 5 = 1 OF 12 (8.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04849 | | | .16059 *1 |
| Cramer's V | .04849 | | | .16059 *1 |
| Contingency Coefficient | .04843 | | | .16059 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 38

SPAN SPANIER by RF49A AUFENTHALTSABSICHT

Page 1 of 1

| | | RF49A | | | | | | |
|-----------|---------|----------|--------|--------|----------|----------|---------|-------|
| Count | Row Pct | 1-3 JAHR | 4-6 J. | 7-9 J. | 10 U.MEH | IMMER BL | WEISS N | Row |
| Col Pct | E | | | | R J. | EIBEN | ICHT | Total |
| | 1 | 2 | 3 | 4 | 5 | 6 | | |
| SPAN | | | | | | | | |
| REST | 0 | 165 | 167 | 31 | 221 | 955 | 1670 | 3210 |
| | | 5.1 | 5.2 | 6.9 | 29.7 | 29.7 | 52.0 | 95.9 |
| | | 94.3 | 96.0 | 97.6 | 94.7 | 94.7 | 96.4 | |
| TRIFFT ZU | 1 | 10 | 5 | 1 | 5 | 53 | 62 | 139 |
| | | 7.2 | 5.5 | 6 | 4.0 | 38.4 | 44.8 | 4.1 |
| | | 5.7 | 4.0 | 2.7 | 2.4 | 5.3 | 3.6 | |
| Column | | 175 | 174 | 32 | 227 | 1008 | 1733 | 3349 |
| Total | | 5.2 | 5.2 | 1.0 | 6.8 | 30.1 | 51.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 7.59079 | 5 | .18028 |
| Likelihood Ratio | 7.59479 | 5 | .18003 |
| Mantel-Haenszel test for linear association | .87657 | 1 | .34914 |

Minimum Expected Frequency = 1.332
 Cells with Expected Frequency < 5 = 1 OF 12 (8.3%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04761 | | | .18028 *1 |
| Cramer's V | .04761 | | | .18028 *1 |
| Contingency Coefficient | .04756 | | | .18028 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 58

SPAN SPANIER by F49B RUECKKEHRORT

Page 1 of 1

| Count | Row Pct | F49B | |
|---------|----------|---------|-----|
| Col Pct | AUSW.ORT | AND.ORT | TNZ |
| | | | Row |

| | | 1 | 2 | 3 | Total |
|-----------|---|------|------|------|-------|
| SPAN | 0 | 804 | 582 | 293 | 1679 |
| REST | | 47.9 | 34.7 | 17.5 | 97.1 |
| | | 97.7 | 97.0 | 95.5 | |
| | 1 | 19 | 18 | 14 | 51 |
| TRIFFT ZU | | 36.9 | 36.1 | 27.0 | 2.9 |
| | | 2.3 | 3.0 | 4.5 | |
| Column | | 822 | 601 | 307 | 1730 |
| Total | | 47.5 | 34.7 | 17.8 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 3.80926 | 2 | .14888 |
| Likelihood Ratio | 3.56782 | 2 | .16798 |
| Mantel-Haenszel test for linear association | 3.67506 | 1 | .05523 |

Minimum Expected Frequency = 8.986

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04692 | | | .14888 *1 |
| Cramer's V | .04692 | | | .14888 *1 |
| Contingency Coefficient | .04687 | | | .14888 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1677

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:52:16 *** SPANISCHE JUGENDLICHE ***

Page 288

>Warning # 3211

>On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 22.72 seconds CPU time; 31.35 seconds elapsed.

409 0 BREAKDOWN TABLES=F49A BY SPAN

There are 4,441,568 bytes of memory available.

Given workspace allows for 32,767 cells of 1 dimensions for MEANS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:52:38 *** SPANISCHE JUGENDLICHE ***

Page 289

- - Description of Subpopulations - -

Summaries of F49A AUFENTHALTSABSICHT
By levels of SPAN SPANIER

| Variable | Value | Label | Mean | Std Dev | Cases |
|-----------------------|-------|-----------|---------|---------|-------|
| For Entire Population | | | 76.8211 | 32.9165 | 3349 |
| JSPAN | 0 | REST | 76.7445 | 32.9180 | 3210 |
| SPAN | 1 | TRIFFT ZU | 78.5945 | 32.9503 | 139 |

Total Cases - 3407
Missing Cases - 58 or 1.7 Pct

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:52:39 *** SPANISCHE JUGENDLICHE ***

Page 290

>Warning # 3211

>On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 16.00 seconds CPU time; 22.39 seconds elapsed.

410 0 MULT RESPONSE GROUPS=F49C GRUENDE PRO-CONTRA HIERBLEIBEN
411 0 (F49C1 TO F49C15,DUMMY(1))/
412 0 VARIABLES=SPAN(0,1) /
413 0 TABLES=SPAN BY F49C /
414 0 STATISTICS 1 2

MULT RESPONSE requires 1432 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:53:04 *** SPANISCHE JUGENDLICHE ***

Page 291

*** CROSSTABULATION ***

SPAN SPANIER
by F49C (tabulating 1) GRUENDE PRO-CONTRA HIERBLEIBEN

Page 1 of 2

| | | F49C | | | | | | | | | | | |
|-----------|---------|----------|----------|----------|---------|----------|----------|----------|----------|----------|----------|---------|-----------|
| Count | Row pct | MEINE AR | AUFENTHA | ARBEITSP | WOHNUNG | FAMILIEN | RECHTSSI | MICH ALS | FREUNDL. | ARB.MARK | POLIT. S | ALS ... | Row Total |
| | | BEITSERL | LTSERLAU | LATZ | ANGEH. | TUATION | BUERGER | BEHANDE | T HK.LAN | IT. IN D | (STAATSA | NGEH | |
| Col pct | | AUBN | B. D | | | | | D. | LT W | D | HE | | |
| | | F49C1 | F49C2 | F49C3 | F49C4 | F49C5 | F49C6 | F49C7 | F49C8 | P49C9 | F49C10 | F49C11 | |
| SPAN | 0 | 596 | 389 | 659 | 247 | 946 | 633 | 711 | 610 | 792 | 266 | 366 | 3264 |
| REST | | 18.3 | 11.9 | 20.2 | 7.6 | 29.0 | 19.4 | 21.8 | 18.7 | 24.3 | 8.1 | 11.2 | 95.8 |
| | | 97.5 | 97.3 | 94.9 | 93.9 | 95.7 | 98.3 | 94.8 | 99.3 | 96.9 | 98.0 | 94.3 | |
| | 1 | 15 | 11 | 36 | 16 | 42 | 11 | 39 | 4 | 25 | 6 | 22 | 143 |
| TRIFFT ZU | | 10.7 | 7.6 | 25.0 | 11.2 | 29.5 | 7.6 | 27.3 | 3.0 | 17.5 | 3.9 | 15.6 | 4.2 |
| | | 2.5 | 2.7 | 5.1 | 6.1 | 4.3 | 1.7 | 5.2 | .7 | 3.1 | 2.0 | 5.7 | |
| Column | | 612 | 400 | 695 | 263 | 988 | 644 | 750 | 615 | 817 | 271 | 389 | 3407 |
| Total | | 18.0 | 11.7 | 20.4 | 7.7 | 29.0 | 18.9 | 22.0 | 18.0 | 24.0 | 8.0 | 11.4 | 100.0 |

Percents and totals based on respondents
(Continued)

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - *** Page 292
14:53:04 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
by F49C (tabulating 1) GRUENDE PRO-CONTRA HIERBLEIBEN

Page 2 of 2

| | | F49C | | | | | |
|-----------|---------|----------|----------|---------|----------|-----------|--|
| Count | Row pct | MILITAER | POLIT. S | PARTNER | SONSTIGE | Row Total | |
| | | DIENST | IT. BRD | S | S | | |
| Col pct | | F49C12 | F49C13 | F49C14 | F49C15 | DUMMY | |
| SPAN | 0 | 228 | 345 | 567 | 233 | 3264 | |
| REST | | 7.0 | 10.6 | 17.4 | 7.1 | 100.0 | |
| | | 95.8 | 97.8 | 96.2 | 93.1 | 95.8 | |
| | 1 | 10 | 8 | 22 | 17 | 143 | |
| TRIFFT ZU | | 7.0 | 5.5 | 15.6 | 12.0 | 100.0 | |
| | | 4.2 | 2.2 | 3.8 | 6.9 | 4.2 | |
| Column | | 238 | 353 | 589 | 250 | 3407 | |
| Total | | 7.0 | 10.3 | 17.3 | 7.3 | 100.0 | |

Percents and totals based on respondents
3,407 valid cases; 0 missing cases

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - *** Page 293
14:53:05 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
>On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 19.37 seconds CPU time; 25.78 seconds elapsed.

415 0 CROSSTABS TABLES=SPAN BY F50 TO F54 RF551 TO RF554 RF55A1 TO RF55A4
416 0 RRF55 RRF55A RRF55IND
417 0 OPTIONS 3 4
418 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - *** Page 294
14:53:39 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F50 WOHLFUEHLEN BRD

| | | F50 | | | | | | |
|-----------|---------|------|------|----------|---------|----------|----------|-----------|
| Count | Row Pct | SEHR | WOH | REL.WOHL | ES GEHT | ETWAS UN | SEHR UNW | Row Total |
| | | L | | | WOHL | OHL | | |
| Col Pct | | 1 | 2 | 3 | 4 | 5 | | |
| SPAN | 0 | 1427 | 1083 | 606 | 99 | 29 | 3244 | |
| REST | | 44.0 | 33.4 | 18.7 | 3.1 | .9 | 95.8 | |
| | | 96.2 | 94.1 | 97.5 | 98.8 | 100.0 | | |
| | 1 | 56 | 68 | 15 | 1 | | 141 | |
| TRIFFT ZU | | 39.7 | 48.5 | 10.9 | .9 | | 4.2 | |
| | | 3.8 | 5.9 | 2.5 | 1.2 | | | |
| Column | | 1483 | 1151 | 621 | 101 | 29 | 3385 | |

| | | | | | | |
|---|------------------|------|------|--------------|----|-------|
| Total | 43.8 | 34.0 | 18.4 | 3.0 | .9 | 100.0 |
| Chi-Square | Value | | DF | Significance | | |
| Pearson | 17.43038 | | 4 | .00159 | | |
| Likelihood Ratio | 19.14464 | | 4 | .00074 | | |
| Mantel-Haenszel test for linear association | 1.87843 | | 1 | .17051 | | |
| Minimum Expected Frequency - | 1.201 | | | | | |
| Cells with Expected Frequency < 5 | 2 OF 10 (20.0%) | | | | | |

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .07176 | | | .00159 *1 |
| Cramer's V | .07176 | | | .00159 *1 |
| Contingency Coefficient | .07158 | | | .00159 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 22

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - **
14:53:41 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F51 ANNAHME DT. STAATSB.SCHAFT

Page 1 of 1

| Count | F51 | | | Row Total | |
|--------------|------|----------------|------|-----------|-------|
| | GERN | NUR WENN BEIDE | NEIN | | |
| Row Pct | 1 | 2 | 3 | | |
| Col Pct | | | | | |
| SPAN | 0 | 539 | 1386 | 1263 | 3188 |
| REST | | 16.9 | 43.5 | 39.6 | 95.9 |
| | | 94.8 | 96.0 | 96.2 | |
| TRIFFT ZU | 1 | 30 | 58 | 50 | 138 |
| | | 21.5 | 41.9 | 36.5 | 4.1 |
| | | 5.2 | 4.0 | 3.8 | |
| Column Total | | 569 | 1444 | 1313 | 3326 |
| Total | | 17.1 | 43.4 | 39.5 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 2.04611 | 2 | .35950 |
| Likelihood Ratio | 1.93311 | 2 | .38039 |
| Mantel-Haenszel test for linear association | 1.51945 | 1 | .21770 |

Minimum Expected Frequency - 23.555

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .02480 | | | .35950 *1 |
| Cramer's V | .02480 | | | .35950 *1 |
| Contingency Coefficient | .02480 | | | .35950 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 81

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:53:41 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F51A AUFENTH. STATUS

Page 1 of 1

| Count | F51A | | | | Row Total | |
|--------------|----------------|--------------|---------------|---------------|-----------|-------|
| | BEFR.AUF ENTH. | UNBEFR.A UF. | AUF.BERE CHT. | WEISS NI CHT. | | |
| Row Pct | 1 | 2 | 3 | 4 | | |
| Col Pct | | | | | | |
| SPAN | 0 | 607 | 1412 | 881 | 299 | 3199 |
| REST | | 19.0 | 44.1 | 27.5 | 9.3 | 96.1 |
| | | 97.5 | 96.4 | 95.8 | 92.7 | |
| TRIFFT ZU | 1 | 16 | 53 | 39 | 24 | 132 |
| | | 11.9 | 40.4 | 29.7 | 18.0 | 3.9 |
| | | 2.5 | 3.6 | 4.2 | 7.3 | |
| Column Total | | 623 | 1465 | 920 | 323 | 3331 |
| Total | | 18.7 | 44.0 | 27.6 | 9.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 13.85939 | 3 | .00310 |
| Likelihood Ratio | 12.42954 | 3 | .00605 |
| Mantel-Haenszel test for linear association | 11.63572 | 1 | .00065 |

Minimum Expected Frequency - 12.741

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06450 | | | .00310 *1 |
| Cramer's V | .06450 | | | .00310 *1 |
| Contingency Coefficient | .06437 | | | .00310 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 76

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14 53:42 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F52 VORURTEILE GEGEN AUSLAENDER

Page 1 of 1

| Count | F52 | | | Row Total |
|--------------|---------------------|----------------------|---------------------|---------------|
| | JA, GROSS ER TEIL | JA, KLEIN ER TEIL | NEIN | |
| Row Pct | 1 | 2 | 3 | |
| Col Pct | | | | |
| SPAN | | | | |
| 0 | 819 25.2 96.6 | 1670 51.5 96.4 | 756 23.3 93.8 | 3245 95.8 |
| 1 | 29 20.6 3.4 | 62 44.0 3.6 | 50 35.5 6.2 | 141 4.2 |
| Column Total | 848 25.0 | 1732 51.1 | 806 23.8 | 3386 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 11.10612 | 2 | .00388 |
| Likelihood Ratio | 10.18506 | 2 | .00614 |
| Mantel-Haenszel test for linear association | 7.87186 | 1 | .00502 |

Minimum Expected Frequency - 33.584

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05727 | | | .00388 *1 |
| Cramer's V | .05727 | | | .00388 *1 |
| Contingency Coefficient | .05718 | | | .00388 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 21

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:53:42 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F53 HEIRATSBEREITSCHAFT

Page 1 of 1

| Count | F53 | | | | | Row Total |
|--------------|---------------------|----------------------|---------------------|--------------------|---------------------|---------------|
| | JA, AUF J ED, FALL | JA, EVTL | NEIN | MIT DT. V ERH. | MIT AND .NAT. VER | |
| Row Pct | 1 | 2 | 3 | 4 | 5 | |
| Col Pct | | | | | | |
| SPAN | | | | | | |
| 0 | 575 17.9 94.4 | 1238 38.5 94.8 | 853 26.5 98.6 | 120 3.7 91.2 | 432 13.4 97.1 | 3219 95.8 |
| 1 | 34 24.6 5.6 | 68 48.9 5.2 | 12 8.8 1.4 | 12 8.3 8.8 | 13 9.4 2.9 | 140 4.2 |
| Column Total | 609 18.1 | 1307 38.9 | 866 25.8 | 132 3.9 | 445 13.2 | 3358 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 32.12184 | 4 | .00000 |
| Likelihood Ratio | 35.42594 | 4 | .00000 |
| Mantel-Haenszel test for linear association | 6.78593 | 1 | .00919 |

Minimum Expected Frequency - 5.478

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .09780 | | | .00000 *1 |
| Cramer's V | .09780 | | | .00000 *1 |
| Contingency Coefficient | .09734 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 49

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:53:43 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F54 ERLEBTE NACHTEILE

Page 1 of 1

| | | P54 | | | |
|-----------|---------|---------------------|---------------------|----------------------|--------------|
| | | HAEUFIGE | SELTENER | GAR NICH | |
| Count | Row Pct | | | | Row |
| Col Pct | Col Pct | R | T | | Total |
| | | 1 | 2 | 3 | |
| SPAN | | | | | |
| REST | 0 | 367 11.3 96.8 | 995 30.6 96.2 | 1885 58.1 95.4 | 3247 95.8 |
| TRIFFT ZU | 1 | 12 8.5 3.2 | 40 28.0 3.8 | 90 63.5 4.6 | 142 4.2 |
| Column | | 379 | 1035 | 1976 | 3389 |
| Total | | 11.2 | 30.5 | 58.3 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.94531 | 2 | .37808 |
| Likelihood Ratio | 2.01572 | 2 | .36500 |
| Mantel-Haenszel test for linear association | 1.94233 | 1 | .16342 |

Minimum Expected Frequency - 15.859

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .02396 | | | .37808 *1 |
| Cramer's V | .02396 | | | .37808 *1 |
| Contingency Coefficient | .02395 | | | .37808 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 18

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:53:43 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF551 DT.VERSTEHEN - REC.

Page 1 of 1

| | | RF551 | | |
|-----------|---------|---------------------|----------------------|--------------|
| | | KAUM, EIN GUT | | |
| Count | Row Pct | IGERM. | | Row |
| Col Pct | Col Pct | 1 | 2 | Total |
| SPAN | | | | |
| REST | 0 | 517 15.9 95.1 | 2725 84.1 96.0 | 3242 95.8 |
| TRIFFT ZU | 1 | 27 19.0 4.9 | 114 81.0 4.0 | 141 4.2 |
| Column | | 544 | 2839 | 3383 |
| Total | | 16.1 | 83.9 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .91370 | 1 | .33914 |
| Continuity Correction | .70358 | 1 | .40158 |
| Likelihood Ratio | .87493 | 1 | .34960 |
| Mantel-Haenszel test for linear association | .91343 | 1 | .33921 |

Minimum Expected Frequency - 22.678

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .01643 | | | .33914 *1 |
| Cramer's V | .01643 | | | .33914 *1 |
| Contingency Coefficient | .01643 | | | .33914 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 24

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:53:44 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF552 DT.SPRECHEN - REC.

RF552 Page 1 of 1

| Count | KAUM, EIN GUT | | Row |
|--------------|---------------|---------|-------|
| | Row Pct | Col Pct | |
| SPAN | 1 | 2 | Total |
| 0 | 695 | 2546 | 3241 |
| REST | 21.4 | 78.6 | 95.8 |
| | 95.7 | 95.9 | |
| 1 | 31 | 110 | 141 |
| TRIFFT ZU | 21.9 | 78.1 | 4.2 |
| | 4.3 | 4.1 | |
| Column Total | 726 | 2656 | 3382 |
| | 21.5 | 78.5 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .01967 | 1 | .88845 |
| Continuity Correction | .00126 | 1 | .97167 |
| Likelihood Ratio | .01877 | 1 | .89102 |
| Mantel-Haenszel test for linear association | .01967 | 1 | .88847 |

Minimum Expected Frequency - 30.270

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .00241 | | | .88845 *1 |
| Cramer's V | .00241 | | | .88845 *1 |
| Contingency Coefficient | .00241 | | | .88845 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 25

8-Nov-94 14:53:44 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF553 DT.SCHREIBEN - REC.

RF553 Page 1 of 1

| Count | KAUM, EIN GUT | | Row |
|--------------|---------------|---------|-------|
| | Row Pct | Col Pct | |
| SPAN | 1 | 2 | Total |
| 0 | 1103 | 2135 | 3237 |
| REST | 34.1 | 65.9 | 95.8 |
| | 95.9 | 95.8 | |
| 1 | 48 | 93 | 141 |
| TRIFFT ZU | 33.8 | 66.2 | 4.2 |
| | 4.1 | 4.2 | |
| Column Total | 1150 | 2228 | 3378 |
| | 34.0 | 66.0 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .00441 | 1 | .94703 |
| Continuity Correction | .00000 | 1 | 1.00000 |
| Likelihood Ratio | .00433 | 1 | .94754 |
| Mantel-Haenszel test for linear association | .00441 | 1 | .94704 |

Minimum Expected Frequency - 48.036

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .00114 | | | .94703 *1 |
| Cramer's V | .00114 | | | .94703 *1 |
| Contingency Coefficient | .00114 | | | .94703 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 29

8-Nov-94 14:53:45 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF554 DT.LESEN - REC.

RF554 Page 1 of 1

| Count | KAUM, EIN GUT | | Row |
|-------|---------------|---------|-------|
| | Row Pct | Col Pct | |
| SPAN | 1 | 2 | Total |
| 0 | 918 | 2318 | 3236 |
| REST | 28.4 | 71.6 | 95.8 |
| | 96.1 | 95.7 | |

| | | | | |
|--------------|---|-------------------|--------------------|---------------|
| TRIFFT ZU | 1 | 38 26.6 3.9 | 103 73.4 4.3 | 141 4.2 |
| Column Total | | 956 28.3 | 2421 71.7 | 3377 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------------|----|--------------|
| Pearson | .19983 | 1 | .65486 |
| Continuity Correction | .12360 | 1 | .72517 |
| Likelihood Ratio | .20218 | 1 | .65297 |
| Mantel-Haenszel test for linear association | .19977 | 1 | .65490 |

Minimum Expected Frequency - 39.931

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .00769 | | | .65486 *1 |
| Cramer's v | .00769 | | | .65486 *1 |
| Contingency Coefficient | .00769 | | | .65486 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 30

8-Nov-94 *** p 1.503 **ausl.jugendliche** - Jugenddaten - ***
14:53:45 *** SPANISCHE JUGENDLICHE >***

SPAN SPANIER by RF55A1 MUTTERSPR. VERSTEHEN - REC.

RF55A1 Page 1 of 1

| Count Row Pct Col Pct | KAUM, EIN GUT IGERM. | | Row Total |
|-----------------------------|-------------------------|----------------------|---------------|
| | 1 | 2 | |
| SPAN | | | |
| REST | 0 | | |
| | 448 13.9 92.5 | 2781 86.1 96.3 | 3229 95.8 |
| TRIFFT ZU | 1 | | |
| | 37 25.6 7.5 | 107 74.4 3.7 | 143 4.2 |
| Column Total | 485 14.4 | 2887 85.6 | 3372 100.0 |

| Chi-Square | Value | DF | Significance |
|---|-----------------|----|--------------|
| Pearson | 15.14595 | 1 | .00010 |
| Continuity Correction | 14.21338 | 1 | .00016 |
| Likelihood Ratio | 12.89628 | 1 | .00033 |
| Mantel-Haenszel test for linear association | 15.14146 | 1 | .00010 |

Minimum Expected Frequency - 20.583

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06702 | | | .00010 *1 |
| Cramer's V | .06702 | | | .00010 *1 |
| Contingency Coefficient | .06687 | | | .00010 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 35

8-Nov-94 *** p 1.503 **ausl.jugendliche** - Jugenddaten - ***
14:53:45 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF55A2 MUTTERSPR. SPRECHEN - REC.

RF55A2 Page 1 of 1

| Count Row Pct Col Pct | KAUM, EIN GUT IGERM. | | Row Total |
|-----------------------------|-------------------------|----------------------|---------------|
| | 1 | 2 | |
| SPAN | | | |
| REST | 0 | | |
| | 625 19.4 93.1 | 2602 80.6 96.4 | 3227 95.8 |
| TRIFFT ZU | 1 | | |
| | 46 32.3 6.9 | 97 67.7 3.6 | 143 4.2 |
| Column Total | 671 19.9 | 2699 80.1 | 3370 100.0 |

| Chi-Square | Value | DF | Significance |
|------------|-------|----|--------------|
|------------|-------|----|--------------|

| | | | |
|---|----------|---|--------|
| Pearson | 14.32433 | 1 | .00015 |
| Continuity Correction | 13.52634 | 1 | .00024 |
| Likelihood Ratio | 12.72783 | 1 | .00036 |
| Mantel-Haenszel test for linear association | 14.32008 | 1 | .00015 |

Minimum Expected Frequency - 28.513

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .06520 | | | .00015 *1 |
| Cramer's V | .06520 | | | .00015 *1 |
| Contingency Coefficient | .06506 | | | .00015 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 37

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:53:46 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF55A3 MUTTERSPR.SCHREIBEN - REC.

RF55A3 Page 1 of 1

| | Count Row Pct Col Pct | KAUM,EIN GUT | | Row Total |
|--------------|-----------------------------|--------------|------|--------------|
| | | 1 | 2 | |
| SPAN | 0 | 1200 | 2024 | 3224 |
| REST | | 37.2 | 62.8 | 95.7 |
| | | 95.6 | 95.8 | |
| TRIFFT ZU | 1 | 55 | 88 | 143 |
| | | 38.7 | 61.3 | 4.3 |
| | | 4.4 | 4.2 | |
| Column Total | | 1256 | 2111 | 3367 |
| | | 37.3 | 62.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .12854 | 1 | .71995 |
| Continuity Correction | .07301 | 1 | .78700 |
| Likelihood Ratio | .12839 | 1 | .72010 |
| Mantel-Haenszel test for linear association | .12850 | 1 | .71999 |

Minimum Expected Frequency = 53.380

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .00618 | | | .71995 *1 |
| Cramer's V | .00618 | | | .71995 *1 |
| Contingency Coefficient | .00618 | | | .71995 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 40

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:53:46 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF55A4 MUTTERSPR.LESEN - REC.

RF55A4 Page 1 of 1

| | Count Row Pct Col Pct | KAUM,EIN GUT | | Row Total |
|--------------|-----------------------------|--------------|------|--------------|
| | | 1 | 2 | |
| SPAN | 0 | 1044 | 2183 | 3228 |
| REST | | 32.4 | 67.6 | 95.8 |
| | | 95.5 | 95.9 | |
| TRIFFT ZU | 1 | 49 | 94 | 143 |
| | | 34.3 | 65.7 | 4.2 |
| | | 4.5 | 4.1 | |
| Column Total | | 1093 | 2277 | 3371 |
| | | 32.4 | 67.6 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|--------|----|--------------|
| Pearson | .24302 | 1 | .62203 |
| Continuity Correction | .16139 | 1 | .68788 |
| Likelihood Ratio | .24044 | 1 | .62389 |
| Mantel-Haenszel test for linear association | .24295 | 1 | .62209 |

Minimum Expected Frequency - 46.428

Approximate

| Statistic | Value | ASE1 | T-value | Significance |
|-------------------------|--------|------|---------|--------------|
| Phi | .00849 | | | .62203 *1 |
| Cramer's V | .00849 | | | .62203 *1 |
| Contingency Coefficient | .00849 | | | .62203 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 36

8-Nov-94 *** p 1.503 **ausl.jugendliche - jugenddaten - *****
 14:53:47 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RRF55 DEUTSCH-INDEX

Page 1 of 1

| | | RRF55 | | | | Row Total |
|--------------|-----------------------------|----------------------|---------------------|---------------------|--------------------|---------------|
| SPAN | Count Row Pct Col Pct | GUT | NUR MUEN DL.GUT | KAUM | NUR GUT VERST. | Total |
| | | 1 | 2 | 3 | 4 | |
| REST | 0 | 2077 66.4 95.8 | 450 14.4 96.6 | 468 14.9 95.0 | 135 4.3 97.0 | 3130 95.8 |
| TRIFFT ZU | 1 | 92 67.4 4.2 | 16 11.6 3.4 | 25 18.0 5.0 | 4 3.1 3.0 | 137 4.2 |
| Column Total | | 2169 66.4 | 466 14.3 | 492 15.1 | 139 4.3 | 3267 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 2.00352 | 3 | .57168 |
| Likelihood Ratio | 2.05336 | 3 | .56140 |
| Mantel-Haenszel test for linear association | .00267 | 1 | .95876 |

Minimum Expected Frequency - 5.826

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .02476 | | | .57168 *1 |
| Cramer's V | .02476 | | | .57168 *1 |
| Contingency Coefficient | .02476 | | | .57168 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 140

8-Nov-94 *** p 1.503 **ausl.jugendliche - Jugenddaten - *****
 14:53:47 *** SPANISCHE JUGENDLICHE **

SPAN SPANIER by RRF55A MUTTERSPRACHEN-INDEX

Page 1 of 1

| | | RRF55A | | | | Row Total |
|--------------|-----------------------------|----------------------|---------------------|---------------------|--------------------|---------------|
| SPAN | Count Row Pct Col Pct | GUT | NUR MUEN DL.GUT | KAUM | NUR GUT VERST. | Total |
| | | 1 | 2 | 3 | 4 | |
| REST | 0 | 1967 62.9 95.9 | 606 19.4 98.0 | 405 13.0 91.7 | 148 4.7 96.3 | 3126 95.7 |
| TRIFFT ZU | 1 | 85 60.9 4.1 | 12 8.8 2.0 | 37 26.3 8.3 | 6 4.1 3.7 | 139 4.3 |
| Column Total | | 2052 62.8 | 618 18.9 | 442 13.5 | 153 4.7 | 3265 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 25.59999 | 3 | .00001 |
| Likelihood Ratio | 23.89419 | 3 | .00003 |
| Mantel-Haenszel test for linear association | 3.36401 | 1 | .06664 |

Minimum Expected Frequency - 6.536

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .08854 | | | .00001 *1 |
| Cramer's V | .08854 | | | .00001 *1 |
| Contingency Coefficient | .08820 | | | .00001 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 142

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:53:48 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RRF55IND GESAMTSPRACH-INDEX

Page 1 of 1

| | | RRF55IND | | | | | | | Row Total | | | |
|--------------|---------|----------|----------|--------|-------|--------|------|------|-----------|----------|--------|-----|
| Count | Row Pct | BILINGUA | DT.GUT,M | MS | GUT,D | DT | GUT, | MS | GUT, | ANALPHAB | BEIDES | K |
| Col Pct | L | KOMP. | S | MUENDL | T | MUENDL | MS | KAUM | DT | KAUM | ET | AUM |
| SPAN | 0 | 1223 | 398 | 272 | 367 | 399 | 263 | 98 | 3020 | | | |
| REST | | 40.5 | 13.2 | 9.0 | 12.1 | 13.2 | 8.7 | 3.2 | 95.8 | | | |
| | | 95.7 | 97.7 | 96.6 | 93.8 | 96.3 | 97.3 | 88.5 | | | | |
| | 1 | 55 | 9 | 9 | 24 | 15 | 7 | 13 | 133 | | | |
| TRIFFT ZU | | 41.1 | 6.9 | 7.7 | 18.4 | 11.4 | 5.4 | 9.6 | 4.2 | | | |
| | | 4.3 | 2.3 | 3.4 | 6.2 | 3.7 | 2.7 | 11.5 | | | | |
| Column Total | | 1278 | 407 | 281 | 391 | 414 | 271 | 111 | 3153 | | | |
| | | 40.5 | 12.9 | 8.9 | 12.4 | 13.1 | 8.6 | 3.5 | 100.0 | | | |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 25.05238 | 6 | .00033 |
| Likelihood Ratio | 21.01578 | 6 | .00182 |
| Mantel-Haenszel test for linear association | 1.85087 | 1 | .17368 |

Minimum Expected Frequency = 4.675
 Cells with Expected Frequency < 5 - 1 OF 14 (7.1%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .08914 | | | .00033 *1 |
| Cramer's V | .08914 | | | .00033 *1 |
| Contingency Coefficient | .08878 | | | .00033 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 254

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:53:48 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 31.01 seconds CPU time; 43.01 seconds elapsed.

```

419 0 MULT RESPONSE GROUPS=F54A ERLEBTE NACHTEILE
420 0 (F54A1 TO F54A3(1,16))
421 0 RF55G GUTE DEUTSCHKENNTNISSE
422 0 (RF551 TO RF554(2))
423 0 RF55S SCHLECHTE DEUTSCHKENNTNISSE
424 0 (RF551 TO RF554(1))
425 0 RF55AG GUTE MUTTERSPR.KENNTN.
426 0 (RF55A1 TO RF55A4(2))
427 0 RF55BS SCHL.MUTTERSPR.KENNT.
428 0 (RF55A1 TO RF55A4(1))
429 0 F55B WIE DEUTSCH GELEHRT
430 0 (F55B1 TO F55B8,DUMMY(1))/
431 0 VARIABLES=SPAN(0,1) /
432 0 TABLES=SPAN BY F54A TO F55B /
433 0 STATISTICS 1 2
    
```

MULT RESPONSE requires 2192 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:54:18 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
 by F54A (group) ERLEBTE NACHTEILE

Page 1 of 2

| | | F54A | | | | | | | | | | | Row Total |
|-----------|---------|----------|----------|---------|----------|----------|----------|----------|----------|---------|----------|----------|-----------|
| Count | Row pct | VORURTEI | ANL.:ALL | ANL.:SC | ANL.:ARB | ANL.:BEH | ANL.:WOH | ANL.:OEF | ANL.:KON | EINLASS | VERST.PR | MEIDEN,H | |
| Col pct | LE | TAG | HULE | .SUCHE | OERDE | N.SUCH. | FENTL | TAKTE | VERH. | OBLEME | AENSELN | | |
| SPAN | 0 | 404 | 85 | 114 | 212 | 84 | 117 | 58 | 32 | 48 | 89 | 51 | 1260 |
| REST | | 32.1 | 6.7 | 9.0 | 16.8 | 6.6 | 9.3 | 4.6 | 2.6 | 3.8 | 7.0 | 4.1 | 96.8 |
| | | 97.3 | 94.9 | 94.3 | 97.2 | 88.4 | 97.9 | 100.0 | 93.2 | 100.0 | 97.7 | 96.2 | |
| | 1 | 11 | 5 | 7 | 6 | 11 | 3 | 0 | 2 | 0 | 2 | 2 | 42 |
| TRIFFT ZU | | 26.9 | 10.8 | 16.3 | 14.5 | 26.0 | 5.9 | .0 | 5.6 | .0 | 5.0 | 4.9 | 3.2 |
| | | 2.7 | 5.1 | 5.7 | 2.8 | 11.6 | 2.1 | .0 | 6.8 | .0 | 2.3 | 3.8 | |

| | | | | | | | | | | | | | |
|--------------|------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-------|------|
| Column Total | 416 | 89 | 121 | 218 | 95 | 119 | 58 | 35 | 48 | 91 | 53 | 121 | 1302 |
| | 31.9 | 6.9 | 9.3 | 16.7 | 7.3 | 9.2 | 4.4 | 2.7 | 3.7 | 7.0 | 4.1 | 100.0 | |

Percents and totals based on respondents

(Continued)

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:54:19 *** SPANISCHE JUGENDLICHE ***

Page 313

*** CROSSTABULATION ***

SPAN SPANIER
by F54A (group) ERLEBTE NACHTEILE

Page 2 of 2

| | | F54A | | | | | |
|--------------|---------|----------|----------|----------|----------|----------|-------|
| Count | Row pct | BESCHIMP | RASSISMU | RECHTL.P | WEISS NI | SONSTIGE | Row |
| Col pct | Col pct | PEN | S | ROBL. | CHT | S | Total |
| | | 12 | 13 | 14 | 15 | 16 | |
| SPAN | 0 | 217 | 68 | 42 | 38 | 15 | 1260 |
| REST | | 17.2 | 5.4 | 3.3 | 3.1 | 1.2 | 96.8 |
| | | 98.3 | 98.3 | 97.1 | 100.0 | 100.0 | |
| TRIFFT ZU | 1 | 4 | 1 | 1 | 0 | 0 | 42 |
| | | 9.1 | 2.8 | 3.0 | .0 | .0 | 3.2 |
| | | 1.7 | 1.7 | 2.9 | .0 | .0 | |
| Column Total | | 221 | 69 | 43 | 38 | 15 | 1302 |
| | | 16.9 | 5.3 | 3.3 | 3.0 | 1.2 | 100.0 |

Percents and totals based on respondents

1,302 valid cases; 2,105 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:54:19 *** SPANISCHE JUGENDLICHE ***

Page 314

*** CROSSTABULATION ***

SPAN SPANIER
by RF55G (tabulating 2) GUTE DEUTSCHKENNTNISSE

| | | RF55G | | | | |
|--------------|---------|----------|----------|----------|----------|-------|
| Count | Row pct | DT.VERST | DT.SPPEC | DT.SCHRE | DT.LESEN | Row |
| Col pct | Col pct | EHEN - R | HEN - RE | IBEN - R | - REC. | Total |
| | | EC. | C. | EC. | | |
| | | RF551 | RF552 | RF553 | RF554 | |
| SPAN | 0 | 2725 | 2546 | 2135 | 2318 | 2773 |
| REST | | 98.3 | 91.8 | 77.0 | 83.6 | 96.0 |
| | | 96.0 | 95.9 | 95.8 | 95.7 | |
| TRIFFT ZU | 1 | 114 | 110 | 93 | 103 | 116 |
| | | 98.1 | 94.5 | 80.2 | 88.8 | 4.0 |
| | | 4.0 | 4.1 | 4.2 | 4.3 | |
| Column Total | | 2839 | 2656 | 2228 | 2421 | 2889 |
| | | 98.3 | 91.9 | 77.1 | 83.8 | 100.0 |

Percents and totals based on respondent'S

2,889 valid cases; 518 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:54:20 *** SPANISCHE JUGENDLICHE ***

Page 315

*** CROSSTABULATION ***

SPAN SPANIER
by RF55S (tabulating 1) SCHLECHTE DEUTSCHKENNTNISSE

| | | RF55S | | | | |
|--------------|---------|----------|----------|----------|----------|-------|
| Count | Row pct | DT.VERST | DT.SPPEC | DT.SCHRE | DT.LESEN | Row |
| Col pct | Col pct | EHEN - R | HEN - RE | IBEN - R | - REC. | Total |
| | | EC. | C. | EC. | | |
| | | RF551 | RF552 | RF553 | RF554 | |
| SPAN | 0 | 517 | 695 | 1103 | 918 | 1161 |
| REST | | 44.5 | 59.8 | 95.0 | 79.1 | 96.0 |
| | | 95.1 | 95.7 | 95.9 | 96.1 | |
| TRIFFT ZU | 1 | 27 | 31 | 48 | 38 | 49 |
| | | 54.7 | 63.2 | 97.4 | 76.8 | 4.0 |
| | | 4.9 | 4.3 | 4.1 | 3.9 | |
| Column Total | | 544 | 726 | 1150 | 956 | 1210 |
| | | 44.9 | 60.0 | 95.1 | 79.0 | 100.0 |

Percents and totals based on respondents

1,210 valid cases; 2,197 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:54:20 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
 by RF55AG (tabulating 2) GUTE MUTTERSPR.KENNTN

RF55AG

| Count | Row pct | Col pct | MUTTERS | MUTTERS | MUTTERS | MUTTERS | Row Total |
|-----------|---------|---------|--------------|---------------|--------------|--------------|-----------|
| | | | R.VERSTE HEN | R.SPRECH EN - | R.SCHREI BEN | R.LESEN - RE | |
| | | | RF55A1 | RF55A2 | RF55A3 | RF55A4 | |
| SPAN | | | | | | | |
| 0 | | | 2781 | 2602 | 2024 | 2183 | 2822 |
| REST | | | 98.5 | 92.2 | 71.7 | 77.4 | 96.4 |
| | | | 96.3 | 96.4 | 95.8 | 95.9 | |
| 1 | | | 107 | 97 | 88 | 94 | 107 |
| TRIFFT ZU | | | 100.0 | 91.0 | 82.3 | 88.2 | 3.6 |
| | | | 3.7 | 3.6 | 4.2 | 4.1 | |
| Column | | | 2887 | 2699 | 2111 | 2277 | 2929 |
| Total | | | 98.6 | 92.1 | 72.1 | 77.8 | 100.0 |

Percents and totals based on respondents

2,929 valid cases; 478 missing cases

8-NOV-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:54:20 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
 by RF55BS (tabulating 1) SCHL.MUTTERSPR.KENNT

RF55BS

| Count | Row pct | Col pct | MUTTERS | MUTTERS | MUTTERS | MUTTERS | Row Total |
|-----------|---------|---------|--------------|---------------|--------------|--------------|-----------|
| | | | R.VERSTE HEN | R.SPRECH EN - | R.SCHREI BEN | R.LESEN - RE | |
| | | | RF55A1 | RF55A2 | RF55A3 | RF55A4 | |
| SPAN | | | | | | | |
| 0 | | | 448 | 625 | 1200 | 1044 | 1261 |
| REST | | | 35.6 | 49.6 | 95.2 | 82.8 | 95.6 |
| | | | 92.5 | 93.1 | 95.6 | 95.5 | |
| 1 | | | 37 | 46 | 55 | 49 | 58 |
| TRIFFT ZU | | | 62.6 | 79.1 | 94.9 | 84.1 | 4.4 |
| | | | 7.5 | 6.9 | 4.4 | 4.5 | |
| Column | | | 485 | 671 | 1256 | 1093 | 1319 |
| Total | | | 36.8 | 50.9 | 95.2 | 82.9 | 100.0 |

Percents and totals based on respondents

1,319 valid cases; 2,088 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:54:21 *** SPANISCHE JUGENDLICHE ***

*** CROSSTABULATION ***

SPAN SPANIER
 by F55B (tabulating 1) WIE DEUTSCH GELERNT

F55B

| Count | Row pct | Col pct | DTKENN.: | DTKENN.: | DTKENN.: | DTKENN.: | DTKENN.: | DTKENN.: | DTKENN.: | ROW Total | |
|-----------|---------|---------|-------------|-------------|--------------|--------------|--------------|--------------|----------------|-----------|---------|
| | | | SELBST BEIG | HK.LAND SPR | DEUTSCH LAND | DEUTSCH E FR | AUSL. F REUN | DEUTSCH L. S | ELTERN ODER ES | | SONSTIG |
| | | | F55B1 | F55B2 | F55B3 | F55B4 | F55B5 | F55B6 | F55B7 | F55B8 | DUMMY |
| SPAN | | | | | | | | | | | |
| 0 | | | 604 | 208 | 506 | 888 | 409 | 2327 | 458 | 133 | 3264 |
| REST | | | 18.5 | 6.4 | 15.5 | 27.2 | 12.5 | 71.3 | 14.0 | 4.1 | 100.0 |
| | | | 94.2 | 95.5 | 95.2 | 95.4 | 95.1 | 95.7 | 93.7 | 94.0 | 95.8 |
| 1 | | | 37 | 10 | 25 | 43 | 21 | 104 | 31 | 8 | 143 |
| TRIFFT ZU | | | 25.8 | 6.9 | 17.7 | 30.0 | 14.8 | 72.5 | 21.5 | 5.9 | 100.0 |
| | | | 5.8 | 4.5 | 4.8 | 4.6 | 4.9 | 4.3 | 6.3 | 6.0 | 4.2 |
| Column | | | 640 | 218 | 531 | 931 | 430 | 2431 | 489 | 142 | 3407 |
| Total | | | 18.8 | 6.4 | 15.6 | 27.3 | 12.6 | 71.4 | 14.3 | 4.2 | 100.0 |

Percents and totals based on respondents

3,407 valid cases; 0 missing cases

8-NOV-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:54:21 *** SPANISCHE JUGENDLICHE ***

>Warning# 3211
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which

>need positively weighted cases, but remain on the file and are processed by
>non-statistical facilities such as LIST and SAVE.

Preceding task required 24.64 seconds CPU time; 32.44 seconds elapsed.

434 0 CROSSTABS TABLES-SPAN BY F55C F56
435 0 OPTIONS 3 4
436 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
14:54:43 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F55C SPRACHE I. D. FAM.

Page 1 of 1

| | | F55C | | | Row |
|--------------|---------|---------------------|----------------------|---------------------|---------------|
| Count | Row Pct | UEBERW.D T. | UEBERW.S PRACHE | TEILS-TE ILS | Total |
| Col Pct | | 1 | 2 | 3 | |
| SPAN | | | | | |
| REST | 0 | 503 15.7 94.6 | 1907 59.6 96.6 | 791 24.7 94.6 | 3202 95.8 |
| TRIFFT ZU | 1 | 29 20.4 5.4 | 67 47.5 3.4 | 45 32.1 5.4 | 140 4.2 |
| Column Total | | 532 15.9 | 1974 59.1 | 836 25.0 | 3342 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 8.11106 | 2 | .01733 |
| Likelihood Ratio | 7.96222 | 2 | .01866 |
| Mantel-Haenszel test for linear association | .23673 | 1 | .62658 |

Minimum Expected Frequency - 22.292

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .04926 | | | .01733 *1 |
| Cramer's V | .04926 | | | .01733 *1 |
| Contingency Coefficient | .04920 | | | .01733 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 65

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ...
14:54:43 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F56 NATIONALSTOLZ

Page 1 of 1

| | | F56 | | | Row |
|--------------|---------|----------------------|---------------------|--------------------|---------------|
| Count | Row Pct | BIN STOLZ | GLEICHGU ELTIG | NICHT SO STOLZ | Total |
| Col Pct | | 1 | 2 | 3 | |
| SPAN | | | | | |
| REST | 0 | 2092 65.5 96.1 | 972 30.5 94.8 | 128 4.0 97.1 | 3192 95.7 |
| TRIFFT ZU | 1 | 85 59.9 3.9 | 53 37.4 5.2 | 4 2.7 2.9 | 142 4.3 |
| Column Total | | 2177 65.3 | 1025 30.8 | 132 3.9 | 3334 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 3.36223 | 2 | .18617 |
| Likelihood Ratio | 3.31527 | 2 | .19059 |
| Mantel-Haenszel test for linear association | .82295 | 1 | .36432 |

Minimum Expected Frequency - 5.604

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03176 | | | .18617 *1 |
| Cramer's V | .03176 | | | .18617 *1 |
| Contingency Coefficient | .03174 | | | .18617 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 73

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:54:44 *** SPANISCHE JUGENDLICHE ***

Page 322

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 16.81 seconds CPU time; 22.72 seconds elapsed.

437 0 MULT RESPONSE GROUPS=F57 SYMPH.M.AND.NATION.
 438 0 (P571 TO F5714,DUMMY(1))/
 439 0 VARIABLES=SPAN(0,1) /
 440 0 TABLES=SPAN BY P57 /
 441 0 STATISTICS 1 2

MULT RESPONSE requires 1408 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:55:07 *** SPANISCHE JUGENDLICHE ***

Page 323

*** CROSSTABULATION ***

SPAN SPANIER
 by F57 (tabulating 1) SYMPH.M.AND.NATION

Page 1 of 2

F57

| SPAN | Count Rowpct Colpct | SYMP. IT | SYMP. SC | SYMP. SP | SYMP. FR | SYMP. GR | SYMP. SC | SYMP. TU | SYMP. AM | SYMP. JU | SYMP. BR | SYMP. PO | Row Total |
|-----------|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|--------------|
| | | ALIENER | HWEIZER | ANIER | ANZOSEN | IECHEN | HWEDEEN | ERKEN | ERIKANER | GOSLAWEN | ITEN | RTUGIESE | |
| | | F571 | F572 | F573 | F574 | F575 | F576 | F577 | F578 | F579 | F5710 | F5711 | |
| 0 | | 1191 | 488 | 901 | 1005 | 688 | 248 | 443 | 897 | 415 | 260 | 342 | 3264 |
| REST | | 36.5 | 15.0 | 27.6 | 30.8 | 21.1 | 7.6 | 13.6 | 27.5 | 12.7 | 8.0 | 10.5 | 95.8 |
| | | 94.1 | 94.1 | 97.0 | 95.6 | 95.5 | 95.1 | 96.9 | 96.3 | 96.6 | 95.7 | 92.1 | |
| 1 | | 75 | 30 | 28 | 47 | 32 | 13 | 14 | 35 | 14 | 12 | 29 | 143 |
| TRIFFT ZU | | 52.6 | 21.2 | 19.8 | 32.7 | 22.6 | 8.9 | 10.0 | 24.2 | 10.1 | 8.2 | 20.4 | 4.2 |
| | | 5.9 | 5.9 | 3.0 | 4.4 | 4.5 | 4.9 | 3.1 | 3.7 | 3.4 | 4.3 | 7.9 | |
| Column | | 1267 | 519 | 929 | 1052 | 721 | 261 | 457 | 932 | 429 | 272 | 372 | 3407 |
| Total | | 37.2 | 15.2 | 27.3 | 30.9 | 21.1 | 7.7 | 13.4 | 27.4 | 12.6 | 8.0 | 10.9 | 100.0 |

Percents and totals based on respondents

(Continued)

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:55:07 *** SPANISCHE JUGENDLICHE ***

Page 324

*** CROSSTABULATION ***

SPAN SPANIER
 by F57 (tabulating 1) SYMPH.M.AND.NATION

Page 2 of 2

F57

| SPAM | Count Rowpct Colpct | SYMP. PO | SYMP. DE | SYMP. HO | Row Total |
|-----------|---------------------------|----------|----------|----------|--------------|
| | | LEN | UTSCHE | LLAENDER | |
| | | F5712 | F5713 | F5714 | DUMMY |
| 0 | | 162 | 1666 | 434 | 3264 |
| REST | | 4.9 | 51.0 | 13.3 | 100.0 |
| | | 97.6 | 96.1 | 96.0 | 95.8 |
| 1 | | 4 | 68 | 18 | 143 |
| TRIFFT ZU | | 2.7 | 47.8 | 12.6 | 100.0 |
| | | 2.4 | 3.9 | 4.0 | 4.2 |
| Column | | 165 | 1734 | 452 | 3407 |
| Total | | 4.9 | 50.9 | 13.3 | 100.0 |

Percents and totals based on respondents

3,407 valid cases; 0 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:55:07 *** SPANISCHE JUGENDLICHE ***

Page 325

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 19.28 seconds CPU time; 23.59 seconds elapsed.

442 0 CROSSTABS TABLES=SPAN BY F58 RF58A RF58B F59

443 0 OPTIONS 3 4
444 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
14:55:31 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F58 WOHNSTATUS

Page 1 of 1

| | | P58 | | | | | |
|-----------|---------|----------|----------|----------|----------|----------|-------|
| Count | | MIETWOHN | UNTERMIE | WOHNHEIM | EIGENT.W | SONSTIGE | ROW |
| Row Pct | Col Pct | UNG | TE | OHN. | S | Total | |
| | | 1 | 2 | 3 | 4 | 5 | |
| SPAN | 0 | 2870 | 102 | 73 | 162 | 12 | 3219 |
| REST | | 89.2 | 3.2 | 2.3 | 5.0 | .4 | 95.8 |
| | | 95.8 | 94.7 | 100.0 | 94.4 | 93.3 | |
| | 1 | 126 | 6 | | 10 | 1 | 142 |
| TRIFFT ZU | | 88.6 | 4.0 | | 6.7 | .6 | 4.2 |
| | | 4.2 | 5.3 | | 5.6 | 6.7 | |
| Column | | 2996 | 107 | 73 | 172 | 13 | 3361 |
| Total | | 89.1 | 3.2 | 2.2 | 5.1 | .4 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 4.48779 | 4 | .34400 |
| Likelihood Ratio | 7.45646 | 4 | .11364 |
| Mantel-Haenszel test for linear association | .12345 | 1 | .72532 |

Minimum Expected Frequency - .550
Cells with Expected Frequency < 5 - 3 OF 10 (30.0%)

| Statistic | Value | ASE† | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .03654 | | | .34400 *1 |
| Cramer's V | .03654 | | | .34400 *1 |
| Contingency Coefficient | .03652 | | | .34400 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 46

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - *.*
14:55:32 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by RF58A WOHNUNGSGROESSE IN QM

Page 1 of 1

| | | RF58A | | | | | |
|-----------|---------|----------|----------|----------|----------|----------|-------|
| Count | | BIS 20 Q | 21-40 QM | 41-60 QM | 61-80 QM | 81 U.MEH | Row |
| Row Pct | Col Pct | M | | | | R QM | |
| | | 1 | 2 | 3 | 4 | 5 | Total |
| SPAN | 0 | 1026 | 83 | 273 | 439 | 717 | 2538 |
| REST | | 40.4 | 3.3 | 10.8 | 17.3 | 28.2 | 95.9 |
| | | 97.0 | 92.0 | 95.7 | 95.2 | 95.3 | |
| | 1 | 31 | 7 | 12 | 22 | 35 | 108 |
| TRIFFT ZU | | 29.0 | 6.7 | 11.2 | 20.5 | 32.6 | 4.1 |
| | | 3.0 | 8.0 | 4.3 | 4.8 | 4.7 | |
| Column | | 1058 | 90 | 285 | 461 | 752 | 2646 |
| Total | | 40.0 | 3.4 | 10.8 | 17.4 | 28.4 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 6.24289 | 4 | .08308 |
| Likelihood Ratio | 7.78790 | 4 | .09966 |
| Mantel-Haenszel test for linear association | 3.49117 | 1 | .06170 |

Minimum Expected Frequency - 3.695
Cells with Expected Frequency < 5 - 1 OF 10 (10.0%)

| Statistic | Value | ASE† | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05581 | | | .08308 *1 |
| Cramer's V | .05581 | | | .08308 *1 |
| Contingency Coefficient | .05573 | | | .08308 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 761

SPAN SPANIER by RF58B WOHNUNGSGR&ESSE IN RAEUMEN

Page 1 of 1

| | | RP58B | | | | |
|--------------|---------|--------------------|---------------------|----------------------|---------------------|---------------|
| Count | Row Pct | 1 RAUM | 2 RAEUME | 3-4 RAEU | 5 U.MEHR RAEUME | Row Total |
| Col Pct | Col Pct | ME | | | | |
| SPAN | | 1 | 2 | 3 | 4 | |
| REST | 0 | 239 7.4 96.3 | 573 17.8 96.1 | 1871 58.2 95.4 | 533 16.6 96.1 | 3216 95.7 |
| TRIPFT ZU | 1 | 9 6.4 3.7 | 23 16.1 3.9 | 89 62.4 4.6 | 22 15.1 3.9 | 143 4.3 |
| Column Total | | 248 7.4 | 596 17.7 | 1960 58.3 | 555 16.5 | 3359 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.04810 | 3 | .78962 |
| Likelihood Ratio | 1.06140 | 3 | .78640 |
| Mantel-Haenszel test for linear association | .13428 | 1 | .71404 |

Minimum Expected Frequency - 10.581

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .01766 | | | .78962 *1 |
| Cramer's v | .01766 | | | .78962 *1 |
| Contingency Coefficient | .01766 | | | .78962 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 48

SPAN SPANIER by F59 DEUTSCHKENNTNISSE

Page 1 of 1

| | | F59 | | | | |
|--------------|---------|----------------------|---------------------|---------------------|---------------------|---------------|
| Count | RowPct | SEHR | GUT | MITTEL | SCHLECHT' | Row Total |
| Col Pct | Col Pct | | | | | |
| SPAN | | 1 | 2 | 3 | 4 | |
| REST | 0 | 1652 51.1 95.1 | 949 29.4 95.6 | 468 14.5 97.1 | 164 5.1 100.0 | 3234 95.8 |
| TRIPFT ZU | 1 | 85 59.6 4.9 | 44 30.5 4.4 | 14 9.9 2.9 | | 143 4.2 |
| Column Total | | 1738 51.4 | 993 29.4 | 482 14.3 | 164 4.9 | 3377 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 11.25836 | 3 | .01041 |
| Likelihood Ratio | 18.36433 | 3 | .00037 |
| Mantel-Haenszel test for linear association | 9.51360 | 1 | .00204 |

Minimum Expected Frequency - 6.970

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05774 | | | .01041 *1 |
| Cramer's v | .05774 | | | .01041 *1 |
| Contingency Coefficient | .05764 | | | .01041 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 30

>Warning # 321 1
 >On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 18.69 seconds CPU time; 25.18 seconds elapsed.

445 0 BREAKDOWN TABLES=F58A F58B BY SPAN

There are 4,441,568 bytes of memory available.

Given workspace allows for 32,767 cells of 1 dimensions for MEANS.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:55:58 *** SPANISCHE JUGENDLICHE ***

Page 331

- - Description of Subpopulations - -

Summaries of P58A WOHNUNGSGROESSE IN QM
 By levels of SPAN SPANIER

| Variable | Value | Label | Mean | Std Dev | Cases |
|-----------------------|-------|-----------|---------|---------|-------|
| For Entire Population | | | 40.6545 | 43.2435 | 3350 |
| SPAN | 0 | REST | 40.5013 | 43.2805 | 3209 |
| SPAN | 1 | TRIFFT ZU | 44.1417 | 42.3954 | 141 |

Total Cases - 3407
 Missing Cases - 57 or 1.7 Pct

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:55:59 *** SPANISCHE JUGENDLICHE **.

Page 332

- - Description of Subpopulations - -

Summaries of F58B WOHNUNGSGROESSE IN RAEUMEN
 By levels of SPAN SPANIER

| Variable | Value | Label | Mean | Std Dev | Cases |
|-----------------------|-------|-----------|--------|---------|-------|
| For Entire Population | | | 3.3584 | 1.3925 | 3363 |
| SPAN | 0 | REST | 3.3524 | 1.3887 | 3220 |
| SPAN | 1 | TRIFFT ZU | 3.4931 | 1.4730 | 143 |

Total Cases = 3407
 Missing Cases = 44 or 1.3 Pct

8-NOV-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:56:00 ** SPANISCHE JUGENDLICHE ***

Page 333

>Warning # 3211

>On at least one case, the value of the weight variable was zero, negative, or
 >missing. Such cases are considered missing by statistical procedures which
 >need positively weighted cases, but remain on the file and are processed by
 >non-statistical facilities such as LIST and SAVE.

Preceding task required 16.94 seconds CPU time; 25.78 seconds elapsed.

446 0 MULT RESPONSE GROUPS=F60 ANWESENDE PERSONEN
 447 0 (F601 TO F604,DUMMY(1))/
 448 0 VARIABLES=SPAN(0,1) /
 449 0 TABLES=SPAN BY F60 /
 450 0 STATISTICS 1 2

MULT RESPONSE requires 1168 bytes of workspace for execution.

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:56:22 *** SPANISCHE JUGENDLICHE **.

Page 334

*** C R O S S T A B U L A T I O N ***

SPAN SPANIER
 by F60 (tabulating 1) ANWESENDE PERSONEN

| | | F60 | | | | | Row Total |
|-----------|---------|----------|----------|----------|----------|-------|-----------|
| Count | Row pct | ANWESENH | ANWESENH | ANWESENH | ANWESENH | | |
| Col pct | | EIT PERS | EIT PERS | EIT PERS | EIT PERS | | |
| | | .. N | .. V | .. M | .. S | | |
| | | F601 | F602 | F603 | F604 | DUMMY | |
| SPAN | | | | | | | |
| REST | 0 | 1807 | 404 | 421 | 1091 | 3264 | 3264 |
| | | 55.4 | 12.4 | 12.9 | 33.4 | 100.0 | 95.8 |
| | | 95.0 | 96.0 | 96.2 | 97.5 | 95.8 | |
| TRIFFT ZU | 1 | 95 | 17 | 17 | 28 | 143 | 143 |
| | | 66.6 | 11.6 | 11.7 | 19.3 | 100.0 | 4.2 |
| | | 5.0 | 4.0 | 3.8 | 2.5 | 4.2 | |
| Column | | 1903 | 420 | 438 | 1119 | 3407 | 3407 |
| Total | | 55.8 | 12.3 | 12.8 | 32.8 | 100.0 | 100.0 |

Percents and totals based on respondents

3,407 valid cases; 0 missing cases

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:56:23 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative, or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 17.62 seconds CPU time; 23.26 seconds elapsed.

451 0 CROSSTABS TABLES=SPAN BY F60A P61 F62 ZIEHUNG F63
 452 0 OPTIONS 3 4
 453 0 STATISTICS 1 2 3

There are 4,441,568 bytes of memory available.

Memory allows for 32,767 cells with 2 dimensions for general CROSSTABS.

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:56:46 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F60A EINFLUSS AND. PERSONEN

Page 1 of 1

| | | F60A | | Row Total |
|--------------|---------|------|------|-----------|
| | | JA | NEIN | |
| Count | Row Pct | 1 | 2 | |
| Col Pct | | | | |
| SPAN | 0 | 221 | 1199 | 1420 |
| REST | | 15.6 | 84.4 | 96.8 |
| | | 98.0 | 96.6 | |
| TRIFFT ZU | 1 | 4 | 42 | 47 |
| | | 9.6 | 90.4 | 3.2 |
| | | 2.0 | 3.4 | |
| Column Total | | 225 | 1241 | 1466 |
| | | 15.4 | 84.6 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|---------|----|--------------|
| Pearson | 1.23872 | 1 | .26572 |
| Continuity Correction | .82202 | 1 | .36459 |
| Likelihood Ratio | 1.39297 | 1 | .23790 |
| Mantel-Haenszel test for linear association | 1.23788 | 1 | .26588 |

Minimum Expected Frequency - 7.167

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .02906 | | | .26572 *1 |
| Cramer's v | .02906 | | | .26572 *1 |
| Contingency Coefficient | .02905 | | | .26572 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 1941

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:56:47 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F61 INTERVIEWSPRACHE

Page 1 of 1

| | | F61 | | | | | | | Row Total |
|--------------|---------|---------|------------|-------------|--------------|---------------|----------|-----------|-----------|
| | | DEUTSCH | GRIECHISCH | ITALIENISCH | JUGOSLAWISCH | PORTUGIESISCH | SPANISCH | TUERKISCH | |
| Count | Row Pct | 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| Col Pct | | | | | | | | | |
| SPAN | 0 | 2580 | 59 | 56 | 16 | 33 | | 481 | 3224 |
| REST | | 80.0 | 1.8 | 1.7 | .5 | 1.0 | | 14.9 | 96.1 |
| | | 95.7 | 100.0 | 100.0 | 100.0 | 100.0 | | 99.3 | |
| TRIFFT ZU | 1 | 115 | | | | | 13 | 3 | 132 |
| | | 87.3 | | | | | 10.2 | 2.5 | 3.9 |
| | | 4.3 | | | | | 100.0 | .7 | |
| Column Total | | 2695 | 59 | 56 | 16 | 33 | 13 | 484 | 3357 |
| | | 80.3 | 1.8 | 1.7 | .5 | 1.0 | .4 | 14.4 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|-----------|----|--------------|
| Pearson | 349.61791 | 6 | .00000 |
| Likelihood Ratio | 121.65427 | 6 | .00000 |
| Mantel-Haenszel test for linear association | 3.28153 | 1 | .07006 |

Minimum Expected Frequency - .531
 Cells with Expected Frequency < 5 - 5 OF 14 (35.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .32274 | | | .00000 *1 |
| Cramer's V | .32274 | | | .00000 *1 |
| Contingency Coefficient | .30714 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 50

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:56:48 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F62 STAATSANG. INTERV.

Page 1 of 1

| | | F62 | | | | | | | Row Total |
|--------------|---------|---------|------------|-------------|--------------|---------------|----------|-----------|-----------|
| | | DEUTSCH | GRIECHISCH | ITALIENISCH | JUGOSLAWISCH | PORTUGIESISCH | SPANISCH | TUERKISCH | |
| Count | Row Pct | 1 | 2 | 3 | 4 | 5 | 6 | 7 | |
| Col Pct | | | | | | | | | |
| SPAN | | 2022 | 122 | 70 | 56 | 19 | 12 | 922 | 3223 |
| REST | 0 | 62.8 | 3.8 | 2.2 | 1.7 | .6 | .4 | 28.6 | 96.2 |
| | | 95.0 | 100.0 | 100.0 | 100.0 | 100.0 | 46.4 | 99.2 | |
| TRIFFT ZU | 1 | 107 | | | | | 13 | 7 | 127 |
| | | 84.1 | | | | | 10.4 | 5.5 | 3.8 |
| | | 5.0 | | | | | 51.6 | .8 | |
| Column Total | | 2129 | 122 | 70 | 56 | 19 | 26 | 929 | 3350 |
| Total | | 63.6 | 3.6 | 2.1 | 1.7 | .6 | .8 | 27.7 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|-----------|----|--------------|
| Pearson | 203.11208 | 6 | .00000 |
| Likelihood Ratio | 115.10150 | 6 | .00000 |
| Mantel-Haenszel test for linear association | 18.64355 | 1 | .00002 |

Minimum Expected Frequency - .702
 Cells with Expected Frequency < 5 - 5 OF 14 (35.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .24625 | | | .00000 *1 |
| Cramer's V | .24625 | | | .00000 *1 |
| Contingency Coefficient | .23911 | | | .00000 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 57

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:56:48 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by ZIEHUNG ZIEHUNGSMERKMAL

Page 1 of 1

| | | ZIEHUNG | | | Row Total |
|--------------|---------|---------|----------|------------|-----------|
| | | AZR | ADRESSEN | SCHNEEBALL | |
| Count | Row Pct | 1 | 2 | 3 | |
| Col Pct | | | | | |
| SPAN | | 936 | 570 | 1758 | 3264 |
| REST | 0 | 28.7 | 17.5 | 53.9 | 95.8 |
| | | 97.5 | 95.0 | 95.2 | |
| TRIFFT ZU | 1 | 24 | 30 | 89 | 143 |
| | | 16.5 | 21.1 | 62.3 | 4.2 |
| | | 2.5 | 5.0 | 4.8 | |
| Column Total | | 960 | 600 | 1847 | 3407 |
| Total | | 28.2 | 17.6 | 54.2 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|----------|----|--------------|
| Pearson | 10.07226 | 2 | .00650 |
| Likelihood Ratio | 11.14372 | 2 | .00380 |
| Mantel-Haenszel test for linear association | 7.73447 | 1 | .00542 |

Minimum Expected Frequency - 25.207

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .05437 | | | .00650 *1 |
| Cramer's V | .05437 | | | .00650 *1 |
| Contingency Coefficient | .05429 | | | .00650 *1 |

*1 Pearson chi-square probability

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:56:49 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F63 PLZ D.WOHNORTES D. BEFRAGTEN

Page 1 of 14

| | | F63 | | | | | | | | | | | | | | Row Total | | |
|-------------------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----------|---------|---------|
| | | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count |
| | | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct |
| | | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct |
| SPAN | 0 | 1000 | 1010 | 1019 | 1031 | 1062 | 1200 | 1453 | 2000 | 2036 | 2044 | 2050 | 2054 | 2058 | 2062 | 2070 | | 3264 |
| REST | 0 | 867 | 1 | 1 | 1 | 1 | 1 | 1 | 553 | 1 | 1 | | 16 | 8 | 1 | 1 | | 3264 |
| | | 26.6 | .0 | .0 | .0 | .0 | .0 | .0 | 16.9 | .0 | .0 | .0 | .5 | .2 | .0 | .0 | | 95.8 |
| | | 96.5 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 95.4 | 100.0 | 100.0 | | 94.5 | 100.0 | 100.0 | 100.0 | | 100.0 |
| SPAN | 1 | 31 | | | | | | | 27 | | | | 1 | | | | | 143 |
| TRIFFT ZU | 1 | 21.9 | | | | | | | 18.5 | | | | .6 | | | | | 4.2 |
| | | 3.5 | | | | | | | 4.6 | | | | 5.5 | | | | | |
| Column | | 898 | 1 | 1 | 1 | 1 | 1 | 1 | 579 | 1 | 1 | 1 | 17 | 8 | 1 | 1 | | 3407 |
| (Continued) Total | | 26.4 | .0 | .0 | .0 | .0 | .0 | .0 | 17.0 | .0 | .0 | .0 | .5 | .2 | .0 | .0 | | 100.0 |

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:56:49 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F63 PLZ D.WOHNORTES D. BEFRAGTEN

Page 2 of 14

| | | F63 | | | | | | | | | | | | | | Row Total | | |
|-------------------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----------|---------|---------|
| | | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count |
| | | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct |
| | | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct |
| SPAN | 0 | 2100 | 2102 | 2103 | 2110 | 2120 | 2150 | 2202 | 2358 | 2390 | 2391 | 2396 | 2800 | 2820 | 2850 | 3000 | | 3264 |
| REST | 0 | 20 | 102 | 1 | 0 | 9 | 0 | 2 | 1 | 2 | 3 | 2 | 120 | 8 | 3 | 42 | | 3264 |
| | | .6 | 3.1 | .0 | .0 | .3 | .0 | .1 | .0 | .1 | .1 | .1 | 3.7 | .2 | .1 | 1.3 | | 95.8 |
| | | 95.6 | 92.8 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 96.9 | 86.6 | 100.0 | 100.0 | | 100.0 |
| SPAN | 1 | 1 | 8 | | | | | | | | | | 4 | 1 | | | | 143 |
| TRIFFT ZU | 1 | .6 | 5.5 | | | | | | | | | | 2.7 | .8 | | | | 4.2 |
| | | 4.4 | 7.2 | | | | | | | | | | 3.1 | 13.4 | | | | |
| Column | | 21 | 109 | 1 | 0 | 9 | 0 | 2 | 1 | 2 | 3 | 2 | 124 | 9 | 3 | 42 | | 3407 |
| (Continued) Total | | .6 | 3.2 | .0 | .0 | .3 | .0 | .1 | .0 | .1 | .1 | .1 | 3.6 | .3 | .1 | 1.2 | | 100.0 |

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:56:49 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F63 PLZ D.WOHNORTES D. BEFRAGTEN

Page 3 of 14

| | | F63 | | | | | | | | | | | | | | Row Total | | |
|-------------------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----------|---------|---------|
| | | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count |
| | | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct |
| | | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct |
| SPAN | 0 | 3002 | 3008 | 3016 | 3042 | 3044 | 3047 | 3056 | 3060 | 3062 | 3065 | 3070 | 3071 | 3078 | 3079 | 3090 | | 3264 |
| REST | 0 | 1 | 2 | 1 | 1 | 1 | 2 | 4 | 2 | 2 | 2 | 49 | 1 | 1 | 2 | 1 | | 3264 |
| | | .0 | .1 | .0 | .0 | .0 | .1 | .1 | .1 | .1 | .1 | 1.5 | .0 | .0 | .1 | .0 | | 95.8 |
| | | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 96.0 | 100.0 | 100.0 | 100.0 | 100.0 | | 100.0 |
| SPAN | 1 | 1 | 1 | 1 | | | | | | | | 2 | | | | | | 143 |
| TRIFFT ZU | 1 | .0 | .0 | .9 | | | | | | | | 1.4 | | | | | | 4.2 |
| | | 100.0 | 100.0 | 100.0 | | | | | | | | 4.0 | | | | | | |
| Column | | 2 | 2 | 1 | 1 | 1 | 2 | 4 | 2 | 1 | 2 | 51 | 1 | 1 | 2 | 1 | | 3407 |
| (Continued) Total | | .0 | .0 | .0 | .0 | .0 | .1 | .1 | .1 | .0 | .1 | 1.5 | .0 | .0 | .1 | .0 | | 100.0 |

8-Nov-94 *** p 1.503 ausl.jugendliche - Jugenddaten - ***
 14:56:50 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F63 PLZ D.WOHNORTES D. BEFRAGTEN

Page 4 of 14

| | | F63 | | | | | | | | | | | | | | Row Total | | |
|-------------------|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----------|---------|---------|
| | | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count | Count |
| | | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct | Row Pct |
| | | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct | Col Pct |
| SPAN | 0 | 3100 | 3170 | 3180 | 3254 | 3470 | 3588 | 3600 | 3770 | 4000 | 4006 | 4010 | 4019 | 4020 | 4030 | 4033 | | 3264 |
| REST | 0 | 1 | 5 | 37 | 0 | 10 | 1 | 5 | 3 | 4 | 9 | 10 | 9 | 25 | 61 | 1 | | 3264 |
| | | .0 | .1 | 1.1 | .0 | .3 | .0 | .1 | .1 | .1 | .3 | .3 | .3 | .8 | 1.9 | .0 | | 95.8 |
| | | 100.0 | 100.0 | 95.3 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 75.4 | 100.0 | 100.0 | 100.0 | 87.1 | 100.0 | 100.0 | | 100.0 |
| SPAN | 1 | | | 2 | | | | | | 1 | | | | 4 | | | | 143 |
| TRIFFT ZU | 1 | | | 1.3 | | | | | | .8 | | | | 2.6 | | | | 4.2 |
| | | | | 4.7 | | | | | | 24.6 | | | | 12.9 | | | | |
| Column | | 1 | 5 | 38 | 0 | 10 | 1 | 5 | 3 | 5 | 9 | 10 | 9 | 29 | 61 | 1 | | 3407 |
| (Continued) Total | | .0 | .1 | 1.1 | .0 | .3 | .0 | .1 | .1 | .1 | .3 | .3 | .3 | .9 | 1.8 | .0 | | 100.0 |

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:56:50 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F63 PLZ D.WOHNORTES D. BEFRAGTEN

| | | | | | | | | | | | | | | | | | | | | |
|-------------|--------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--|--|---------|-------|
| TRIFFT ZU | 1 | | | | | | | | | | | | | | | | | | - 132 - | 143 |
| | | | | | | | | | | | | | | | | | | | | 4.2 |
| | | | | | | | | | | | | | | | | | | | | |
| (Continued) | Column | 2 | 1 | 23 | 1 | 5 | 1 | 0 | 0 | 3 | 1 | 7 | 11 | 9 | 23 | 0 | | | | 3407 |
| | Total | .1 | .0 | .7 | .0 | .2 | .0 | .0 | .0 | .1 | .0 | .2 | .3 | .3 | .7 | .0 | | | | 100.0 |

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - *** Page 349
 14:56:52 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F63 PLZ D.WOHNORTES D. BEFRAGTEN Page 10 of 14

| | | | | | | | | | | | | | | | | | | | |
|-------------|--------|---------|-------|-------|-------|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|-------|-------|
| | | F63 | | | | | | | | | | | | | | | | | |
| | | Count | | | | | | | | | | | | | | | | | Row |
| | | Row Pct | | | | | | | | | | | | | | | | | Total |
| | | Col Pct | | | | | | | | | | | | | | | | | |
| SPAN | | 6688 | 6780 | 6920 | 7000 | 7036 | 7080 | 7100 | 7122 | 7125 | 7130 | 7134 | 7140 | 7141 | 7148 | 7149 | | | |
| REST | 0 | 1 | 1 | 3 | 4 | 1 | 1 | 12 | 0 | 6 | 4 | 3 | 20 | 1 | 1 | 5 | | 3264 | |
| | | .0 | .0 | .1 | .1 | .0 | .0 | .4 | .0 | .2 | .1 | .1 | .6 | .0 | .0 | .1 | | 95.8 | |
| | | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 87.3 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | | |
| TRIFFT ZU | 1 | | | | | | | | | | | | | | | | | 143 | |
| | | | | | | | | | | | | | | | | | | 4.2 | |
| (Continued) | Column | 1 | 1 | 3 | 4 | 1 | 7 | 12 | 0 | 6 | 4 | 3 | 20 | 1 | 1 | 5 | | 3407 | |
| | Total | .0 | .0 | .1 | .1 | .0 | .2 | .4 | .0 | .2 | .1 | .1 | .6 | .0 | .0 | .1 | | 100.0 | |

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - *** Page 350
 14:56:53 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F63 PLZ D.WOHNORTES D. BEFRAGTEN Page 11 of 14

| | | | | | | | | | | | | | | | | | | |
|-------------|--------|---------|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|-------|
| | | F63 | | | | | | | | | | | | | | | | |
| | | Count | | | | | | | | | | | | | | | | Row |
| | | Row Pct | | | | | | | | | | | | | | | | Total |
| | | Col Pct | | | | | | | | | | | | | | | | |
| SPAN | | 7251 | 7254 | 7260 | 7270 | 7273 | 7277 | 7410 | 7451 | 7453 | 7480 | 7500 | 7513 | 7530 | 7531 | 7532 | | |
| REST | 0 | 2 | 5 | 2 | 2 | 3 | 1 | 5 | 1 | 1 | 1 | 3 | 3 | 13 | 8 | 1 | | 3264 |
| | | .1 | .2 | .1 | .1 | .1 | .0 | .1 | .0 | .0 | .0 | .1 | .1 | .4 | .2 | .0 | | 95.8 |
| | | 100.0 | 100.0 | 67.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | | |
| TRIFFT ZU | 1 | | | | | | | | | | | | | | | | | 143 |
| | | | | | | | | | | | | | | | | | | 4.2 |
| (Continued) | Column | 2 | 5 | 4 | 2 | 3 | 1 | 5 | 1 | 1 | 9 | 3 | 3 | 13 | 8 | 1 | | 3407 |
| | Total | .1 | .1 | .1 | .1 | .1 | .0 | .1 | .0 | .0 | .3 | .1 | .1 | .4 | .2 | .0 | | 100.0 |

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - *** Page 351
 14:56:53 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F63 PLZ D.WOHNORTES D. BEFRAGTEN Page 12 of 14

| | | | | | | | | | | | | | | | | | | |
|-------------|--------|---------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|-------|-------|-------|-------|--|-------|
| | | F63 | | | | | | | | | | | | | | | | |
| | | Count | | | | | | | | | | | | | | | | Row |
| | | Row Pct | | | | | | | | | | | | | | | | Total |
| | | Col Pct | | | | | | | | | | | | | | | | |
| SPAN | | 7533 | 7554 | 7580 | 7590 | 7615 | 7630 | 7710 | 7717 | 7730 | 7746 | 7800 | 7840 | 8000 | 8036 | 8047 | | |
| REST | 0 | 5 | 3 | 1 | 4 | 2 | 3 | 3 | 9 | 4 | 2 | 3 | 10 | 2 | 7 | 1 | | 3264 |
| | | .2 | .1 | .0 | .1 | .1 | .1 | .1 | .3 | .1 | .1 | .1 | .3 | .1 | .0 | .0 | | 95.8 |
| | | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 50.4 | 52.7 | 100.0 | 100.0 | 100.0 | 100.0 | | |
| TRIFFT ZU | 1 | | | | | | | | | | | | | | | | | 143 |
| | | | | | | | | | | | | | | | | | | 4.2 |
| (Continued) | Column | 5 | 3 | 1 | 4 | 2 | 3 | 3 | 9 | 4 | 5 | 5 | 10 | 2 | 1 | 1 | | 3407 |
| | Total | .2 | .1 | .0 | .1 | .1 | .1 | .1 | .3 | .1 | .1 | .2 | .3 | .1 | .0 | .0 | | 100.0 |

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - *** Page 352
 14:56:53 *** SPANISCHE JUGENDLICHE ***

SPAN SPANIER by F63 PLZ D.WOHNORTES D. BEFRAGTEN Page 13 of 14

| | | | | | | | | | | | | | | | | | | |
|-------------|--------|---------|-------|-------|-------|-------|-------|-------|------|------|-------|------|-------|-------|-------|-------|--|-------|
| | | F63 | | | | | | | | | | | | | | | | |
| | | Count | | | | | | | | | | | | | | | | Row |
| | | Row Pct | | | | | | | | | | | | | | | | Total |
| | | Col Pct | | | | | | | | | | | | | | | | |
| SPAN | | 8200 | 8262 | 8312 | 8346 | 8501 | 8588 | 8590 | 8670 | 8672 | 8684 | 8750 | 8751 | 8752 | 8754 | 8759 | | |
| REST | 0 | 1 | 6 | 2 | 1 | 1 | 1 | 2 | 8 | 6 | 2 | 32 | 1 | 11 | 1 | 1 | | 3264 |
| | | .0 | .2 | .1 | .0 | .0 | .0 | .1 | .2 | .2 | .1 | 1.0 | .0 | .3 | .0 | .0 | | 95.8 |
| | | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 87.2 | 83.2 | 100.0 | 93.9 | 100.0 | 100.0 | 100.0 | 100.0 | | |
| TRIFFT ZU | 1 | | | | | | | | | | | | | | | | | 143 |
| | | | | | | | | | | | | | | | | | | 4.2 |
| (Continued) | Column | 1 | 6 | 2 | 1 | 1 | 1 | 2 | 9 | 7 | 2 | 34 | 1 | 11 | 1 | 1 | | 3407 |
| | Total | .0 | .2 | .1 | .0 | .0 | .0 | .1 | .3 | .2 | .1 | 1.0 | .0 | .3 | .0 | .0 | | 100.0 |

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - *** Page 353

SPAN SPANIER by F63 PLZ D.WOHNORTES D. BEFRAGTEN

Page 14 of 14

| | | F63 | | | | |
|------|--------------|-------|---------|---------|-----------|-----------|
| | | Count | Row Pct | Col Pct | Row Total | Col Total |
| SPAN | 0 | 8800 | 8803 | 8807 | 8910 | 3264 |
| | REST | 0 | .1 | ? | .5 | ? |
| | | 100.0 | 100.0 | 100.0 | 100.0 | |
| | 1 | | | | | 143 |
| | TRIFFT ZU | | | | | 4.2 |
| | Column Total | 4 | 2 | 8 | 2 | 3407 |
| | | .1 | .1 | .2 | .1 | 100.0 |

| Chi-Square | Value | DF | Significance |
|---|-----------|-----|--------------|
| Pearson | 241.92819 | 198 | .01806 |
| Likelihood Ratio | 149.43817 | 198 | .99586 |
| Mantel-Haenszel test for linear association | .14007 | 1 | .70821 |

Minimum Expected Frequency = .007
 Cells with Expected Frequency < 5 = 341 OF 398 (85.7%)

| Statistic | Value | ASE1 | T-value | Approximate Significance |
|-------------------------|--------|------|---------|--------------------------|
| Phi | .26648 | | | .01806 *1 |
| Cramer's V | .26648 | | | .01806 *1 |
| Contingency Coefficient | .25749 | | | .01806 *1 |

*1 Pearson chi-square probability

Number of Missing Observations: 0

8-Nov-94 *** p 1.503 ausl.jugendliche - jugenddaten - ***
 14:56:55 *** SPANISCHE JUGENDLICHE ***

>Warning # 3211
 >On at least one case, the value of the weight variable was zero, negative or missing. Such cases are considered missing by statistical procedures which need positively weighted cases, but remain on the file and are processed by non-statistical facilities such as LIST and SAVE.

Preceding task required 21.79 seconds CPU time; 32.27 seconds elapsed.

454 0 FINISH
 454 command lines read.
 0 errors detected.
 68 warnings issued.
 1507 seconds CPU time.
 2134 seconds elapsed time.
 End of job.