

Caporale, Guglielmo Maria; Cunado, Juncal; Gil-Alana, Luis A.

Working Paper

Deterministic versus stochastic seasonal fractional integration and structural breaks

CESifo Working Paper, No. 1989

Provided in Cooperation with:

Ifo Institute – Leibniz Institute for Economic Research at the University of Munich

Suggested Citation: Caporale, Guglielmo Maria; Cunado, Juncal; Gil-Alana, Luis A. (2007) : Deterministic versus stochastic seasonal fractional integration and structural breaks, CESifo Working Paper, No. 1989, Center for Economic Studies and ifo Institute (CESifo), Munich

This Version is available at:

<https://hdl.handle.net/10419/26034>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.

DETERMINISTIC VERSUS STOCHASTIC SEASONAL
FRACTIONAL INTEGRATION AND
STRUCTURAL BREAKS

GUGLIELMO MARIA CAPORALE
JUNCAL CUNADO
LUIS A. GIL-ALANA

CESIFO WORKING PAPER NO. 1989
CATEGORY 10: EMPIRICAL AND THEORETICAL METHODS
MAY 2007

An electronic version of the paper may be downloaded

- *from the SSRN website:* www.SSRN.com
- *from the RePEc website:* www.RePEc.org
- *from the CESifo website:* www.CESifo-group.de

DETERMINISTIC VERSUS STOCHASTIC SEASONAL FRACTIONAL INTEGRATION AND STRUCTURAL BREAKS

Abstract

This paper considers a general model which allows for both deterministic and stochastic forms of seasonality, including fractional (stationary and nonstationary) orders of integration, and also incorporating endogenously determined structural breaks. Monte Carlo analysis shows that the suggested procedure performs well even in small samples, accurately capturing the seasonal properties of the series, and correctly detecting the break date. As an illustration, the model is estimated for four different US series (output, consumption, imports and exports). The results suggest that the seasonal patterns of these variables have changed over time: specifically, in the second subsample the systematic component of seasonality becomes insignificant, whilst the degree of persistence increases.

JEL Code: C22.

Keywords: deterministic and stochastic seasonality, fractional integration, structural breaks.

Guglielmo Maria Caporale
Brunel University
Uxbridge
Middlesex UB8 3PH
United Kingdom
Guglielmo-Maria.Caporale@brunel.ac.uk

Juncal Cunado
University of Navarra
Faculty of Economics
31080 Pamplona
Spain
jcunado@unav.es

Luis A. Gil-Alana
University of Navarra
Faculty of Economics
31080 Pamplona
Spain
alana@unav.es

The second- and third-named author gratefully acknowledge financial support from the Ministerio de Ciencia y Tecnologia (SEJ2005-07657), Spain.

1. Introduction

This paper analyses seasonality in the presence of structural breaks. Modelling seasonality is still a hotly debated topic in the time series literature. Hylleberg (1986) classifies seasonal models in three categories. The first includes purely deterministic seasonal models, which are characterised by seasonal dummy variables of the form:

$$y_t = \alpha + \sum_{i=1}^{s-1} \gamma_i D_{it} + u_t, \quad t = 1, 2, \dots, \quad (1)$$

where y_t is the observed time series data with s observations per year, D_{it} is a seasonal dummy adopting a value 1 if t belongs to the i^{th} period of the year and 0 otherwise, and u_t is a white noise. The definition of the seasonal dummy simply allows for the mean of the series to vary by season, and therefore it raises no statistically interesting issues. The reason for using models like (1) is that the factor that might produce the seasonal variation can be readily identified.

A second type of seasonality is the one defined in terms of a seasonal stochastic stationary process, where y_t is specified as

$$\phi(L^s) y_t = \theta(L^s) u_t, \quad t = 1, 2, \dots, \quad (2)$$

and $\phi(L^s)$ and $\theta(L^s)$ are seasonal AR and MA polynomials with all roots lying outside the unit circle. Finally, if the seasonal component is changing across time, seasonal differencing is usually adopted. In such a case, the process is said to contain seasonal unit roots, and the model is expressed as

$$(1 - L^s) y_t = u_t, \quad t = 1, 2, \dots. \quad (3)$$

Many test statistics have been developed in recent years for testing seasonal unit roots: Dickey, Hasza and Fuller (1984), Hylleberg, Engle, Granger and Yoo (1990), Tam and Reinsel (1997), etc. Nevertheless, all these types of seasonality can coexist in a single framework, which, in its more general form, can be written as:

$$y_t = \alpha + \sum_{i=1}^{s-1} \gamma_i D_{it} + x_t; \quad (1 - L^s)^d x_t = u_t; \quad \phi(L^s) u_t = \theta(L^s) \varepsilon_t \quad (4)$$

where the difference between stationary and nonstationary seasonality comes from d being equal to 0 and 1 respectively.

However, the value d in (4) is not necessarily an integer number. If d is allowed to be any real number, the process is said to be seasonally fractionally integrated, with much greater flexibility in the dynamic behaviour of the series (see Gil-Alana, 2005). The notion of a fractional Gaussian noise with seasonality was suggested by Jonas (1981) and extended in a Bayesian framework by Carlin et al. (1985) and Carlin and Dempster (1989). Porter-Hudak (1990) applied a seasonally fractionally integrated model to quarterly US monetary aggregates, and concluded that a fractional ARMA model was more appropriate than the usual ARIMA specification for these series. Other recent empirical papers on seasonal fractional integration are those of Gil-Alana and Robinson (2001) and Gil-Alana (2002).

The present study focuses on the model given by equation (4), extended to incorporate endogenously determined structural breaks. Note that fractional integration (at the zero frequency) has been recently related to structural breaks (see, e.g. Granger and Hyung, 1999; Gouriéroux and Jasiak, 2001; Diebold and Inoue, 2001; etc.), and thus we should expect a similar relationship in the presence of seasonality. The outline of the paper is as follows: Section 2 describes the procedure for estimating the parameters in the model. In Section 3 we carry out several Monte Carlo experiments to examine the finite sample behaviour of the seasonal procedure we implement. An empirical application is carried out in Section 4, while Section 5 contains some concluding comments.

2. The statistical method

In this section we present a procedure that enables us to examine the deterministic and stochastic (stationarity/nonstationarity) seasonal nature of the series of interest in a very general framework. This has a number of advantages. Firstly, instead of restricting ourselves to the standard I(0) (stationarity) or I(1) (nonstationarity) cases, we consider the possibility of fractional orders of integration. Secondly, since seasonal dummies are also included in the model along with seasonal fractional/integer differentiation, we are able to consider the models described in Section 1 as special cases within our framework. Thirdly, we allow for structural breaks, with the breakpoint(s) being endogenously determined by the model. For simplicity we start by considering the case of a single break and assume that y_t is generated as follows:

$$y_t = \alpha^{(1)} + \sum_{i=1}^{s-1} \gamma_i^{(1)} D_{it} + x_t; \quad (1 - L^s)^{d^{(1)}} x_t = u_t, \quad t = 1, \dots, T_b - 1, \quad (5)$$

$$y_t = \alpha^{(2)} + \sum_{i=1}^{s-1} \gamma_i^{(2)} D_{it} + x_t; \quad (1 - L^s)^{d^{(2)}} x_t = u_t, \quad t = T_b, \dots, T, \quad (6)$$

where the α 's and the γ 's are intercept and dummy coefficients respectively; $d^{(1)}$ and $d^{(2)}$ can be any real number and correspond to the orders of integration of each subsample, u_t is I(0), and T_b is the date of the break which is assumed to be unknown.

Note that the model in equations (5) and (6) can also be written as:

$$(1 - L^s)^{d^{(1)}} y_t = \alpha^{(1)} \tilde{1}_t(d^{(1)}) + \sum_{i=1}^{s-1} \gamma_i^{(1)} \tilde{D}_{it}(d^{(1)}) + u_t, \quad t = 1, \dots, T_b - 1, \quad (7)$$

$$(1 - L^s)^{d^{(2)}} y_t = \alpha^{(2)} \tilde{1}_t(d^{(2)}) + \sum_{i=1}^{s-1} \gamma_i^{(2)} \tilde{D}_{it}(d^{(2)}) + u_t, \quad t = T_b, \dots, T, \quad (8)$$

where $\tilde{1}_t(d^{(i)}) = (1 - L^s)^{d^{(i)}} 1$, and $\tilde{D}_{it}(d^{(i)}) = (1 - L^s)^{d^{(i)}} D_{it}$, $i = 1, 2$.

The approach adopted here is based on the least square principle. First, we choose a grid for the values of the fractionally seasonal differencing parameters $d^{(1)}$ and $d^{(2)}$, for example, $d_j^{(i)} = 0, 0.01, 0.02, \dots, 2, i = 1, 2$. Then, for a given partition $\{T_b\}$ and given $d_o^{(1)}, d_o^{(2)}$ -initial values, we estimate the α 's and the γ 's by minimising the sum of squared residuals,

$$\min \sum_{t=1}^{T_b} \left[(1-L^s)^{d_o^{(1)}} y_t - \alpha^{(1)} \tilde{I}_t(d_o^{(1)}) - \sum_{i=1}^{s-1} \gamma_i^{(1)} \tilde{D}_{it}(d_o^{(1)}) \right]^2 +$$

$$w.r.t \left(\alpha^{(1)} \alpha^{(2)} \gamma_i^{(1)} \gamma_i^{(2)} \right)$$

$$\sum_{t=T_b+1}^T \left[(1-L^s)^{d_o^{(2)}} y_t - \alpha^{(2)} \tilde{I}_t(d_o^{(2)}) - \sum_{i=1}^{s-1} \gamma_i^{(2)} \tilde{D}_{it}(d_o^{(2)}) \right]^2$$

for uncorrelated u_t , or, alternatively, using GLS for weakly autocorrelated disturbances.

Let $\hat{\alpha}(T_b; d_o^{(1)}, d_o^{(2)})$ and $\hat{\gamma}(T_b; d_o^{(1)}, d_o^{(2)})$ denote the resulting estimates for partition $\{T_b\}$ and initial values $d_o^{(1)}$ and $d_o^{(2)}$. Substituting these estimated values in the objective function, we obtain $RSS(T_b; d_o^{(1)}, d_o^{(2)})$, and minimising this expression for all values of d_{1o} and d_{2o} in the grid we obtain:

$$RSS(T_b) = \arg \min_{\{i, j\}} RSS(T_b; d_i^{(1)}, d_j^{(2)}).$$

Then, the estimated break date, \hat{T}_k , is such that

$$\hat{T}_k = \arg \min_{i=1, \dots, m} RSS(T_i),$$

where the minimisation is over all partitions T_1, T_2, \dots, T_m , such that $T_i - T_{i-1} \geq |\epsilon T|$. The regression parameter estimates are the associated least-squares estimates of the estimated k -partition, i.e., $\hat{\alpha}^{(i)} = \alpha^{(i)}(\{\hat{T}_k\})$, $\hat{\gamma}_k^{(i)} = \gamma_k^{(i)}(\{\hat{T}_k\})$, and their corresponding differencing parameters, $\hat{d}^{(i)} = d^{(i)}(\{\hat{T}_k\})$, for $i = 1$ and 2 .

The model can be extended to the case of multiple breaks by considering the following specification:

$$y_t = \alpha^{(j)} + \sum_{i=1}^{s-1} \gamma_i^{(j)} D_{it} + x_t; \quad (1 - L^s)^{d^{(j)}} x_t = u_t, \quad t = T_{j-1}+1, \dots, T_j,$$

for $j = 1, \dots, m+1$, $T_0 = 0$ and $T_{m+1} = T$. Then, the parameter m is the number of changes. The break dates (T_1, \dots, T_m) are explicitly treated as unknown and for $i = 1, \dots, m$, we have $\lambda_i = T_i/T$, with $\lambda_1 < \dots < \lambda_m < 1$. Following the same procedure as before, for each j -partition, $\{T_1, \dots, T_j\}$, denoted $\{T_j\}$, the associated least-squares estimates of $\alpha^{(j)}$, $\gamma_i^{(j)}$ and the $d^{(j)}$ are obtained by minimising the sum of squared residuals in the $d^{(j)}$ -differenced models, i.e.,

$$\sum_{j=1}^{m+1} \sum_{t=T_{j-1}+1}^{T_j} \left[(1 - L^s)^{d^{(j)}} y_t - \alpha^{(j)} \tilde{1}_t(d^{(j)}) - \sum_{i=1}^{s-1} \gamma_i^{(j)} \tilde{D}_{it}(d^{(j)}) \right]^2,$$

where $\hat{\alpha}(T_j)$, $\hat{\gamma}_i(T_j)$ and $\hat{d}(T_j)$ denote the resulting estimates. Substituting them in the new objective function and denoting the sum of squared residuals as $RSS_T(T_1, \dots, T_m)$, the estimated break dates $(\hat{T}_1, \hat{T}_2, \dots, \hat{T}_m)$ are obtained by

$$\min_{(T_1, T_2, \dots, T_m)} RSS_T(T_1, \dots, T_m)$$

where the minimisation is again obtained over all partitions (T_1, \dots, T_m) .

3. A Monte Carlo simulation study

This section examines the finite-sample behaviour of the procedure described in Section 2 by means of Monte Carlo simulations. We generate Gaussian series using the routines GASDEV and RAN3 of Press, Flannery, Teukolsky and Wetterling (1986), with 10,000 replications in each case.

First, we consider the following data generating process:

$$y_t = 1 + 3D_{1t} + 2D_{2t} + 5D_{3t} + x_t; \quad (1 - L^4)^{d^{(1)}} x_t = u_t; \quad t = 1, 2, \dots, T_b - 1,$$

$$y_t = 0.1 + 0.3D_{1t} + 2D_{2t} + 0.5D_{3t} + x_t; \quad (1 - L^4)^{d^{(2)}} x_t = u_t; \quad t = T_b, T_b + 1, \dots, T,$$

with $d^{(1)} = 0.3$, $d^{(2)} = 0.7$ and $T_b = T/2$, and follow the procedure described in Section 2

for $\left(d_j^{(i)}\right)_{i=1,2}$ – values equal to 0, 0.1, 0.2, ..., 0.9 and 1, with the estimated break dates

$$T^* = T/10, T/10 + 1, \dots, 9T/10 - 1, 9T/10.$$

Table 1 displays the percentage of cases when the breakpoint is correctly determined for different sample sizes. It can be seen that, even for a small sample size ($T = 120$), the procedure correctly detects the break date in a large percentage of cases (47.6%); this percentage rises to 81.8% when one time period before and after the break is included. Increasing the sample size the method becomes more accurate – for $T = 720$, with the percentage of cases when the break date is correctly determined being equal to 98.5%.

TABLE 1				
Probabilities of detecting the break date $T_b = T/2$				
	T = 120	T = 240	T = 480	T = 720
$T/2 - 5$	0.013	0.004	0.000	0.000
$T/2 - 4$	0.016	0.007	0.001	0.000
$T/2 - 3$	0.025	0.010	0.003	0.000
$T/2 - 2$	0.045	0.021	0.006	0.001
$T/2 - 1$	0.270	0.084	0.041	0.012
$T/2$	0.476	0.651	0.942	0.985
$T/2 + 1$	0.072	0.019	0.007	0.002
$T/2 + 2$	0.062	0.003	0.000	0.000
$T/2 + 3$	0.008	0.001	0.000	0.000
$T/2 + 4$	0.012	0.000	0.000	0.000
$T/2 + 5$	0.001	0.000	0.000	0.000

TABLE 2					
Probabilities of detecting the parameters in the model $T_b = T/2$, $d^{(1)} = 0.3$ and $d^{(2)} = 0.7$					
$d^{(1)}$	$d^{(2)}$	T = 120	T = 240	T = 480	T = 720
0.1	0.4	0.001	0.000	0.000	0.000
0.1	0.5	0.006	0.002	0.000	0.000
0.1	0.6	0.020	0.017	0.003	0.001
0.1	0.7	0.026	0.037	0.009	0.003
0.1	0.8	0.012	0.012	0.002	0.000
0.2	0.4	0.001	0.000	0.000	0.000
0.2	0.5	0.008	0.001	0.000	0.000
0.2	0.6	0.047	0.102	0.065	0.014
0.2	0.7	0.094	0.103	0.096	0.026
0.2	0.8	0.031	0.060	0.037	0.008
0.3	0.4	0.001	0.000	0.000	0.000
0.3	0.5	0.013	0.003	0.000	0.000
0.3	0.6	0.066	0.101	0.090	0.054
0.3	0.7	0.093	0.306	0.569	0.858
0.3	0.8	0.026	0.059	0.044	0.017
0.4	0.5	0.002	0.000	0.000	0.000
0.4	0.6	0.010	0.016	0.007	0.001
0.4	0.7	0.012	0.023	0.018	0.003
0.4	0.8	0.004	0.008	0.002	0.000
0.4	0.9	0.001	0.000	0.000	0.000
0.5	0.6	0.001	0.001	0.000	0.000
0.5	0.7	0.001	0.000	0.000	0.000

Table 2 focuses on the values for the fractional differencing parameters when T^* is correctly assumed to be T_b . One can see that in this case, if the sample size is small ($T = 120$), the probability of correctly determining the seasonal fractional differencing

parameters is very small (9.3%) and the highest value (9.4%) corresponds to the close alternative $d^{(1)} = 0.2$ and $d^{(2)} = 0.7$. However, when increasing the sample size, the highest probabilities correspond to the true values, being higher than 85% for $T = 720$. For this size the closest departures are $d^{(1)} = 0.3$ and $d^{(2)} = 0.6$ (5.4%), and $d^{(1)} = 0.3$ and $d^{(2)} = 0.8$ (1.7%).

TABLE 3				
Probabilities of detecting the break date $T_b = T/4$				
	T = 120	T = 240	T = 480	T = 720
T/4 – 7	0.002	0.001	0.000	0.000
T/4 – 6	0.006	0.003	0.000	0.000
T/4 – 5	0.009	0.006	0.002	0.000
T/4 – 4	0.003	0.004	0.001	0.000
T/4 – 3	0.021	0.012	0.003	0.000
T/4 – 2	0.053	0.051	0.007	0.002
T/4 – 1	0.143	0.130	0.019	0.005
T/4	0.565	0.659	0.943	0.991
T/4 + 1	0.114	0.083	0.013	0.002
T/4 + 2	0.043	0.032	0.008	0.000
T/4 + 3	0.015	0.007	0.003	0.000
T/4 + 4	0.007	0.007	0.001	0.000
T/4 + 5	0.002	0.001	0.000	0.000
T/4 + 6	0.002	0.001	0.000	0.000
T/4 + 7	0.002	0.001	0.000	0.000
T/4 + 8	0.007	0.001	0.000	0.000
T/4 + 9	0.004	0.001	0.000	0.000
T/4 + 10	0.002	0.000	0.000	0.000

TABLE 4

Probabilities of detecting the parameters in the model $T_b = T/4$, $d^{(1)} = 0.8$ and $d^{(2)} = 0.4$

$d^{(1)}$	$d^{(2)}$	T = 120	T = 240	T = 480	T = 720
0.5	0.2	0.006	0.000	0.000	0.000
0.5	0.3	0.011	0.002	0.000	0.000
0.5	0.4	0.014	0.002	0.000	0.000
0.5	0.5	0.005	0.000	0.000	0.000
0.6	0.1	0.002	0.000	0.000	0.000
0.6	0.2	0.011	0.005	0.001	0.000
0.6	0.3	0.015	0.004	0.000	0.000
0.6	0.4	0.017	0.006	0.006	0.000
0.6	0.5	0.022	0.009	0.007	0.000
0.7	0.1	0.003	0.000	0.000	0.000
0.7	0.2	0.011	0.004	0.002	0.000
0.7	0.3	0.034	0.020	0.013	0.002
0.7	0.4	0.050	0.032	0.099	0.007
0.7	0.5	0.022	0.031	0.025	0.003
0.7	0.6	0.006	0.001	0.000	0.000
0.8	0.1	0.003	0.000	0.000	0.000
0.8	0.2	0.018	0.024	0.011	0.001
0.8	0.3	0.060	0.044	0.095	0.087
0.8	0.4	0.090	0.292	0.477	0.850
0.8	0.5	0.024	0.040	0.062	0.015
0.8	0.6	0.007	0.002	0.000	0.000
0.9	0.1	0.003	0.002	0.000	0.000
0.9	0.2	0.015	0.008	0.003	0.000
0.9	0.3	0.037	0.033	0.024	0.004
0.9	0.4	0.048	0.029	0.088	0.012
0.9	0.5	0.016	0.021	0.020	0.010
0.9	0.5	0.002	0.001	0.000	0.000
1.0	0.2	0.001	0.000	0.010	0.000
1.0	0.3	0.009	0.001	0.000	0.000
1.0	0.4	0.012	0.003	0.000	0.000
1.0	0.5	0.001	0.000	0.000	0.000

Tables 3 and 4 are similar to Tables 1 and 2 and concern the same DGP as before, but with $d^{(1)} = 0.8$, $d^{(2)} = 0.4$, and $T_b = T/4$. It is apparent that the probability of correctly determining the break date is slightly higher than in the previous case, though with a larger dispersion across T^* (see Table 3). Once more the procedure becomes more accurate as the sample size increases. Focusing now on the fractional differencing parameters (Table 4), we find that, even for the smallest sample size ($T = 120$), the highest probability (9%) corresponds to the true values of the d parameters, and again it increases with T .

4. An empirical application


The time series analysed in this section are US Gross Domestic Product (GDP), Personal Consumption Expenditure (PCE) and exports and imports of goods and services, quarterly, seasonally unadjusted, for the time period 1947Q1 – 2005Q4, obtained from the National Economic Accounts, US Department of Commerce, Bureau of Economic Analysis (BEA).

Figure 1 contains the plots of the four raw series. Visual inspection suggests that all them are nonstationary and trending upwards. Unit root tests (Dickey and Fuller, 1979; Phillips and Perron, 1988) on the log-transformed series produce in all cases strong evidence in favour of unit roots. Thus, in the following analysis, we focus on the first differences of the log-transformed data (the growth rate of the series). These appear to be stationary (see Figure 2).


FIGURE 1

Raw time series (US National Accounts)


Gross Domestic Product




Personal Consumption Expenditures




Exports of Goods and Services



Imports of Goods and Services





Next, we perform the procedure described in Section 2. Specifically, we consider models of the type given by (5) and (6) with $s = 4$, i.e.,

$$y_t = \alpha^{(1)} + \gamma_1^{(1)} D_{1t} + \gamma_2^{(1)} D_{2t} + \gamma_3^{(1)} D_{3t} + x_t; \quad (1 - L^4)^{d^{(1)}} x_t = u_t, \quad t = 1, \dots, T_b - 1,$$

$$y_t = \alpha^{(2)} + \gamma_1^{(2)} D_{1t} + \gamma_2^{(2)} D_{2t} + \gamma_3^{(2)} D_{3t} + x_t; \quad (1 - L^4)^{d^{(2)}} x_t = u_t, \quad t = T_b, \dots, T,$$

and estimate all the parameters for the three cases of white noise u_t , (in Table 5), AR(1) u_t (in Table 6) and a seasonal (stationary) AR(1) process of the form: $u_t = \rho u_{t-4} + \varepsilon_t$, with white noise ε_t (in Table 3). Note that, although we do not explicitly provide confidence

intervals for the fractional differencing parameters in the procedure presented in Section 2, they can be obtained by using Robinson's (1994) univariate tests (specifically designed for the seasonal case) for each subsample. These values are also displayed in the tables.

Overall, the results suggest that the seasonal patterns in the quarterly time series under examination are not constant for the whole period, if a structural break is taken into account. Starting with the results based on white noise u_t , we find that for GDP and PCE the break takes place at 1981Q1 and the two series behave very similarly: $d^{(1)}$ (the order of integration for the first subsample) is 0.49 for GDP and 0.48 for PCE, while $d^{(2)}$ is equal to 0.80 for both series, and the unit root null hypothesis cannot be rejected for these two series in the second subsample. Therefore, there is an increase in the degree of persistence after the break. It is interesting to note that the seasonal dummy variables are statistically significant in both cases before the break, implying the presence of a systematic component. On the contrary, after the break most of the dummies are insignificant, indicating a decrease in the relevance of the systematic component of the seasonality in these series. As suggested by van Dijk et al. (2001), this decrease could be due to the use of "just-in-time" techniques that have affected the seasonal cycle in inventory investment.

TABLE 5					
Estimates of the parameter coefficients: White noise case					
		GDP	PCE	EXPORTS	IMPORTS
First Subsample	$d^{(1)}$	0.49 (0.17, 0.62)	0.48 (0.15, 0.59)	-0.07 (-0.37, 0.12)	-0.11 (-0.34, 0.19)
	$\alpha^{(1)}$	-0.0834 (-7.05)	-0.0840 (-7.06)	0.0380 (-3.48)	0.0374 (1.31)
	$\gamma_1^{(1)}$	0.1171 (7.01)	0.1191 (7.09)	0.1167 (7.65)	-0.0518 (-1.35)
	$\gamma_2^{(1)}$	0.0980 (5.86)	0.0947 (5.63)	-0.0630 (-4.13)	-0.0476 (-1.24)
	$\gamma_3^{(1)}$	0.1469 (8.79)	0.1492 (8.87)	0.1028 (6.67)	-0.0434 (-1.13)
Time of the break		1981Q1	1981Q1	1970Q4	1953Q1
Second Subsample	$d^{(2)}$	0.80 (0.56, 1.01)	0.80 (0.44, 1.00)	0.39 (0.17, 0.63)	0.28 (0.05, 0.37)
	$\alpha^{(2)}$	0.0104 (1.97)	0.0105 (1.92)	0.0105 (0.74)	-0.0188 (-1.38)
	$\gamma_1^{(2)}$	0.0173 (2.27)	0.0176 (2.30)	0.0136 (0.67)	0.0724 (3.66)
	$\gamma_2^{(2)}$	0.0118 (1.54)	0.0116 (1.52)	-0.0385 (-1.89)	0.0173 (0.87)
	$\gamma_3^{(2)}$	0.0061 (0.80)	0.0059 (0.78)	0.0194 (0.95)	-0.0131 (-0.66)

Moving on to exports of goods and services, the break is found to occur at 1970Q4, with the order of integration of the first subsample being negative (-0.07) and $d^{(2)}$ being equal to 0.39. For this series the I(0) hypothesis cannot be rejected in the first subsample, while both the I(0) and I(1) hypotheses are rejected after the break. Once again the dummies are only significant in the first subsample. Finally, for imports, $T_b = 1953Q1$, $d^{(1)} = 0.11$ and $d^{(2)} = 0.28$, the I(0) hypothesis cannot be rejected in the first subsample, and practically all dummies are insignificant.

Next, we allow for weak dependence in the error term. Specifically, in Table 6 u_t is assumed to be AR(1). The results are fairly similar to those presented above for the white noise case. More in detail, for GDP and PCE the break takes place at the end of the 1970s/beginning of the 1980s, the orders of integration being around 0.5 for the first subsample and close to 0.8 after the break, the unit root null is not rejected in the second subsample and the dummy variables are only statistically significant in the first subsample. Also, note that the AR coefficients are in all cases positive but small. For exports the findings are to some extent different. The break date is now 1952Q4, the order of integration before the break is substantially smaller than previously and significantly different from zero ($d^{(1)} = -0.74$), and all the dummy variables are now significant. For imports, there are no big differences compared to the white noise case. The break date is the same (1953Q1), $d^{(1)}$ is slightly negative (-0.18) and $d^{(2)}$ is positive (0.27), and both are statistically significant.

TABLE 6					
Estimates of the parameter coefficients: AR(1) case					
		GDP	PCE	EXPORTS	IMPORTS
First Subsample	$d^{(1)}$	0.50 (0.22, 0.71)	0.49 (0.24, 0.80)	-0.74 (-0.94, -0.13)	-0.18 (-0.55, -0.02)
	$\alpha^{(1)}$	-0.0849 (-7.15)	-0.0842 (-7.07)	0.0118 (-0.96)	0.0365 (1.41)
	$\gamma_1^{(1)}$	0.1206 (7.18)	0.1193 (7.09)	0.0405 (2.56)	-0.0499 (-1.45)
	$\gamma_2^{(1)}$	0.0983 (5.85)	0.0945 (5.63)	-0.1058 (-6.69)	-0.0458 (-1.33)
	$\gamma_3^{(1)}$	0.1478 (8.79)	0.1491 (8.87)	0.0340 (1.95)	-0.0422 (-1.22)
	AR coeff.	0.271	0.158	0.574	0.290
Time of the break		1979Q2	1981Q1	1952Q4	1953Q1
Second Subsample	$d^{(2)}$	0.73 (0.52, 1.02)	0.83 (0.56, 1.04)	0.31 (0.05, 0.44)	0.27 (0.05, 0.41)
	$\alpha^{(2)}$	0.0071 (1.06)	0.0112 (1.83)	-0.0166 (-1.08)	-0.0200 (-1.55)
	$\gamma_1^{(2)}$	0.0206 (2.40)	0.0172 (2.25)	0.0622 (2.80)	0.0740 (3.93)
	$\gamma_2^{(2)}$	0.0099 (1.16)	0.0114 (1.49)	-0.0448 (-2.02)	0.0191 (1.01)
	$\gamma_3^{(2)}$	0.0200 (2.34)	0.0055 (0.71)	0.0593 (2.68)	-0.0117 (-0.62)
	AR coeff.	0.341	0.231	-0.198	0.026

TABLE 7					
Estimates of the parameter coefficients: Seasonal AR(1) case					
		GDP	PCE	EXPORTS	IMPORTS
First Subsample	$D^{(1)}$	0.61 (0.45, 0.72)	0.57 (0.41, 0.70)	-0.99 (-1.42, -0.17)	0.28 (-0.14, 0.43)
	$\alpha^{(1)}$	-0.0833 (-5.92)	-0.0084 (-6.11)	0.0168 (-5.83)	0.0381 (0.95)
	$\gamma_1^{(1)}$	0.1194 (6.01)	0.1218 (6.26)	0.0759 (19.76)	-0.0289 (-0.52)
	$\gamma_2^{(1)}$	0.1047 (5.27)	0.0988 (5.07)	-0.0853 (-20.93)	-0.0528 (-0.95)
	$\gamma_3^{(1)}$	0.1581 (7.95)	0.1585 (8.14)	0.0769 (18.89)	-0.0420 (-0.76)
	S. AR coeff.	-0.282	-0.214	0.527	-0.607
Time of the break		1981Q1	1981Q1	1958Q3	1954Q1
Second Subsample	$d^{(2)}$	0.84 (0.64, 1.13)	0.84 (0.64, 1.11)	0.31 (0.13, 0.39)	0.40 (0.27, 0.61)
	$\alpha^{(2)}$	0.0118 (1.92)	0.0119 (1.94)	-0.0026 (-0.16)	-0.0105 (-0.60)
	$\gamma_1^{(2)}$	0.0166 (2.17)	0.0169 (2.20)	0.0466 (1.98)	0.0650 (2.61)
	$\gamma_2^{(2)}$	0.0113 (1.68)	0.0112 (1.66)	-0.0507 (-2.16)	0.0053 (0.21)
	$\gamma_3^{(2)}$	0.0052 (0.68)	0.0050 (0.65)	0.0421 (1.79)	-0.0148 (-0.59)
	S. AR coeff.	-0.104	-0.105	-0.163	-0.265

Finally, we also consider the case of stationary seasonal autoregressions for the error term. This is the most general specification, since it includes in a single framework the three types of seasonality, that is, deterministic seasonality (through the dummy variables), stochastic stationary seasonality (through the seasonal AR coefficients), and fractional/integer differentiation. In Table 7 u_t is assumed to follow a seasonal AR(1)

process. The results are consistent with those presented in the earlier tables. For GDP and PCE the break occurs at 1981Q4, and the orders of integration are around 0.6 before the break, and around 0.8 after that date. The seasonal dummy variables are now all significant for both series in both subsamples. For exports, the most important result is that $d^{(1)}$ is close to 1 (-0.99), implying then that the original series is $I(0)$ in the first subsample, with seasonality being captured by a combination of deterministic and stationary stochastic AR components. Finally, for imports the break occurs at 1954Q1, both orders of integration are positive and higher after the break, and there is no evidence of deterministic seasonality.

5. Conclusions

This paper considers a general model which allows for both deterministic and stochastic forms of seasonality, including fractional (stationary and nonstationary) orders of integration, and also incorporating endogenously determined structural breaks. Monte Carlo analysis shows that the suggested procedure performs well even in small samples, accurately capturing the seasonal properties of the series, and correctly detecting the break date. As an illustration, the model is estimated for four different US series (output, consumption, imports and exports). The results can be summarised as follows. First, we find evidence of a structural break in all the series, with the seasonal pattern changing over time. Second, the systematic component of the seasonality, captured by the seasonal dummies, becomes insignificant in the last period of the sample, while the persistence of the series increases. The decrease in the seasonal amplitude of the series might reflect technological change, changes in institutions or habits, such as the use of the "just-in-time" production techniques (see van Dijk et al., 2001). The fact that the

seasonal patterns of the series tend to change over time raises the question of the consequences of using seasonally adjusted series in macroeconomic modelling.

This paper can be extended in several directions. First, other deterministic linear or even non-linear models can be included in the regression models (4) and (5), and the estimation can be carried out adopting the same procedure described here. Second, confidence intervals directly based on our procedure can be obtained using bootstrapping methods, although these are highly computationally intensive, especially if the sample size is large. Another possible extension is to consider different degrees of seasonal integration at each of the frequencies for each subsample. Note that the polynomial $(1 - L^4)$ can be decomposed into $(1 - L)(1 + L)(1 + L^2)$, and therefore using the polynomial $(1 - L^4)^d$ implies that the same order of integration d is imposed at all frequencies. However, a problem with this approach is that it is even more computationally intensive, given the greater number of values required in the grid-search procedure.

References

- Carlin, J. B. and A. P. Dempster, 1989, Sensitivity analysis of seasonal adjustments: Empirical cases studies, *Journal of the American Statistical Association* 84, 6-20.
- Carlin, J. B., A. P. Dempster and A. B. Jonas, 1985, On methods and moments for Bayesian time series analysis, *Journal of Econometrics* 30, 67-90.
- Dickey, D. A. and W. A. Fuller, 1979, Distribution of the estimators for autoregressive time series with a unit root, *Journal of the American Statistical Association* 74, 427-431.
- Dickey, D.A., D.P. Hasza and W.A. Fuller, 1984, Testing for unit roots in seasonal time series, *Journal of the American Statistical Association* 79, 355-367.
- Diebold, F. And A. Inoue, 2001, Long memory and regime switching, *Journal of Econometrics* 105, 131-159.
- Gil-Alana, L.A., 2002, Seasonal long memory in the aggregate output, *Economics Letters* 74, 333-337.
- Gil-Alana, L.A., 2005, Deterministic seasonality versus seasonal fractional integration, *Journal of Statistical Planning and Inference* 134, 445-461.
- Gil-Alana, L.A. and P.M. Robinson, 2001, Testing of seasonal fractional integration in the UK and Japanese consumption and income, *Journal of Applied Econometrics* 16, 95-114.
- Gourieroux, C. and J. Jasiak, 2001, Memory and infrequent breaks, *Economics Letters* 70, 29-41.
- Granger, C.W.J. and N. Hyung, 1999, Occasional structural breaks and long memory, Discussion Paper 99-14, University of California, San Diego.
- Hylleberg, S., 1986, *Seasonality in regression*, Academic Press, New York, NY.
- Hylleberg, S., R. F. Engle, C. W. J. Granger and B. S. Yoo, 1990, Seasonal integration and cointegration, *Journal of Econometrics* 44, 215-238.

- Jonas, A. B., 1981, Long memory self similar time series models, unpublished manuscript, Harvard University, Department of Statistics.
- Phillips, P.C.B. and P. Perron, 1988, Testing for a unit root in a time series regression, *Biometrika* 75, 335-346.
- Porter-Hudak, S., 1990, An application of the seasonal fractionally differenced model to the monetary aggregate, *Journal of the American Statistical Association* 85, 338-344.
- Press, W.H., B.P. Flannery, S.A. Teukolsky and W.T. Wetterling, 1986, *Numerical recipes: The Art of Scientific Computing*, Cambridge University Press, Cambridge.
- Robinson, P.M., 1994, Efficient tests of nonstationary hypotheses, *Journal of the American Statistical Association* 89, 1420-1437.
- Tam, W. and G. C. Reinsel, 1997, Tests for seasonal moving average unit root in ARIMA models, *Journal of the American Statistical Association* 92, 725-738.
- Van Dijk, D., Strikholm, B. and Teräsvirta, T., 2001, The Effects of institutional and technological change and business cycle fluctuations on seasonal patterns in quarterly industrial production series, *Econometric Institute Report EI 2001-12*.

CESifo Working Paper Series

(for full list see www.cesifo-group.de)

- 1924 Adrian Pagan and M. Hashem Pesaran, On Econometric Analysis of Structural Systems with Permanent and Transitory Shocks and Exogenous Variables, February 2007
- 1925 Hans-Werner Sinn, The Welfare State and the Forces of Globalization, February 2007
- 1926 Michael Smart, Raising Taxes through Equalization, February 2007
- 1927 Øystein Fosros, Kåre P. Hagen and Hans Jarle Kind, Price-Dependent Profit Sharing as an Escape from the Bertrand Paradox, February 2007
- 1928 Balázs Égert, Kirsten Lommatzsch and Amina Lahrèche-Révil, Real Exchange Rates in Small Open OECD and Transition Economies: Comparing Apples with Oranges?, February 2007
- 1929 Aleksander Berentsen and Cyril Monnet, Monetary Policy in a Channel System, February 2007
- 1930 Wolfgang Ochel, The Free Movement of Inactive Citizens in the EU – A Challenge for the European Welfare State?, February 2007
- 1931 James K. Hammitt and Nicolas Treich, Statistical vs. Identified Lives in Benefit-Cost Analysis, February 2007
- 1932 Wilhelm Kohler, The Bazaar Effect, Unbundling of Comparative Advantage, and Migration, February 2007
- 1933 Karsten Staehr, Fiscal Policies and Business Cycles in an Enlarged Euro Area, February 2007
- 1934 Michele Bernasconi and Paola Profeta, Redistribution or Education? The Political Economy of the Social Race, March 2007
- 1935 Axel Dreher, Martin Gassebner and Lars-H. R. Siemers, Does Terror Threaten Human Rights? Evidence from Panel Data, March 2007
- 1936 Naércio Aquino Menezes Filho and Marc-Andreas Muendler, Labor Reallocation in Response to Trade Reform, March 2007
- 1937 Gebhard Flaig and Timo Wollmershaeuser, Does the Euro-zone Diverge? A Stress Indicator for Analyzing Trends and Cycles in Real GDP and Inflation, March 2007
- 1938 Michael Funke and Michael Paetz, Environmental Policy Under Model Uncertainty: A Robust Optimal Control Approach, March 2007

- 1939 Byeongchan Seong, Sung K. Ahn and Peter A. Zdrozny, Cointegration Analysis with Mixed-Frequency Data, March 2007
- 1940 Monika Büttler and Michel André Maréchal, Framing Effects in Political Decision Making: Evidence from a Natural Voting Experiment, March 2007
- 1941 Giacomo Corneo and Olivier Jeanne, A Theory of Tolerance, March 2007
- 1942 Qing Hong and Michael Smart, In Praise of Tax Havens: International Tax Planning and Foreign Direct Investment, March 2007
- 1943 Yin-Wong Cheung, Dickson Tam and Matthew S. Yiu, Does the Chinese Interest Rate Follow the US Interest Rate?, March 2007
- 1944 Panu Poutvaara and Mikael Priks, Unemployment and Gang Crime: Could Prosperity Backfire?, March 2007
- 1945 Burkhard Heer, On the Modeling of the Income Distribution Business Cycle Dynamics, March 2007
- 1946 Christoph A. Schaltegger and Lars P. Feld, Are Fiscal Adjustments less Successful in Decentralized Governments?, March 2007
- 1947 Giovanni Facchini, Marcelo Olarreaga, Peri Silva and Gerald Willmann, Substitutability and Protectionism: Latin America's Trade Policy and Imports from China and India, March 2007
- 1948 C. Mirjam van Praag and Bernard M. S. van Praag, The Benefits of Being Economics Professor A (and not Z), March 2007
- 1949 Astrid Hopfensitz and Frans van Winden, Dynamic Choice, Independence and Emotions, March 2007
- 1950 Guglielmo Maria Caporale and Luis A. Gil-Alana, A Multivariate Long-Memory Model with Structural Breaks, March 2007
- 1951 Mattias Ganslandt and Keith E. Maskus, Wholesale Price Discrimination and Parallel Imports, March 2007
- 1952 Michela Redoano, Fiscal Interactions Among European Countries. Does the EU Matter?, March 2007
- 1953 Stefan C. Wolter, Rémy Hübschi and Matthias Müller, Push or Pull? An Empirical Analysis of the Demand for Individual Project Grants from the Swiss National Science Foundation, March 2007
- 1954 Scott Alan Carson, African-American and White Inequality in the American South: Evidence from the 19th Century Missouri State Prison, March 2007

- 1955 Peter Egger, Marko Koethenbueger and Michael Smart, Do Fiscal Transfers Alleviate Business Tax Competition? Evidence from Germany, March 2007
- 1956 Panu Poutvaara and Lars-H. R. Siemers, Smoking and Social Interaction, March 2007
- 1957 Stephan Danninger and Fred Joutz, What Explains Germany's Rebounding Export Market Share?, March 2007
- 1958 Stefan Krasa and Mattias Polborn, Majority-efficiency and Competition-efficiency in a Binary Policy Model, March 2007
- 1959 Thiess Buettner and Georg Wamser, Intercompany Loans and Profit Shifting – Evidence from Company-Level Data, March 2007
- 1960 Per Pettersson-Lidbom and Mikael Priks, Behavior under Social Pressure: Empty Italian Stadiums and Referee Bias, April 2007
- 1961 Balázs Égert and Carol S. Leonard, Dutch Disease Scare in Kazakhstan: Is it real?, April 2007
- 1962 Paul De Grauwe and Pablo Rovira Kaltwasser, Modeling Optimism and Pessimism in the Foreign Exchange Market, April 2007
- 1963 Volker Grossmann and Thomas M. Steger, Anti-Competitive Conduct, In-House R&D, and Growth, April 2007
- 1964 Steven Brakman and Charles van Marrewijk, It's a Big World After All, April 2007
- 1965 Mauro Ghinamo, Paolo M. Panteghini and Federico Revelli, FDI Determination and Corporate Tax Competition in a Volatile World, April 2007
- 1966 Inés Macho-Stadler and David Pérez-Castrillo, Optimal Monitoring to Implement Clean Technologies when Pollution is Random, April 2007
- 1967 Thomas Eichner and Ruediger Pethig, Efficient CO₂ Emissions Control with National Emissions Taxes and International Emissions Trading, April 2007
- 1968 Michela Redoano, Does Centralization Affect the Number and Size of Lobbies?, April 2007
- 1969 Christian Gollier, Intergenerational Risk-Sharing and Risk-Taking of a Pension Fund, April 2007
- 1970 Swapan K. Bhattacharya and Biswa N. Bhattacharyay, Gains and Losses of India-China Trade Cooperation – a Gravity Model Impact Analysis, April 2007
- 1971 Gerhard Illing, Financial Stability and Monetary Policy – A Framework, April 2007
- 1972 Rainald Borck and Matthias Wrede, Commuting Subsidies with two Transport Modes, April 2007

- 1973 Frederick van der Ploeg, Prudent Budgetary Policy: Political Economy of Precautionary Taxation, April 2007
- 1974 Ben J. Heijdra and Ward E. Romp, Retirement, Pensions, and Ageing, April 2007
- 1975 Scott Alan Carson, Health during Industrialization: Evidence from the 19th Century Pennsylvania State Prison System, April 2007
- 1976 Andreas Haufler and Ian Wooton, Competition for Firms in an Oligopolistic Industry: Do Firms or Countries Have to Pay?, April 2007
- 1977 Eckhard Janeba, Exports, Unemployment and the Welfare State, April 2007
- 1978 Gernot Doppelhofer and Melvyn Weeks, Jointness of Growth Determinants, April 2007
- 1979 Edith Sand and Assaf Razin, The Role of Immigration in Sustaining the Social Security System: A Political Economy Approach, April 2007
- 1980 Marco Pagano and Giovanni Immordino, Optimal Regulation of Auditing, May 2007
- 1981 Ludger Woessmann, Fundamental Determinants of School Efficiency and Equity: German States as a Microcosm for OECD Countries, May 2007
- 1982 Bas Jacobs, Real Options and Human Capital Investment, May 2007
- 1983 Steinar Holden and Fredrik Wulfsberg, Are Real Wages Rigid Downwards?, May 2007
- 1984 Cheng Hsiao, M. Hashem Pesaran and Andreas Pick, Diagnostic Tests of Cross Section Independence for Nonlinear Panel Data Models, May 2007
- 1985 Luis Otávio Façanha and Marcelo Resende, Hierarchical Structure in Brazilian Industrial Firms: An Econometric Study, May 2007
- 1986 Ondřej Schneider, The EU Budget Dispute – A Blessing in Disguise?, May 2007
- 1987 Sascha O. Becker and Ludger Woessmann, Was Weber Wrong? A Human Capital Theory of Protestant Economic History, May 2007
- 1988 Erkki Koskela and Rune Stenbacka, Equilibrium Unemployment with Outsourcing and Wage Solidarity under Labour Market Imperfections, May 2007
- 1989 Guglielmo Maria Caporale, Juncal Cunado and Luis A. Gil-Alana, Deterministic versus Stochastic Seasonal Fractional Integration and Structural Breaks, May 2007