

Manna, Amalesh Kumar et al.

Article

A fuzzy imperfect production inventory model based on fuzzy differential and fuzzy integral method

Journal of Risk and Financial Management

Provided in Cooperation with:

MDPI – Multidisciplinary Digital Publishing Institute, Basel

Suggested Citation: Manna, Amalesh Kumar et al. (2022) : A fuzzy imperfect production inventory model based on fuzzy differential and fuzzy integral method, Journal of Risk and Financial Management, ISSN 1911-8074, MDPI, Basel, Vol. 15, Iss. 6, pp. 1-19, <https://doi.org/10.3390/jrfm15060239>

This Version is available at:

<https://hdl.handle.net/10419/274761>

Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.



<https://creativecommons.org/licenses/by/4.0/>

Article

A Fuzzy Imperfect Production Inventory Model Based on Fuzzy Differential and Fuzzy Integral Method

Amalesh Kumar Manna ^{1,2} , Leopoldo Eduardo Cárdenas-Barrón ^{3,*} , Jayanta Kumar Dey ⁴,
Shyamal Kumar Mondal ¹, Ali Akbar Shaikh ² , Armando Céspedes-Mota ³  and Gerardo Treviño-Garza ³ 

¹ Department of Applied Mathematics with Oceanology and Computer Programming, Vidyasagar University, Midnapore 721102, India; akmanna1987@gmail.com (A.K.M.); shyamal_260180@yahoo.com (S.K.M.)

² Department of Mathematics, The University of Burdwan, Burdwan 713104, India; aliashaikh@math.buruniv.ac.in

³ Tecnológico de Monterrey, School of Engineering and Sciences, Ave. Eugenio Garza Sada 2501, Monterrey, N.L., México 64849, Mexico; acespede@tec.mx (A.C.-M.); trevino@tec.mx (G.T.-G.)

⁴ Department of Mathematics, Mahishadal Raj College, Mahishadal 721628, India; dey_jaykum@yahoo.com

* Correspondence: lecarden@tec.mx

Abstract: In the inventory theory, to treat the uncertainty, the fuzzy set concept is used in order to provide a feasible approach to deal with the uncertainty problem. In this research work, a fuzzy economic production quantity model with interactive fuzzy demands is proposed. In a production process, in the beginning, the system is assumed to be in a controlled state in which only perfect items are manufactured. Later, the manufacturing production process shifts to be an out-of-control-state system; producing both perfect and imperfect items simultaneously, this is considered as a fuzzy state. The defective production rate is also taken into account as a fuzzy state. Here, the selection process of produced items is realized during the production period. With the aim of studying the practical feasibility of the fuzzy economic production inventory model along with a sensitivity analysis of some parameters, different numerical examples are illustrated.

Keywords: fuzzy economic production quantity; fuzzy imperfect production process; fuzzy integral method; fuzzy demand; fuzzy programming technique



Citation: Manna, Amalesh Kumar, Leopoldo Eduardo Cárdenas-Barrón, Jayanta Kumar Dey, Shyamal Kumar Mondal, Ali Akbar Shaikh, Armando Céspedes-Mota, and Gerardo Treviño-Garza. 2022. A Fuzzy Imperfect Production Inventory Model Based on Fuzzy Differential and Fuzzy Integral Method. *Journal of Risk and Financial Management* 15: 239. <https://doi.org/10.3390/jrfm15060239>

Academic Editor: Hari Mohan Srivastava

Received: 24 September 2021

Accepted: 28 April 2022

Published: 27 May 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

It is well known that the fuzzy set concept is applied into the inventory models to treat the uncertainty. The fuzzy set theory was introduced by (Zadeh 1965) with the aim of providing a feasible approach to deal with the fuzzy uncertainty problem. In the literature, the fuzzy set theory, also known as uncertain sets, has attracted attention for treating uncertainty in a variety of circumstances. For example, fuzzy inventory costs in the economic order quantity model are used in (Park 1987; Priyan and Uthayakumar 2016). Obtaining the economic production quantity when the quantity of demand is uncertain is analyzed in (Chang 1999). To treat the inventory problem considering all the parameters and variables being fuzzy numbers, a fuzzy economic production model is established by (Chen and Hsieh 2000). Different types of production inventory models for fuzzy environments are proposed by studies such as (Dey et al. 2005; Hsieh 2002; Lee and Yao 1998; Lin and Yao 2000; Manna et al. 2014, 2017a). Furthermore, other, different research works solve uncertainty issues using fuzzy set theory, such as (Das et al. 2015; Soni and Joshi 2015). Bera and Jana (2017) developed an imperfect production inventory model for multi-items under bi-fuzzy environments. (Dey 2019) introduced an imperfect production inventory problem under a fuzzy random environment. Recently, (Maiti 2021) incorporated the demand-dependent production rate into an inventory model with imperfect production process under a cloudy fuzzy environment.

Traditional economic production quantity (EPQ) models assume that in manufacturing systems, all items are made of perfect quality. However, in the real world, due to many

factors, such as the operator's skills, machine components, raw materials, and/or other aspects, the generation of defective items is inevitable. An imperfect production process is considered if all industries produce a certain percent of imperfect quality items (see, for instance, (Salameh and Jaber 2000) and (Yoo et al. 2009)). An inventory model for imperfect quality items is presented by (Salameh and Jaber 2000), assuming that defective items are vended as a single batch at the end of the total inspection process. Moreover, the probability of switching from an "in-control" state to an "out-of-control" state is analyzed by (Porteus 1986). An EPQ model dealing with imperfect quality, assuming that at some random point in time the process might shift from an "in-control" to an "out-of-control" state, and a fixed percentage of defective items is generated, is proposed by (Rosenblatt and Lee 1986). Furthermore, an economic order quantity (EOQ) inventory model with demand-dependent unit production cost and imperfect production processes is examined by (Cheng 1991). Different types of imperfect production inventory models are presented by several studies, such as (Chiu et al. 2009; Chung and Hou 2003; Jaber 2006; Lee 2005; Lin et al. 2003; Lo et al. 2007; Pasandideh et al. 2015). Based on these imperfect production inventory models, Cárdenas-Barrón (2000) and Goyal and Cárdenas-Barrón (2002) formulated an economic production quantity model for items with imperfect quality. Furthermore, the determining of the replenishment lot size and shipment policy for an EPQ inventory model with delivery and rework were investigated by Cárdenas-Barrón et al. (2015). An EPQ inventory model with a random defective rate, rework process, and backorders for a single-stage production system is addressed by (Sarkar et al. 2014). An EPQ model with promotional demand in a random planning horizon with a population-varying genetic algorithm approach is analyzed in (Manna et al. 2016). Furthermore, an imperfect production-inventory model with a production-rate-dependent defective rate and advertisement-dependent demand is given in (Manna et al. 2017b). (Shah and Vaghela 2018) developed an imperfect production-inventory model with time-dependent demand under inflation and reliability. (Khara et al. 2020) derived a sustainable manufacturing and remanufacturing model with quality-level-dependent development cost and rework policy of imperfect items. (Shaikh et al. 2020) considered price-dependent demand with inflation and reliability in an imperfect production model for deteriorating items under partial trade credit policy. Recently, (Mallick et al. 2021) formulated a bi-level supply chain model for perishable goods with complete backlogged shortages under fuzzy lead time. Based on the shown literature, some research works discussed fuzzy costs and fuzzy demand, among others, but up to now, no one has included a fuzzy defective rate and fuzzy time on imperfect production. Therefore, to study the fuzzy economic production quantity (FEPQ) model, considering the above literature with imperfect unrepaired products is very important in a vague environment.

Recently, it has been noted that good-quality products are increasingly demanded by most consumers. Defective products delivered to consumers increase the replacement cost and repair services cost, causing huge damage to the company's credibility. Therefore, companies must establish a production procedure to adjust the inspection systems to assure the customer's quality. To assist a manager to perform operational control and quality assurance, it is important to have understanding of production, inspection, inventory, and maintenance and their relationships to prevent imperfect systems. In production processes, the process starts in a controlled state and could change to an "out-of-control" state, appearing as defective or non-conforming items. Through the inspection, as a part of the process, the defective items need to be detected to ensure that consumers will not receive the non-conforming items. The state of the product quality and production system is determined during the inspection process. The quality and inspection costs need to be balanced and it depends on the frequency of the inspections to be performed. Therefore, the inspections need to be scheduled. In this way, (Wang and Sheu 2001) generalized the model of (Porteus 1986) by introducing a product inspection policy. In addition, (Wang 2005) extended the (Kim and Hong 1999) work, taking into account a product inspection policy at the end of the production run, instead of full inspections during a production run. Bera and Jana (2017) incorporated the fuzzy screening cost into an imperfect production-

inventory model for separating the produced imperfect items. Taleizadeh et al. (2019) addressed quality screening and reworking policies in a single machine multi-products production-inventory model. They also considered rework policy of produced defective items. Recently, Banu et al. (2021) considered the screening cost in a manufacturer–retailer supply chain model under type-2 fuzzy environment. They supposed that the demand rate is dependent on both credit period and stock. The main features of the proposed research work and some related models are presented in Table 1.

Table 1. Major characteristics of imperfect production inventory models on selected articles.

Author(s)	Imperfect Production	Fuzzy Defective Rate	Fuzzy Time ($\tilde{\tau}$) Which Shifts “In-Control” to “Out-Control”	Fuzzy Demand Rate	Formulation Using FDE	Imprecise Environment
Park (1987)				✓		✓
Cheng (1991)	✓					
Lee and Yao (1998)	✓			✓		✓
Chang (1999)	✓					✓
Chen and Hsieh (2000)	✓					✓
Lin and Yao (2000)	✓					✓
Salameh and Jaber (2000)	✓					
Kao and Hsu (2002)	✓			✓		✓
Wang (2005)	✓					✓
Dutta et al. (2005)	✓			✓		✓
Shao and Ji (2006)	✓					✓
Taleizadeh et al. (2009)				✓		✓
Bera and Jana (2017)	✓					✓
Shaikh et al. (2018)						✓
Dey (2019)	✓					✓
Moghdani et al. (2020)				✓		✓
Banu et al. (2021)	✓					✓
Maiti (2021)	✓					✓
Present research work	✓	✓	✓	✓	✓	✓

The sales and manufacturing environments are applied to classical inventory models focused on a constant demand rate. In some circumstances, the consumption rate may be influenced by the stock levels for certain consumer products. Due to the lack of historical data, it is not easy to estimate the probability distribution of market demand. Thus, it is necessary to use linguistic terms, such as “the market demand is about d_M , but not less than d_L and not larger than d_R ”, in order to describe the fuzzy market demand. That means that, based on experience, the demand quantity can be specified approximately. Applying fuzzy theory, some research papers deal with this case, such as (Petrovic et al. 1996), who proposed a newsboy-type problem with discrete fuzzy demand. A single-period inventory problem in an imprecise and uncertain mixed environment is studied by (Dutta et al. 2005). They included the demand as a fuzzy random variable. Moreover, the multi-product newsboy problem with fuzzy demands under budget constraint is investigated by (Shao and Ji 2006). On the one hand, a single-period inventory model with fuzzy demand is established by (Kao and Hsu 2002). On the other hand, (Li et al. 2002) proposed, in a fuzzy environment, two single-period inventory models, assuming that in one of them, the demand is stochastic and the holding and shortage costs are fuzzy. The other one considers that the costs are deterministic but the demand is fuzzy. The production-inventory problem for fuzzy demand quantity is discussed by (Lee and Yao 1998). An uncertain EOQ inventory model for joint replenishment policy with incremental discount scheme and fuzzy rough demand is explored by (Taleizadeh et al. 2009). (Moghdani et al. 2020) considered demand as triangular fuzzy numbers in a production-quantity model for multi items. Recently, (Manna et al. 2021) examined a deteriorating two-warehouse inventory problem with

time-dependent demand under all-unit discount and partial backlogged shortages via a metaheuristic algorithm.

In this research work, an imperfect production-inventory model is proposed with fuzzy defective and demand rates in which the production starts with a constant production rate up to a variable time in a controlled state, manufacturing perfect items. During production run time, after a certain time that follows a fuzzy number, the manufacturing process may shift to an “out-of-control” state, in which a percent of fabricated items are defective. The defective items are vended at a single lot at a reduced cost after that the production ends. Then, two profit functions are formulated and optimized through some numerical illustration.

The main contributions of this research work are highlighted as follows:

- A fuzzy production-inventory model in which the manufacturing system shifts from “in-control” state to “out-of-control” state at any time is developed.
- The defective and demand rates are taken in triangular, trapezoidal, parabolic, and general fuzzy numbers.
- The fuzzy production-inventory model is formulated mathematically by fuzzy differential equations and fuzzy integration approach.
- The corresponding optimization problem is fuzzy interval-valued which is maximized by fuzzy programming technique (FPT).
- To check the validity of the fuzzy production-inventory model, five numerical examples are presented and solved.
- The statistic test (Fisher’s *t*-test) is performed for comparing between the optimum profit of triangular fuzzy demand and defective rates with trapezoidal fuzzy demand and defective rates.

The remainder of this paper is organized as follows: Section 2 describes notation and assumptions. Section 3 formulates the fuzzy production-inventory model. Section 4 provides a solution procedure. Section 5 solves some numerical examples and provides a sensitivity analysis. Finally, Section 6 gives conclusions and some future research directions.

2. Notation and Assumptions

The fuzzy production-inventory model is formulated using the notation (given at end of this article) and the following assumptions.

Assumptions

The following assumptions support the model here proposed:

- (i) The fuzzy production-inventory model is developed only for a single item manufacturer which fabricates the items at a rate of P .
- (ii) In the production process, in the beginning, the system is assumed to be in a controlled state in which only perfect items are fabricated. Later, the manufacturing process shifts to be an out-of-control state system, producing both perfect and imperfect items simultaneously; this is considered as a fuzzy state. Therefore, the manufacturing system may be in either “in-control” state or “out-of-control” state. Thus, it is assumed that the manufacturing system starts as a controlled state up to time $\tilde{\tau}$, which is considered as a fuzzy state; after that, the production system goes to “out-of-control” state.
- (iii) Usually, the rate of defectiveness is not a constant, due to the production rate, machine components, raw materials, operator’s skills, or many other factors. Therefore, the production system may vary. In this way, the defectiveness quantity is uncertain. This fuzzy production-inventory model considers that the defective rate ($\tilde{\beta}$) is fuzzy.
- (iv) The fuzzy production-inventory model considers the cycle period (T) as a decision variable.
- (v) The production rate (P) is constant and known.
- (vi) The demand for the retailer changes due to various factors. It is imprecise and vague according to the business policy. In consequence, it is considered as a fuzzy demand from the retailer to the manufacturer. According to Zimmermann (1996), in fuzzy set

theory, there are several standard fuzzy numbers. Here, the triangular, trapezoidal, parabolic, and general fuzzy numbers are considered for illustration purposes.
 (vii) All produced items in “out-of-control” state (considered imperfect) are all vended together at a reduced price at the end of the production period.

3. Mathematical Formulation of the Fuzzy Production-Inventory Model

To formulate the fuzzy production-inventory model, the fuzzy concepts of (Mizumoto and Tanaka 1976; Román-Flores et al. 2001; Seikkala 1987; Zadeh 1965; Zimmermann 1996), the differential equation solutions (Chalco-Cano and Roman-Flores 2009), the fuzzy integration concepts (Wu 2000), and fuzzy programming techniques (Zimmermann 1996) are applied. The production starts at time $t = 0$ at the rate of P . Initially, up to time $\tilde{\tau}$, the system produces perfect items. Then, during $[\tilde{\tau}, t_1]$, it fabricates both good and defective items. At the time t_1 , the production stops. After that, from the customers’ stock, the demand is fulfilled up to time T . According to the assumptions, $\tilde{\tau}$, $\tilde{\beta}$, and \tilde{D} are taken as fuzzy numbers. Due to the existence of fuzzy parameters, at any time t , the inventory level is also fuzzy. Since there exist productions of perfect items and imperfect items, two separate inventory levels are considered.

3.1. Inventory Level for the Items with Perfect Quality

In Figure 1, the initial stock of perfect items is taken as zero, then the production begins at the rate of P . Good-quality items are fabricated by the system during $[0, \tilde{\tau}]$, and both good and defective items are manufactured during $[\tilde{\tau}, t_1]$, $\tilde{\tau} \in (0, t_1)$. All the good items produced during $[0, t_1]$ are used to meet the perfect item demand up to time T . At the time t_1 , the production of the cycle stops.




Figure 1. Pictorial representation of the manufacturer’s inventory of a perfect-quality item.

Under such consideration, the inventory level of perfect items $\tilde{q}_1(t)$ is modeled with the following differential equations at the time t :

$$\frac{d\tilde{q}_1(t)}{dt} = \begin{cases} P - \tilde{D}, & 0 \leq t \leq \tilde{\tau} \\ (P - \tilde{D}) - \tilde{\beta}P, & \tilde{\tau} \leq t \leq t_1 \\ -\tilde{D}, & t_1 \leq t \leq T \end{cases}, \tag{1}$$

subject to $\tilde{q}_1[0] = 0, \tilde{q}_1[T] = 0$.

To solve the fuzzy differential Equation (1) first, according to (Chalco-Cano and Roman-Flores 2009), the solution $q_1(t)$ in the crisp differential environment is determined as follows:

$$\frac{dq_1(t)}{dt} = \begin{cases} P - D, & 0 \leq t \leq \tau \\ (P - D) - \beta P, & \tau \leq t \leq t_1 \\ -D, & t_1 \leq t \leq T \end{cases}, \tag{2}$$

subject to, $q_1[0] = 0, q_1[T] = 0$.

The differential equations solutions are

$$q_1(t) = \begin{cases} (P - D)t, & 0 \leq t \leq \tau \\ (P - D)t + \beta P\tau - \beta Pt, & \tau \leq t \leq t_1 \\ D(T - t), & t_1 \leq t \leq T \end{cases} \tag{3}$$

The manufacturer’s production rate (P) and demand rate (D), and also the production time (t_1) and business time (T), must satisfy the following condition:

$$(1 - \beta)Pt_1 + \beta P\tau = DT \tag{4}$$

From the continuity condition of $q_1(t)$ at $t = t_1$, the following relations are computed:

$$(P - D)t_1 + \beta P\tau - \beta Pt_1 = -D(t_1 - T)$$

i.e., $(1 - \beta)Pt_1 + \beta P\tau = DT$

As $q(t)$ is continuous for $t \geq 0$, the unique fuzzy solution of (1), according to (Chalco-Cano and Roman-Flores 2009), is given by

$$\tilde{q}_1(t) = \begin{cases} (P - \tilde{D})t, & 0 \leq t \leq \tilde{\tau} \\ (P - \tilde{D})t + \tilde{\beta}P\tilde{\tau} - \tilde{\beta}Pt, & \tilde{\tau} \leq t \leq t_1 \\ \tilde{D}(T - t), & t_1 \leq t \leq T \end{cases} \tag{5}$$

with the condition $(1 - \tilde{\beta})Pt_1 + \tilde{\beta}P\tilde{\tau} = \tilde{D}T$.

$$\tilde{q}_1(t)[\alpha] = [q_1^L(\alpha, t), q_1^R(\alpha, t)], \tag{6}$$

where

$$q_1^L(\alpha, t) = \begin{cases} (P - D_\alpha^R)t, & 0 \leq t \leq \tau_\alpha^L \\ (P - D_\alpha^R)t + P\beta_\alpha^L\tau_\alpha^L - P\beta_\alpha^R t, & \tau_\alpha^R \leq t \leq t_1 \\ D_\alpha^L(T - t), & t_1 \leq t \leq T \end{cases}$$

and

$$q_1^R(\alpha, t) = \begin{cases} (P - D_\alpha^L)t, & 0 \leq t \leq \tau_\alpha^R \\ (P - D_\alpha^L)t + P\beta_\alpha^R\tau_\alpha^R - P\beta_\alpha^L t, & \tau_\alpha^L \leq t \leq t_1 \\ D_\alpha^R(T - t), & t_1 \leq t \leq T \end{cases}$$

In a fuzzy environment, the manufacturer’s production time period (t_1) and business time period (T) must satisfy the condition either (i) $\{(1 - \beta_\alpha^R)P + D_\alpha^L - D_\alpha^R\}t_1 + P\beta_\alpha^L\tau_\alpha^L = D_\alpha^L T$ or (ii) $\{(1 - \beta_\alpha^L)P + D_\alpha^R - D_\alpha^L\}t_1 + P\beta_\alpha^R\tau_\alpha^R = D_\alpha^R T$.

From the $q_1^L(\alpha, t)$ and $q_1^R(\alpha, t)$ at $t = t_1$, continuity conditions, the following relations are calculated, respectively: (i) $(P - D_\alpha^R)t_1 + P\beta_\alpha^L\tau_\alpha^L - P\beta_\alpha^R t_1 = D_\alpha^L(T - t_1)$ i.e., $\{(1 - \beta_\alpha^R)P + D_\alpha^L - D_\alpha^R\}t_1 + P\beta_\alpha^L\tau_\alpha^L = D_\alpha^L T$ or, (ii) $(P - D_\alpha^L)t_1 + P\beta_\alpha^R\tau_\alpha^R - P\beta_\alpha^L t_1 = D_\alpha^R(T - t_1)$ i.e., $\{(1 - \beta_\alpha^L)P + D_\alpha^R - D_\alpha^L\}t_1 + P\beta_\alpha^R\tau_\alpha^R = D_\alpha^R T$.

Now, it is seen that there exist variabilities of t_1 and T for crisp value of β, τ , and D , but in fuzzy environment, two relations are obtained. If t_1 and T satisfy both these two relations simultaneously, then there will be loss of variability of t_1 and T . Therefore, to maintain variabilities of t_1 and T , they must satisfy either $\{(1 - \beta_\alpha^R)P + D_\alpha^L - D_\alpha^R\}t_1 + P\beta_\alpha^L\tau_\alpha^L = D_\alpha^L T$ or, $\{(1 - \beta_\alpha^L)P + D_\alpha^R - D_\alpha^L\}t_1 + P\beta_\alpha^R\tau_\alpha^R = D_\alpha^R T$.

3.2. Inventory Level at Time t for the Imperfect Quality Items

At the end of the selection process, as a single lot, the imperfect quality items are vended. At time t , the inventory level $\tilde{q}_2(t)$ satisfies the differential equation shown below.

$$\frac{d\tilde{q}_2(t)}{dt} = \tilde{\beta}P, \tilde{\tau} \leq t \leq t_1 \tag{7}$$

subject to, $\tilde{q}_2[\tilde{\tau}] = 0$.

Now, (Chalco-Cano and Roman-Flores 2009) recommended, first, to find out the solution $q_2(t)$ of the crisp differential equation

$$\frac{dq_2(t)}{dt} = \beta P, \tau \leq t \leq t_1, \tag{8}$$

subject to $q_2[\tau] = 0$.

The solution is provided below.

$$q_2(t) = \beta P(t - \tau), \tau \leq t \leq t_1. \tag{9}$$

For each $t \geq 0$, the $q(t)$ is continuous, then, based on (Chalco-Cano and Roman-Flores 2009), the unique fuzzy solution of Equation (7) is given by

$$\tilde{q}_2(t) = \tilde{\beta}P(t - \tilde{\tau}), \tilde{\tau} \leq t \leq t_1 \tag{10}$$

Therefore, α -cut of Equation (10) is provided by

$$\tilde{q}_2(t)[\alpha] = [q_2^L(\alpha, t), q_2^R(\alpha, t)], \tag{11}$$

where

$$q_2^L(\alpha, t) = P\beta_\alpha^L(t - \tau_\alpha^R), \tau_\alpha^R \leq t \leq t_1, \tag{12}$$

$$q_2^R(\alpha, t) = P\beta_\alpha^R(t - \tau_\alpha^L), \tau_\alpha^L \leq t \leq t_1. \tag{13}$$

3.3. The Profit Function of the Fuzzy Production-Inventory System

During the cycle $(0, T)$, in the manufacturing system, the total production cost (PC) is computed by

$$PC = c_p \int_0^{t_1} P dt = c_p P t_1$$

During the cycle $(0, T)$, in the production system, the total screening cost (SC) is calculated by

$$SC = c_{sr} \int_0^{t_1} P dt = c_{sr} P t_1$$

During the cycle $(0, T)$, in the fabrication system, the total setup cost is equal to A_m . Now, from Wu (2000), α -cut of the total holding cost (HC) during the cycle $(0, T)$ in the production system is determined by

$$\begin{aligned} \widetilde{HC}[\alpha] &= \left(h_m \int_0^T \tilde{q}_1(t) dt + h'_m \int_{\tilde{\tau}}^{t_1} \tilde{q}_2(t) dt \right) [\alpha] \\ &= \left[h_m \int_0^T q_1^L(t, \alpha) dt + h'_m \int_{\tau_\alpha^R}^{t_1} q_2^L(t, \alpha) dt, h_m \int_0^T q_1^L(t, \alpha) dt + h'_m \int_{\tau_\alpha^L}^{t_1} q_2^R(t, \alpha) dt \right] \\ &= [HC_\alpha^L, HC_\alpha^R], \end{aligned}$$

where

$$\begin{aligned}
 HC_{\alpha}^L &= h_m \int_0^T q_1^L(t, \alpha) dt + h'_m \int_{\tau_{\alpha}^R}^{t_1} q_2^L(t, \alpha) dt \\
 &= h_m \left[\int_0^{\tau_{\alpha}^L} q_1^L(t, \alpha) dt + \int_{\tau_{\alpha}^R}^{t_1} q_1^L(t, \alpha) dt + \int_{t_1}^T q_1^L(t, \alpha) dt \right] + h'_m \int_{\tau_{\alpha}^R}^{t_1} q_2^L(t, \alpha) dt \\
 &= \frac{h_m}{2} \left[(P - D_{\alpha}^R) \{t_1^2 + (\tau_{\alpha}^L)^2 - (\tau_{\alpha}^R)^2\} + 2P\beta_{\alpha}^L \tau_{\alpha}^L (t_1 - \tau_{\alpha}^R) - P\beta_{\alpha}^R \{t_1^2 - (\tau_{\alpha}^R)^2\} \right. \\
 &\quad \left. + D_{\alpha}^L (T - t_1)^2 \right] + \frac{h'_m}{2} P (t_1 - \tau_{\alpha}^R)^2, \text{ and} \\
 HC_{\alpha}^R &= h_m \int_0^T q_1^R(t, \alpha) dt + h'_m \int_{\tau_{\alpha}^L}^{t_1} q_2^R(t, \alpha) dt \\
 &= h_m \left[\int_0^{\tau_{\alpha}^R} q_1^R(t, \alpha) dt + \int_{\tau_{\alpha}^L}^{t_1} q_1^R(t, \alpha) dt + \int_{t_1}^T q_1^R(t, \alpha) dt \right] + h'_m \int_{\tau_{\alpha}^L}^{t_1} q_2^R(t, \alpha) dt \\
 &= \frac{h_m}{2} \left[(P - D_{\alpha}^L) \{t_1^2 + (\tau_{\alpha}^R)^2 - (\tau_{\alpha}^L)^2\} + 2P\beta_{\alpha}^R \tau_{\alpha}^R (t_1 - \tau_{\alpha}^L) - P\beta_{\alpha}^L \{t_1^2 - (\tau_{\alpha}^L)^2\} \right. \\
 &\quad \left. + D_{\alpha}^R (T - t_1)^2 \right] + \frac{h'_m}{2} P (t_1 - \tau_{\alpha}^L)^2.
 \end{aligned}$$

The α -cut of total revenue (\widetilde{SR}) during the cycle $(0, T)$ in the manufacturing system is obtained with

$$\begin{aligned}
 \widetilde{SR}[\alpha] &= \left(s \int_0^T \widetilde{D} dt + s' \widetilde{\beta} P (t_1 - \widetilde{\tau}) \right) [\alpha] \\
 &= \left[s \int_0^T D_{\alpha}^L dt + s' \beta_{\alpha}^L P (t_1 - \tau_{\alpha}^R), s \int_0^T D_{\alpha}^R dt + s' \beta_{\alpha}^R P (t_1 - \tau_{\alpha}^L) \right] \\
 &= \left[s D_{\alpha}^L T + s' \beta_{\alpha}^L P (t_1 - \tau_{\alpha}^R), s D_{\alpha}^R T + s' \beta_{\alpha}^R P (t_1 - \tau_{\alpha}^L) \right] \\
 &= \left[SR_{\alpha}^L, SR_{\alpha}^R \right],
 \end{aligned}$$

where

$$\begin{aligned}
 SR_{\alpha}^L &= s \int_0^T D_{\alpha}^L dt + s' P \beta_{\alpha}^L (t_1 - \tau_{\alpha}^R) = s D_{\alpha}^L T + s' P \beta_{\alpha}^L (t_1 - \tau_{\alpha}^R), \\
 SR_{\alpha}^R &= s \int_0^T D_{\alpha}^R dt + s' P \beta_{\alpha}^R (t_1 - \tau_{\alpha}^L) = s D_{\alpha}^R T + s' P \beta_{\alpha}^R (t_1 - \tau_{\alpha}^L).
 \end{aligned}$$

The α -cut of the total profit (\widetilde{TP}) during the cycle $(0, T)$, in the fabrication system is found with

$$\widetilde{TP}[\alpha] = [TP_{\alpha}^L(t_1, T), TP_{\alpha}^R(t_1, T)],$$

where

$$\begin{aligned}
 TP_{\alpha}^L(t_1, T) &= \frac{1}{T} \left[SR_{\alpha}^L - HC_{\alpha}^R - PC - SC - A_m \right], \\
 TP_{\alpha}^R(t_1, T) &= \frac{1}{T} \left[SR_{\alpha}^R - HC_{\alpha}^L - PC - SC - A_m \right]
 \end{aligned}$$

Finally, from the (Zimmermann 1996) method, the optimization problem becomes

$$\begin{aligned} \text{Max } TP_{\alpha}^L(t_1, T) &= \frac{1}{T} [SR_{\alpha}^L - HC_{\alpha}^R - PC - SC - A_m], \\ \text{Max } TP_{\alpha}^R(t_1, T) &= \frac{1}{T} [SR_{\alpha}^R - HC_{\alpha}^L - PC - SC - A_m] \\ \text{such that: } &0 < \tau_{\alpha}^R < t_1, \quad 0 < t_1 < T, \\ \text{and } &\left\{ (1 - \beta_{\alpha}^R)P + D_{\alpha}^L - D_{\alpha}^R \right\} t_1 + P\beta_{\alpha}^L \tau_{\alpha}^L = D_{\alpha}^L T \\ \text{or } &\left\{ (1 - \beta_{\alpha}^L)P + D_{\alpha}^R - D_{\alpha}^L \right\} t_1 + P\beta_{\alpha}^R \tau_{\alpha}^R = D_{\alpha}^R T. \end{aligned}$$

4. Solution Procedure

The following steps are needed to calculate the production run time (t_1), business period (T), and profit optimal values in the fuzzy production-inventory model.

Step 1. Input the crisp and fuzzy suitable parameters values of $TP_{\alpha}^L(t_1, T)$ and $TP_{\alpha}^R(t_1, T)$.

Step 2. Compute the left α -cut (τ_{α}^L) and right α -cut (τ_{α}^R) of fuzzy parameter $\tilde{\tau}$ as follows:

- (i) If $\tilde{\tau}$ be TFN such as $\tilde{\tau} = (\tau_0 - \Delta_1, \tau_0, \tau_0 + \Delta_2)$ then $\tau_{\alpha}^L = (\tau_0 - \Delta_1) + \alpha\Delta_1$ and $\tau_{\alpha}^R = (\tau_0 + \Delta_2) - \alpha\Delta_2$.
- (ii) If $\tilde{\tau}$ be TrFN such as $\tilde{\tau} = (\tau_0 - \Delta_1, \tau_0 - \Delta_2, \tau_0 + \Delta_3, \tau_0 + \Delta_4)$ then $\tau_{\alpha}^L = (\tau_0 - \Delta_1) + \alpha(\Delta_1 - \Delta_2)$ and $\tau_{\alpha}^R = (\tau_0 + \Delta_4) - \alpha(\Delta_4 - \Delta_3)$.
- (iii) If $\tilde{\tau}$ be PFN such as $\tilde{\tau} = (\tau_0 - \Delta_1, \tau_0, \tau_0 + \Delta_2)$ respectively then $\tau_{\alpha}^L = \tau_0 - \sqrt{\alpha}\Delta_1$ and $\tau_{\alpha}^R = \tau_0 + \sqrt{\alpha}\Delta_2$.
- (iv) If $\tilde{\tau}$ be GFN such that $\tilde{\tau} = (\tau_0 - \Delta_1, \tau_0 - \Delta_2, \tau_0 + \Delta_3, \tau_0 + \Delta_4)$ then $\tau_{\alpha}^L = (\tau_0 - \Delta_1) + \sqrt{\alpha}(\Delta_1 - \Delta_2)$ and $\tau_{\alpha}^R = (\tau_0 + \Delta_4) - \sqrt{\alpha}(\Delta_4 - \Delta_3)$.

Similarly, calculate left and right α -cuts of other two fuzzy parameters $\tilde{\beta}$ and \tilde{D} for TFN, TrFN, PFN, and GFN.

Step 3. Maximize the profit $TP_{\alpha}^L(t_1, T)$ and obtain the best possible values of $t_1, T, TP_{\alpha}^R(t_1, T)$, and $TP_{\alpha}^{L*}(t_1, T)$ for different values of α using the LINGO software.

Step 4. Maximize the profit $TP_{\alpha}^R(t_1, T)$ and determine the best possible values of $t_1, T, TP_{\alpha}^L(t_1, T)$, and $TP_{\alpha}^{R*}(t_1, T)$ for different values of α using the LINGO software.

Step 5. Maximize both profits $TP_{\alpha}^L(t_1, T)$ and TP_{α}^R by fuzzy programming technique (FPT) and find the best possible values of t_1, T and profit for different values of α using the LINGO software as follows:

Step 6. From the results of step 3 and step 4, the following pay-off matrix is constructed:

$$\begin{pmatrix} TP_{\alpha}^{L*}(t_1, T) & TP_{\alpha}^R(t_1, T) \\ TP_{\alpha}^L(t_1, T) & TP_{\alpha}^{R*}(t_1, T) \end{pmatrix}$$

Step 7. From this pay-off matrix, two values, U_j and L_j , are defined as the upper and lower bounds of the j -th objective for each $j = 1, 2$, respectively. Here, the higher acceptable level of achievement is L_j , and the aspired level of achievement for maximization is U_j ; these are computed as follows:

$$\begin{aligned} U_1 &= \max\{TP_{\alpha}^{L*}(t_1, T)\}, \quad U_2 = \max\{TP_{\alpha}^R(t_1, T)\} \\ L_1 &= \min\{TP_{\alpha}^L(t_1, T)\}, \quad L_2 = \min\{TP_{\alpha}^{R*}(t_1, T)\} \end{aligned}$$

Step 8. Then, the membership functions $\mu_1(TP_{\alpha}^L(t_1, T))$ and $\mu_2(TP_{\alpha}^R(t_1, T))$ corresponding to the objective functions of $TP_{\alpha}^L(t_1, T)$ and $TP_{\alpha}^R(t_1, T)$ are built linearly as follows:

$$\mu_1(TP_{\alpha}^L(t_1, T)) = \begin{cases} 0, & \text{if } TP_{\alpha}^L(t_1, T) \leq L_1 \\ \frac{TP_{\alpha}^L(t_1, T) - L_1}{U_1 - L_1}, & \text{if } L_1 \leq TP_{\alpha}^L(t_1, T) \leq U_1 \\ 1, & \text{if } TP_{\alpha}^L(t_1, T) \geq U_1 \end{cases}$$

$$\mu_2(TP_\alpha^R(t_1, T)) = \begin{cases} 0, & \text{if } TP_\alpha^R(t_1, T) \leq L_2 \\ \frac{TP_\alpha^R(t_1, T) - L_2}{U_2 - L_2}, & \text{if } L_2 \leq TP_\alpha^R(t_1, T) \leq U_2 \\ 1, & \text{if } TP_\alpha^R(t_1, T) \geq U_2 \end{cases}$$

Step 9. Finally, the multi-objective programming problem, according to the (Zimmermann 1996) method, is reduced to the following single-objective programming problem:

$$\begin{aligned} & \text{Max } \lambda \\ & \text{such that} \\ & \mu_1(TP_\alpha^L(t_1, T)) \geq \lambda, \\ & \mu_2(TP_\alpha^R(t_1, T)) \geq \lambda, \\ & 0 < \tau_\alpha^R < t_1, \quad 0 < t_1 < T, \quad \lambda \in [0, 1], \\ & \text{and } \left\{ (1 - \beta_\alpha^R)P + D_\alpha^L - D_\alpha^R \right\} t_1 + P\beta_\alpha^L \tau_\alpha^L = D_\alpha^L T \\ & \text{or } \left\{ (1 - \beta_\alpha^L)P + D_\alpha^R - D_\alpha^L \right\} t_1 + P\beta_\alpha^R \tau_\alpha^R = D_\alpha^R T. \end{aligned}$$

5. Numerical Illustrations

To illustrate numerically the fuzzy production-inventory model, five numerical examples are presented and solved. It is necessary to have the following two relations: $\left\{ (1 - \beta_\alpha^R)P + D_\alpha^L - D_\alpha^R \right\} t_1 + P\beta_\alpha^L \tau_\alpha^L = D_\alpha^L T$ and $\left\{ (1 - \beta_\alpha^L)P + D_\alpha^R - D_\alpha^L \right\} t_1 + P\beta_\alpha^R \tau_\alpha^R = D_\alpha^R T$, one of which is taken to compute t_1 and T in order to optimize the objective function. At first, the relation $\left\{ (1 - \beta_\alpha^R)P + D_\alpha^L - D_\alpha^R \right\} t_1 + P\beta_\alpha^L \tau_\alpha^L = D_\alpha^L T$ is considered, with which the fuzzy production-inventory model is optimized for the following examples, and then the other relation $\left\{ (1 - \beta_\alpha^L)P + D_\alpha^R - D_\alpha^L \right\} t_1 + P\beta_\alpha^R \tau_\alpha^R = D_\alpha^R T$, is considered to obtain the optimum solution, but in this latter case, it has been shown that this relation is not acceptable due to some infeasibility of the solution.

Example 1. The following parameter values are used: $C_p = \$30$, $C_{sr} = \$2$, $A_m = USD5200$, $s = USD59$, $s' = USD35$, $h_m = USD1.00$, $h'_m = USD0.50$, $P = 3380$. The fuzzy parameters, in this case, are considered as triangular fuzzy numbers (TFNs), and their different values are provided as follows: $\tilde{\tau} = (\tau_0 - \Delta_1, \tau_0, \tau_0 + \Delta_2) = (2, 3, 5)$, $\Delta_1 = 1$, $\Delta_2 = 0.5$, $\tilde{\beta} = (\beta_0 - \sigma_1, \beta_0, \beta_0 + \sigma_2) = (0.07, 0.10, 0.15)$, $\sigma_1 = 0.03$, $\sigma_2 = 0.05$, $\tilde{D} = (D_0 - \rho_1, D_0, D_0 + \rho_2) = (2500, 2559, 2631)$, $\rho_1 = 59$, $\rho_2 = 72$. This example is solved using LINGO-12.0. Tables 2 and 3 present the optimum results when TP_α^L , TP_α^R are maximized separately for different values of α , and Table 4 shows the optimum results when TP_α^L and TP_α^R are maximized simultaneously for different values of α .

Table 2. Optimum results of Example 1 for maximizing TP_α^L .

α	Production Period (t_1^*)	Business Period (T^*)	TP_α^{L*} (Max)	TP_α^R
0.00	8.445339	9.452128	47,447.09	69,007.36
0.25	7.884611	9.066641	52,386.18	68,234.01
0.50	7.100508	8.402024	57,183.69	67,540.85
0.75	5.982998	7.315060	61,904.18	66,988.16
0.99	4.345648	5.555799	66,499.80	66,701.16

Table 3. Optimum results of Example 1 for maximizing TP_α^R .

α	Production Period (t_1^*)	Business Period (T^*)	TP_α^L	TP_α^{R*} (Max)
0.00	10.71312	11.93943	47,248.61	69,111.75
0.25	9.064714	10.38858	52,327.64	68,270.08
0.50	7.526072	8.888575	57,175.25	67,546.87
0.75	5.976583	7.307580	61,904.18	66,988.16
0.99	4.332328	5.539977	66,499.78	66,701.17

Table 4. Optimum results of Example 1 for maximizing both TP_α^L and TP_α^R .

α	Production Period (t_1^*)	Business Period (T^*)	TP_α^{L*} (Max)	TP_α^{R*} (Max)	Average Profit
0.00	9.513103	10.62325	47,397.64	69,085.74	58,241.69
0.25	8.454594	9.705132	52,371.56	68,261.07	60,316.32
0.50	7.310260	8.641835	57,181.58	67,545.36	62,363.47
0.75	5.982997	7.315060	61,904.18	66,988.16	64,446.17
0.99	4.339744	5.548787	66,499.79	66,701.17	66,600.48

The optimum business time period (T^*), optimum production time period (t_1^*), and profit interval ($[TP_\alpha^{L*}, TP_\alpha^{R*}]$) are obtained for the given parameter values. As is expected, the optimum profit increases at the left and decreases at the right with the increment of α . At $\alpha = 0.99$, the profit values are almost same.

Example 2. The fuzzy parameters, in this case, are given as trapezoidal fuzzy numbers (TrFNs), and their different values are provided as follows: $\tilde{\tau} = (\tau_0 - \Delta_1, \tau_0 - \Delta_2, \tau_0 + \Delta_3, \tau_0 + \Delta_4) = (2, 2.5, 3.5, 5)$, $\Delta_1 = 1.25$, $\Delta_2 = 0.75$, $\Delta_3 = 0.25$, $\Delta_4 = 1.75$, $\tilde{\beta} = (\beta_0 - \sigma_1, \beta_0 - \sigma_2, \beta_0 + \sigma_3, \beta_0 + \sigma_4) = (0.07, 0.10, 0.13, 0.15)$, $\sigma_1 = 0.05$, $\sigma_2 = 0.02$, $\sigma_3 = 0.01$, $\sigma_4 = 0.03$, $\tilde{D} = (d_0 - \rho_1, d_0 - \rho_2, d_0 + \rho_3, d_0 + \rho_4) = (2500, 2549, 2571, 2631)$, $\rho_1 = 65$, $\rho_2 = 16$, $\rho_3 = 6$, $\rho_4 = 66$. The same parameter values of Example 1 are utilized here. LINGO-12.0 is applied in order to solve this example.

Tables 5 and 6 display the optimum results when TP_α^L , TP_α^R are maximized separately, and Table 7 represent, the optimum results when TP_α^L and TP_α^R are maximized simultaneously.

Table 5. Optimum results of Example 2 for maximizing TP_α^L .

α	Production Period (t_1^*)	Business Period (T^*)	TP_α^{L*} (Max)	TP_α^R
0.00	8.445339	9.452128	47,447.09	69,007.36
0.25	8.211077	9.327867	50,801.53	68,435.14
0.50	7.869975	9.079349	54,132.44	67,864.09
0.75	7.394903	8.672050	57,450.46	67,305.73
0.99	6.772804	8.081556	60,639.97	66,795.06

Table 6. Optimum results of Example 2 for maximizing TP_α^R .

α	Production Period (t_1^*)	Business Period (T^*)	TP_α^L	TP_α^{R*} (Max)
0.00	10.71312	11.93943	47,248.61	69,111.75
0.25	9.666378	10.94183	50,716.17	68,484.49
0.50	8.696047	10.00548	54,103.70	67,882.37
0.75	7.772620	9.100049	57,444.15	67,310.16
0.99	6.907287	8.235475	60,639.13	66,795.72

Table 7. Optimum results of Example 2 for maximizing both TP_{α}^L and TP_{α}^R .

α	Production Period (t_1^*)	Business Period (T^*)	TP_{α}^{L*} (Max)	TP_{α}^{R*} (Max)	Average Profit
0.00	9.513103	10.62325	47,397.64	69,085.74	58,241.69
0.25	8.909673	10.10263	50,780.23	68,472.17	59,626.20
0.50	8.273025	9.531221	54,125.26	67,877.80	61,001.53
0.75	7.581600	8.883601	57,448.88	67,309.05	62,378.97
0.99	6.840087	8.158563	60,639.76	66,795.55	63,717.66

The optimum business time period (T^*), optimum production time period (t_1^*), and profit interval ($[TP_{\alpha}^{L*}, TP_{\alpha}^{R*}]$) are found for the given parameter values. The results for different values of α are presented in Tables 5–7. As expected, the optimum profit increases at the left and decreases at the right with the increase of α .

Example 3. The fuzzy parameters, in this case, are considered as parabolic fuzzy numbers (PFNs), and their different values are given as follows: $\tilde{\tau} = (\tau_0 - \Delta_1, \tau_0, \tau_0 + \Delta_2) = (2, 3, 5)$, $\Delta_1 = 1$, $\Delta_2 = 2$, $\tilde{\beta} = (\beta_0 - \sigma_1, \beta_0, \beta_0 + \sigma_2) = (0.07, 0.10, 0.15)$, $\sigma_1 = 0.03$, $\sigma_2 = 0.05$, $\tilde{D} = (D_0 - \rho_1, D_0, D_0 + \rho_2) = (2500, 2559, 2631)$, $\rho_1 = 59$, $\rho_2 = 72$. The same parameter values of Example 1 are also used here. LINGO-12.0 is utilized to resolve this example. Tables 8 and 9 represent the optimum results when TP_{α}^L , TP_{α}^R are maximized separately, and Table 10 represents the optimum results when TP_{α}^L , TP_{α}^R are maximized simultaneously.

Table 8. Optimum results of Example 3 for maximizing TP_{α}^L .

α	Production Period (t_1^*)	Business Period (T^*)	TP_{α}^{L*} (Max)	TP_{α}^R
0.00	8.445339	9.452128	47,447.09	69,007.36
0.25	8.168350	9.274599	50,114.31	68,585.50
0.50	7.768098	8.975275	53,218.01	68,108.13
0.75	7.100508	8.402024	57,183.69	67,540.85
0.99	5.055331	6.336396	64,752.49	66,769.40

Table 9. Optimum results of Example 3 for maximizing TP_{α}^R .

α	Production Period (t_1^*)	Business Period (T^*)	TP_{α}^L	TP_{α}^{R*} (Max)
0.00	10.71312	11.93943	47,248.61	69,111.75
0.25	9.808184	11.09378	50,005.78	68,647.74
0.50	8.796376	10.13124	53,172.85	68,136.67
0.75	7.526072	8.888575	57,175.25	67,546.87
0.99	4.980989	6.248691	64,752.15	66,769.71

Table 10. Optimum results of Example 3 for maximizing both TP_{α}^L and TP_{α}^R .

α	Production Period (t_1^*)	Business Period (T^*)	TP_{α}^{L*} (Max)	TP_{α}^{R*} (Max)	Average Profit
0.00	9.513103	10.62325	47,397.64	69,085.74	58,241.69
0.25	8.951570	10.14348	50,087.23	68,632.21	59,359.72
0.50	8.266637	9.535721	53,206.74	68,129.54	60,668.14
0.75	7.310260	8.641835	57,181.58	67,545.36	62,363.47
0.99	5.018012	6.292368	64,752.40	66,769.63	65,761.02

The optimum business time period (T^*), optimum production time period (t_1^*), and profit interval ($[TP_{\alpha}^{L*}, TP_{\alpha}^{R*}]$) are determined for the given parameter values. The results for different values of α are presented in Tables 8–10. As is expected, the optimum profit

increases at the left and decreases at the right with the increase of α . At $\alpha = 0.99$, the profit values are almost the same.

Example 4. The fuzzy parameters, in this case, are considered as general fuzzy numbers (GFNs), and their different values are given as follows: $\tilde{\tau} = (\tau_0 - \Delta_1, \tau_0 - \Delta_2, \tau_0 + \Delta_3, \tau_0 + \Delta_4) = (2, 2.5, 3.5, 5)$, $\Delta_1 = 1, \Delta_2 = 0.25, \Delta_3 = 0.75, \Delta_4 = 2$, $\tilde{\beta} = (\beta_0 - \sigma_1, \beta_0 - \sigma_2, \beta_0 + \sigma_3, \beta_0 + \sigma_4) = (0.07, 0.10, 0.13, 0.15)$, $\sigma_1 = 0.05, \sigma_2 = 0.02, \sigma_3 = 0.01, \sigma_4 = 0.03$, $\tilde{D} = (d_0 - \rho_1, d_0 - \rho_2, d_0 + \rho_3, d_0 + \rho_4) = (2500, 2549, 2571, 2631)$, $\rho_1 = 65, \rho_2 = 16, \rho_3 = 6, \rho_4 = 66$. The same parameter values provided in Example 1 are utilized here. LINGO-12.0 is used to solve this example. Tables 11 and 12 represent the optimum results when TP_α^L, TP_α^R are maximized separately, and Table 13 represents the optimum results when TP_α^L, TP_α^R are maximized simultaneously.

Table 11. Optimum results of Example 4 for maximizing TP_α^L .

α	Production Period (t_1^*)	Business Period (T^*)	TP_α^{L*} (Max)	TP_α^R
0.00	8.445339	9.452128	47,447.09	69,007.36
0.25	7.869975	9.079349	54,132.44	67,864.09
0.50	7.487523	8.755217	56,881.46	67,400.04
0.75	7.117747	8.415065	58,990.51	67,054.82
0.99	6.757742	8.066704	60,706.47	66,784.82

Table 12. Optimum results of Example 4 for maximizing TP_α^R .

α	Production Period (t_1^*)	Business Period (T^*)	TP_α^L	TP_α^{R*} (Max)
0.00	10.71312	11.93943	47,248.61	69,111.75
0.25	8.696047	10.00548	54,103.70	67,882.37
0.50	7.928822	9.254359	56,872.92	67,405.93
0.75	7.353021	8.682959	58,988.00	67,056.67
0.99	6.889372	8.217389	60,705.66	66,785.45

Table 13. Optimum results of Example 4 for maximizing both TP_α^L and TP_α^R .

α	Production Period (t_1^*)	Business Period (T^*)	TP_α^{L*} (Max)	TP_α^{R*} (Max)	Average Profit
0.00	9.513103	10.62325	47,397.64	69,085.74	58,241.69
0.25	8.273025	9.531221	54,125.26	67,877.80	61,001.53
0.50	7.704997	9.001196	56,879.33	67,404.46	62,141.89
0.75	7.234143	8.547598	58,989.88	67,056.21	63,023.05
0.99	6.823119	8.141546	60,706.27	66,785.29	63,745.78

The optimum business time period (T^*), optimum production time period (t_1^*), and profit interval ($[TP_\alpha^{L*}, TP_\alpha^{R*}]$) are obtained for the given parameter values. The results for different values of α are presented in Tables 11–13. As is expected, the optimum profit increases at the left and decreases at the right with the increase of α .

$$5.1. \text{ When } \left\{ (1 - \beta_\alpha^L)P + D_\alpha^R - D_\alpha^L \right\} t_1 + P\beta_\alpha^R \tau_\alpha^R = D_\alpha^R T$$

Example 5. To illustrate the model, the next parametric values are used: $C_p = \text{USD}30, C_{sr} = \text{USD}2, A_m = \text{USD}5200, s = \text{USD}55, s' = \text{USD}35, h_m = \text{USD}1.0, h'_m = \text{USD}0.50, P = 3380$. The fuzzy parameters, in this case, are considered as triangular fuzzy numbers (TFNs), and their different values are given as follows: $\tilde{\tau} = (\tau_0 - \Delta_1, \tau_0, \tau_0 + \Delta_2) = (2, 3, 5)$, $\Delta_1 = 1, \Delta_2 = 2$, $\tilde{\beta} = (\beta_0 - \sigma_1, \beta_0, \beta_0 + \sigma_2) = (0.07, 0.10, 0.15)$, $\sigma_1 = 0.03, \sigma_2 = 0.05$, $\tilde{D} = (D_0 - \rho_1, D_{0,0} + \rho_2) = (2500, 2559, 2631)$, $\rho_1 = 59, \rho_2 = 72$. LINGO-12.0 is used to solve this example. Tables 14 and 15 represent the optimum results when TP_α^L, TP_α^R are maximized separately.

Table 14. Optimum results of Example 5 for maximizing TP_{α}^L .

α	Production Period (t_1^*)	Business Period (T^*)	TP_{α}^{L*} (Max)	TP_{α}^R
0.00	1.904205	3.333382	72,465.08	91,202.27
0.25	1.992095	3.252411	70,387.39	84,903.91
0.50	1.834233	2.883574	68,885.25	78,970.41
0.75	1.735770	2.604554	67,219.03	72,486.40
0.99	4.184291	5.377229	66,696.28	66,897.66

Table 15. Optimum results of Example 5 for maximizing TP_{α}^R .

α	Production Period (t_1^*)	Business Period (T^*)	TP_{α}^L	TP_{α}^{R*} (Max)
0.00	1.904205	3.333382	72,465.08	91,202.27
0.25	1.992095	3.252411	70,387.39	84,903.91
0.50	1.834233	2.883574	68,885.25	78,970.41
0.75	1.468407	2.282920	67,206.21	72,582.51
0.99	4.169558	5.359706	66,696.27	66,897.67

Now, from Tables 14 and 15, when $\alpha = 0.00$, it is observed that the optimum profit interval is $[TP_{\alpha}^L, TP_{\alpha}^R] = [72,465.08, 91,202.27]$. Again, when $\alpha = 0.25$, then the optimum profit interval is $[TP_{\alpha}^L, TP_{\alpha}^R] = [70,387.39, 84,903.91]$. However, here, $[TP_{0.0}^L, TP_{0.0}^R] \supseteq [TP_{0.25}^L, TP_{0.25}^R]$ is not satisfied. This infeasibility is also shown when α is further increasing. Therefore, this relation has no role in giving the optimum solution of the model.

5.2. Comparison between the Optimum Average Profit Due to TFN and TrFN by Fisher’s t-Test

In the fuzzy EPQ model, using TFN and TrFN, two optimum average profits have been obtained. It is possible to know the differences between these two values by testing that the null hypothesis H_0 of the mean of values of average profit for TFN (\overline{AP}_{TFN}) is equal to the mean of values of average profit for TrFN (\overline{AP}_{TrFN}) against the alternative hypothesis $H_1: \overline{AP}_{TFN} \neq \overline{AP}_{TrFN}$, based on the results presented in Tables 4 and 7. Using t-distribution, this hypothesis can be tested.

The statistic test which follows t-distribution with $(n_1 + n_2 - 2)$ degrees of freedom is

$$t = \frac{\overline{AP}_{TFN} - \overline{AP}_{TrFN}}{s\sqrt{(1/n_1) + (1/n_2)}}$$

where

$$s^2 = \frac{n_1s_{TFN}^2 + n_2s_{TrFN}^2}{n_1 + n_2 - 2}$$

Here, $n_1 = 5, n_2 = 5, \overline{AP}_{TFN} = 62,393.63, \overline{AP}_{TrFN} = 60,993.21, s_{TFN}^2 = 10,866,309.90, s_{TrFN}^2 = 4,695,651.613$. Therefore, the degrees of freedom are $(n_1 + n_2 - 2) = 8$ and the value of $t = 0.2840$. Since the evaluated value of t is less than the tabulated value of $t_{0.05}$, then the null hypothesis H_0 is accepted with 95% of confidence limit and the conclusion is that there is no significant difference between the mean average profit (AP) for TFN and for TrFN.

5.3. Sensitivity Analysis

Example 1 is considered to study, with respect to key parameters, the sensitivity analysis of the proposed model. The optimum results of the model with the changes in the parameters $\Delta_1, \Delta_2, \sigma_1, \sigma_2, \rho_1, \rho_2, P,$ and s are shown in Table 16, taking $\alpha = 0.5$.

Table 16. Sensitivity analysis on Example 1 with respect to $\Delta_1, \Delta_2, \sigma_1, \sigma_2, \rho_1, \rho_2, P$ and S .

Parameter	Value	Production Period (t_1)	Business Period (T)	TP_α^L	TP_α^R	Average Profit
Δ_1	0.75	7.250299	8.587478	57,389.12	67,422.17	62,405.64
	1.00	7.310260	8.641835	57,181.58	67,545.36	62,363.47
	1.25	7.361048	8.685704	56,976.58	67,665.90	62,321.24
Δ_2	1.75	7.198704	8.514293	57,409.15	67,504.98	62,457.07
	2.00	7.310260	8.641835	57,181.58	67,545.36	62,363.47
	2.25	7.415203	8.761817	56,956.63	67,584.60	62,270.62
σ_1	0.02	7.229466	8.566165	57,624.05	67,683.21	62,653.63
	0.03	7.310260	8.641835	57,181.58	67,545.36	62,363.47
	0.04	7.375419	8.699629	56,733.72	67,410.27	62,071.99
σ_2	0.04	7.083671	8.430101	57,728.50	67,646.06	62,687.28
	0.05	7.310260	8.641835	57,181.58	67,545.36	62,363.47
	0.06	7.526995	8.839341	56,620.66	67,454.61	62,037.63
ρ_1	55	7.317655	8.649237	57,295.96	67,535.26	62,415.61
	59	7.310260	8.641835	57,181.58	67,545.36	62,363.47
	64	7.301025	8.632592	57,038.64	67,558.02	62,298.33
ρ_2	67	7.300695	8.638115	57,256.03	67,460.07	62,358.05
	72	7.310260	8.641835	57,181.58	67,545.36	62,363.47
	77	7.319873	8.645592	57,106.98	67,630.55	62,368.77
P	3350	7.497850	8.775979	57,266.24	67,613.92	62,440.08
	3380	7.310260	8.641835	57,181.58	67,545.36	62,363.47
	3420	7.079061	8.478815	57,070.02	67,458.47	62,264.24
s	54	7.310260	8.641835	44,534.08	54,570.36	49,552.22
	59	7.310260	8.641835	57,181.58	67,545.36	62,363.47
	64	7.310260	8.641835	69,829.08	80,520.36	64,188.79

Now, from Table 16, the following features of the proposed model are observed:

- (i) When Δ_1 increases, the production run time and business period also increase, but the average profit decreases with increasing of Δ_1 .
- (ii) When Δ_2 increases, the production run time and business period increase, but the average profit decreases with increasing of Δ_2 .
- (iii) When σ_1 increases, the production run time and business period also increase, but the average profit decreases with increasing of σ_1 .
- (iv) When σ_2 increases, the production run time and business period also increase, but the average profit decreases with increasing of σ_2 .
- (v) When ρ_1 increases, the production run time and business period also decrease, but the average profit increases with increasing of ρ_1 .
- (vi) When ρ_2 increases, the production run time and business period also increase, but average profit increases with increasing of ρ_2 .
- (vii) When the production rate (P) increases, the inventory increases, as well as the production run time, and business period reduces, but the average profit increases with the production rate.
- (viii) When selling price of perfect item per unit (s) increases, the production run time and business period do not change, but the average profit increases with the increasing of selling price (s).

5.4. Discussion

The optimum results of the proposed model are obtained from Tables 4, 7, 10 and 13 when the fuzzy numbers $\tilde{\tau}, \tilde{\beta},$ and \tilde{D} are considered as TFN, TrFN, PFN, and GFN in Examples 1–4, respectively. From these tables, it is shown that when α increases, $(\frac{\Delta TP_\alpha^L}{\Delta \alpha})$ also increases but $(\frac{\Delta TP_\alpha^R}{\Delta \alpha})$ decreases. Again, Figure 2 shows that the rate of increase of

the left optimum profit ($\frac{\Delta TP_{\alpha}^L}{\Delta \alpha}$) is more than the rate of decrease of the right optimum profit ($\frac{\Delta TP_{\alpha}^R}{\Delta \alpha}$). Hence, the average profit (AP), i.e., $\frac{1}{2}(TP_{\alpha}^L + TP_{\alpha}^R)$, is not the same for all α . Ultimately, the average profit rises with the increase of α .




Figure 2. Graphical representation of average profit with α .

Figure 2 shows that the TFNs give the maximum average profit among others, i.e., the ordering of optimum average profit is $AP_{TrFN} \leq AP_{GFN} \leq AP_{PFN} \leq AP_{TFN}$, where AP_{FN} indicates the optimum average profit for fuzzy number FN, though all fuzzy numbers have the same spread.

6. Conclusions and Future Research

The development of a fuzzy economic production quantity (FEPQ) model with fuzzy demand for perfect-quality items with inspection of imperfect items is the main contribution of this research work. During the manufacturing process, the system may shift to an “out-of-control” state after a certain time that follows constant/random time. The first development of the fuzzy production-inventory model for determining the time where the manufacturing process may shift to an “out-of-control” state after a certain time that follows a fuzzy number. Then, the process starts to produce defective items during the “out-of-control” state. Moreover, the defective rate is considered a fuzzy number.

A solution procedure is proposed by using a fuzzy differential equation, fuzzy Riemann integration, and fuzzy programming technique (FPT) in order to obtain an optimal decision. The α -cut of fuzzy profit is optimized by maximizing the profit in a fuzzy imperfect production. The production-inventory model is optimized for the production run time (t_1^*), business period (T^*), and profit interval. Here, four fuzzy numbers, TFN, TrFN, PFN, and GNF, have been used to illustrate the production-inventory model for fuzzy parameters. The production-inventory model can be applied in different manufacturing industries, for example, garments industry and electronic goods industry, among others, where the manufacturer produces perfect as well as defective items and the customers’ demands are uncertain.

This research work can be extended in several ways. First, this production-inventory model may be extended with machine breakdowns during production run time. Second, the production-inventory model can be extended to incorporate distinctive realistic features, such as production rate, screening cost, inventory holding cost, a quantity discount, and others with uncertain nature regarding the time. Third, different types of optimization techniques can be applied in order to optimize the production-inventory model.

Author Contributions: Conceptualization, A.K.M., L.E.C.-B., J.K.D., S.K.M., A.A.S., A.C.-M. and G.T.-G.; data curation, A.K.M., L.E.C.-B., A.A.S. and A.C.-M.; formal analysis, A.K.M., L.E.C.-B., J.K.D., S.K.M., A.A.S., A.C.-M. and G.T.-G.; investigation, A.K.M., L.E.C.-B., J.K.D., S.K.M., A.C.-M. and G.T.-G.; methodology, A.K.M., L.E.C.-B., J.K.D., S.K.M., A.A.S., A.C.-M. and G.T.-G.; supervision, A.K.M. and L.E.C.-B.; validation, A.K.M., L.E.C.-B., J.K.D., S.K.M., A.A.S. and G.T.-G.; visualization, A.K.M.; writing—original draft, A.K.M.; writing—review and editing, L.E.C.-B., J.K.D., S.K.M., A.A.S., A.C.-M. and G.T.-G. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: All data are given in the manuscript that are used to justify the proposed model numerically.

Conflicts of Interest: The authors declare no conflicts of interest.

Notation

The following abbreviations are used in this manuscript:

$q_1(t)$	Inventory at any on hand time t , in crisp environment for perfect quality item
$\tilde{q}_1(t)$	Inventory at any on hand time t , in fuzzy environment for perfect quality item
$q_2(t)$	Inventory at any on hand time t , in crisp environment for imperfect quality item
$\tilde{q}_2(t)$	Inventory at any on hand time t , in fuzzy environment for imperfect quality item
D	Perfect quality items demand rate in crisp environment
\tilde{D}	Perfect quality items fuzzy demand rate in fuzzy environment
P	Production rate ($P > D$)
$\tilde{\beta}$	Imperfect quality items per unit of time with fuzzy percentage and its α -cut $[\beta_\alpha^L, \beta_\alpha^R]$
$\tilde{\tau}$	Fuzzy time to shifts the production system from ‘in-control’ state to the ‘out-of-control’ state with its α -cut $[\tau_\alpha^L, \tau_\alpha^R]$
t_1	Production run time duration
c_p	Production cost per unit item
c_{sr}	Screening cost per unit item
h_c	Inventory holding cost per unit for a perfect item in production center per unit of time
h'_c	Inventory holding cost per unit for an imperfect item in production center per unit of time
s	Perfect item per unit selling price
s'	Imperfect item per unit selling price
T	Business period length
\sim	This mark is placed on the top of a symbol in order to represent fuzzy parameters

References

- Banu, Ateka, Amalesh Kumar Manna, and Shyamal Kumar Mondal. 2021. Adjustment of credit period and stock-dependent demands in a supply chain model with variable imperfectness. *RAIRO-Operations Research* 55: 1291–324. [\[CrossRef\]](#)
- Bera, Ashoke Kumar, and Dipak Kumar Jana. 2017. Multi-item imperfect production inventory model in Bi-fuzzy environments. *Opsearch* 54: 260–82. [\[CrossRef\]](#)
- Cárdenas-Barrón, Leopoldo Eduardo. 2000. Observation on: Economic production quantity model for items with imperfect quality. *International Journal of Production Economics* 67: 59–64. [\[CrossRef\]](#)
- Cárdenas-Barrón, Leopoldo Eduardo, Gerardo Treviño-Garza, Ata Allah Taleizadeh, and Pandian Vasant. 2015. Determining replenishment lot size and shipment policy for an EPQ inventory model with delivery and rework. *Mathematical Problems in Engineering* 2015: 595498. [\[CrossRef\]](#)
- Chalco-Cano, Yurilev, and Heriberto Roman-Flores. 2009. Comparison between some approaches to solve fuzzy differential equations. *Fuzzy Sets and Systems* 160: 1517–27. [\[CrossRef\]](#)
- Chang, San-Chyi. 1999. Fuzzy production inventory for fuzzy product quantity with triangular fuzzy number. *Fuzzy Sets and Systems* 107: 37–57. [\[CrossRef\]](#)
- Chen, Shan Huo, and Chih Hsun Hsieh. 2000. Optimization of fuzzy production inventory model under fuzzy parameters. Paper presented at Fifth Joint Conference on Information Sciences (JCIS 2000), Atlantic City, NJ, USA, February 27–March 3; Volume 1, pp. 68–71.

- Cheng, Tai Chiu Edwin. 1991. An economic order quantity model with demand-dependent unit production cost and imperfect production processes. *IIE Transactions* 23: 23–28. [\[CrossRef\]](#)
- Chiu, Yuan-Shyi Peter, Singa Wang Chiu, Chun-Yi Li, and Chia-Kuan Ting. 2009. Incorporating multi-delivery policy and quality assurance into economic production lot size problem. *Journal of Scientific and Industrial Research* 68: 505–12.
- Chung, Kun-Jen, and Kuo-Lung Hou. 2003. An optimal production run time with imperfect production processes and allowable shortages. *Computers and Operations Research* 30: 483–90. [\[CrossRef\]](#)
- Das, Bibhas Chandra, Barun Das, and Shyamal Kumar Mondal. 2015. An integrated production inventory model under interactive fuzzy credit period for deteriorating item with several markets. *Applied Soft Computing* 28: 453–65. [\[CrossRef\]](#)
- Dey, Jayanta Kumar, Samarjit Kar, and Manoranjan Maiti. 2005. An interactive method for inventory control with fuzzy lead-time and dynamic demand. *European Journal of Operational Research* 167: 381–97. [\[CrossRef\]](#)
- Dey, Oshmita. 2019. A fuzzy random integrated inventory model with imperfect production under optimal vendor investment. *Operational Research* 19: 101–15. [\[CrossRef\]](#)
- Dutta, Pankaj, Debjani Chakraborty, and Akhil R. Roy. 2005. A single-period inventory model with fuzzy random variable demand. *Mathematical and Computer Modelling* 41: 915–22. [\[CrossRef\]](#)
- Goyal, Suresh Kumar, and Leopoldo Eduardo Cárdenas-Barrón. 2002. Note on: Economic production quantity model for items with imperfect quality—A practical approach. *International Journal of Production Economics* 77: 85–87. [\[CrossRef\]](#)
- Hsieh, Chih Hsun. 2002. Optimization of fuzzy production inventory models. *Information Sciences* 146: 29–40. [\[CrossRef\]](#)
- Jaber, Mohamad Y. 2006. Lot sizing for an imperfect production process with quality corrective interruptions and improvements and reduction in setups. *Computers and Industrial Engineering* 51: 781–90. [\[CrossRef\]](#)
- Kao, Chiang, and Wen-Kai Hsu. 2002. A single-period inventory model with fuzzy demand. *Computers & Mathematics with Applications* 43: 841–48.
- Khara, Barun, Jayanta Kumar Dey, and Shyamal Kumar Mondal. 2020. Sustainable recycling in an imperfect production system with acceptance quality level dependent development cost and demand. *Computers & Industrial Engineering* 142: 106300.
- Kim, Chang Hyun, and Yushin Hong. 1999. An optimal production run length in deteriorating production processes. *International Journal of Production Economics* 58: 183–89.
- Lee, Huey-Ming, and Jing-Shing Yao. 1998. Economic production quantity for fuzzy demand quantity and fuzzy production quantity. *European Journal of Operational Research* 109: 203–11. [\[CrossRef\]](#)
- Lee, Hsu-Hua. 2005. A cost/benefit model for investments in inventory and preventive maintenance in an imperfect production system. *Computer and Industrial Engineering* 48: 55–68. [\[CrossRef\]](#)
- Li, Lushu, Santosh N. Kabadi, and Kunhhiraman P. K. Nair. 2002. Fuzzy models for single-period inventory problem. *Fuzzy Sets and Systems* 132: 273–89. [\[CrossRef\]](#)
- Lin, Der-Chen, and Jing-Shing Yao. 2000. Fuzzy economic production for production inventory. *Fuzzy Sets and Systems* 111: 465–95. [\[CrossRef\]](#)
- Lin, Chen-Sin, Chih-Hua Chen, and Dennis E. Kroll. 2003. Integrated productions-inventory models for imperfect production processes. *Computers and Industrial Engineering* 44: 633–50. [\[CrossRef\]](#)
- Lo, Sh-Tyan, Hui-Ming Wee, and Wen-Chang Huang. 2007. An integrated production-inventory model with imperfect production processes and weibull distribution deterioration under inflation. *International Journal of Production Economics* 106: 248–60. [\[CrossRef\]](#)
- Maiti, Ajoy Kumar. 2021. Cloudy fuzzy inventory model under imperfect production process with demand dependent production rate. *Journal of Management Analytics* 8: 741–63. [\[CrossRef\]](#)
- Mallick, Rabin Kumar, Amalesh Kumar Manna, Ali Akbar Shaikh, and Shyamal Kumar Mondal. 2021. Two-level supply chain inventory model for perishable goods with fuzzy lead-time and shortages. *International Journal of Applied and Computational Mathematics* 7: 190. [\[CrossRef\]](#)
- Manna, Amalesh Kumar, Jayanta Kumar Dey, and Shyamal Kumar Mondal. 2014. Three-layer supply chain in an imperfect production inventory model with two storage facilities under fuzzy rough environment. *Journal of Uncertainty Analysis and Applications* 2: 1–31. [\[CrossRef\]](#)
- Manna, Amalesh Kumar, Barun Das, Jayanta Kumar Dey, and Shyamal Kumar Mondal. 2017a. Multi-item EPQ model with learning effect on imperfect production over fuzzy-random planning horizon. *Journal of Management Analytics* 4: 80–110. [\[CrossRef\]](#)
- Manna, Amalesh Kumar, Jayanta Kumar Dey, and Shyamal Kumar Mondal. 2017b. Imperfect production inventory model with production rate dependent defective rate and advertisement dependent demand. *Computers and Industrial Engineering* 104: 9–22. [\[CrossRef\]](#)
- Manna, Amalesh Kumar, Barun Das, Jayanta Kumar Dey, and Shyamal Kumar Mondal. 2018. An EPQ model with promotional demand in random planning horizon: Population varying genetic algorithm approach. *Journal of Intelligent Manufacturing* 27: 1–19. [\[CrossRef\]](#)
- Manna, Amalesh Kumar, Md Akhtar, Ali Akbar Shaikh, and Asoke Kumar Bhunia. 2021. Optimization of a deteriorated two-warehouse inventory problem with all-unit discount and shortages via tournament differential evolution. *Applied Soft Computing* 107: 107388. [\[CrossRef\]](#)
- Mizumoto, Masaharu, and K. Tanaka. 1976. The four operations of arithmetic on fuzzy numbers. *System Computer Controls* 7: 703–10.

- Moghdani, Reza, Shib Sankar Sana, and Hamid Shahbandarzadeh. 2020. Multi-item fuzzy economic production quantity model with multiple deliveries. *Soft Computing* 24: 10363–87. [\[CrossRef\]](#)
- Park, Kyung S. 1987. Fuzzy set theoretic interpretation of economic order quantity. *IEEE Transactions on Systems, Man, and Cybernetics* 17: 1082–84. [\[CrossRef\]](#)
- Pasandideh, Seyed Hamid Reza, Seyed Taghi Akhavan Niaki, Amir Hossein Nobil, and Leopoldo Eduardo Cárdenas-Barrón. 2015. A multiproduct single machine economic production quantity model for an imperfect production system under warehouse construction cost. *International Journal of Production Economics* 169: 203–14. [\[CrossRef\]](#)
- Petrovic, Dobrila, Radivoj Petrovic, and Mirko Vujosevic. 1996. Fuzzy models for the newsboy problem. *International Journal of Production Economics* 45: 435–41. [\[CrossRef\]](#)
- Porteus, Evan L. 1986. Optimal lot-sizing process quality improvement and setup cost reduction. *Operations Research* 34: 137–44. [\[CrossRef\]](#)
- Priyan, S., and R. Uthayakumar. 2016. Economic design of multi-echelon inventory system with variable lead time and service level constraint in a fuzzy cost environment. *Fuzzy Information and Engineering* 8: 465–511. [\[CrossRef\]](#)
- Román-Flores, Heriberto, Laécio C. Barros, and Rodney C. Bassanezi. 2001. A note on Zadeh's extensions. *Fuzzy Sets and Systems* 117: 327–31. [\[CrossRef\]](#)
- Rosenblatt, Meir J., and Hau L. Lee. 1986. Economic production cycles with imperfect production processes. *IIE Transactions* 18: 48–55. [\[CrossRef\]](#)
- Salameh, Mouen K., and Mohamad Y. Jaber. 2000. Economic production quantity model for items with imperfect quality. *International Journal of Production Economics* 64: 59–64. [\[CrossRef\]](#)
- Sarkar, Biswajit, Leopoldo Eduardo Cárdenas-Barrón, Mitali Sarkar, and Moses Laksono Singgih. 2014. An EPQ inventory model with random defective rate, rework process and backorders for a single stage production system. *Journal of Manufacturing Systems* 33: 423–35. [\[CrossRef\]](#)
- Seikkala, Seppo. 1987. On the fuzzy initial value problem. *Fuzzy Sets and Systems* 24: 319–30. [\[CrossRef\]](#)
- Shao, Zhen, and Xiaoyu Ji. 2006. Fuzzy multi-product constraint newsboy problem. *Applied Mathematics and Computation* 180: 7–15. [\[CrossRef\]](#)
- Shaikh, Ali Akbar, Asoke Kumar Bhunia, Leopoldo Eduardo Cárdenas-Barrón, Laxminarayan Sahoo, and Sunil Tiwari. 2018. A fuzzy inventory model for a deteriorating item with variable demand, permissible delay in payments and partial backlogging with shortage follows inventory (SFI) policy. *International Journal of Fuzzy Systems* 20: 1606–23. [\[CrossRef\]](#)
- Shaikh, Ali Akbar, Leopoldo Eduardo Cárdenas-Barrón, Amalesh Kumar Manna, and Armando Cespedes-Mota. 2020. An economic production quantity (EPQ) model for a deteriorating item with partial trade credit policy for price dependent demand under inflation and reliability. *Yugoslav Journal of Operations Research* 31: 139–51.
- Shah, Nita H., and Chetansinh R. Vaghela. 2018. Imperfect production inventory model for time and effort dependent demand under inflation and maximum reliability. *International Journal of Systems Science: Operations & Logistics* 5: 60–68.
- Soni, Hardik N., and Manisha Joshi. 2015. A periodic review inventory model with controllable lead time and backorder rate in fuzzy-stochastic environment. *Fuzzy Information and Engineering* 7: 101–14. [\[CrossRef\]](#)
- Taleizadeh, Ata Allah, Saman Nikpour, and Mahmoud Zarei. 2009. Constraint joint-replenishment inventory control problem with fuzzy rough demand. *Journal of Applied Sciences* 9: 627–38. [\[CrossRef\]](#)
- Taleizadeh, Ata Allah, Mahshid Yadegari, and Shib Sankar Sana. 2019. Production models of multiple products using a single machine under quality screening and reworking policies. *Journal of Modelling in Management* 14: 232–59. [\[CrossRef\]](#)
- Wang, Chih-Hsiung, and Shey-Heui Sheu. 2001. Simultaneous determination of the optimal production inventory and product inspection policies for a deteriorating production system. *Computers and Operations Research* 28: 1093–110. [\[CrossRef\]](#)
- Wang, Chih-Hsiung. 2005. Integrated production and product inspection policy. *International Journal of Production Economics* 95: 123–34. [\[CrossRef\]](#)
- Wu, Hsien-Chung. 2000. The fuzzy Riemann integral and its numerical integration. *Fuzzy Sets and Systems* 110: 1–25. [\[CrossRef\]](#)
- Yoo, Seung Ho, DaeSoo Kim, and Myung-Sub Park. 2009. Economic production quantity model with imperfect quality items, two-way imperfect inspection and sales return. *International Journal of Production Economics* 121: 255–65. [\[CrossRef\]](#)
- Zadeh, Lotfi Asker. 1965. Fuzzy sets. *Information and Control* 8: 338–56. [\[CrossRef\]](#)
- Zimmermann, Hans-Jürgen. 1996. *Fuzzy Set Theory and Its Applications*, 2nd ed. Allied: New Delhi.