

Andor, Mark; Flinkerbusch, Kai; Voß, Achim

**Working Paper**

## Quantities vs. capacities: Minimizing the social cost of renewable energy promotion

CAWM Discussion Paper, No. 59

**Provided in Cooperation with:**

University of Münster, Münster Center for Economic Policy (MEP)

*Suggested Citation:* Andor, Mark; Flinkerbusch, Kai; Voß, Achim (2012) : Quantities vs. capacities: Minimizing the social cost of renewable energy promotion, CAWM Discussion Paper, No. 59, Westfälische Wilhelms-Universität Münster, Centrum für Angewandte Wirtschaftsforschung (CAWM), Münster

This Version is available at:

<https://hdl.handle.net/10419/62131>

**Standard-Nutzungsbedingungen:**

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.

**Terms of use:**

*Documents in EconStor may be saved and copied for your personal and scholarly purposes.*

*You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.*

*If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.*

# Quantities vs. Capacities: Minimizing the Social Cost of Renewable Energy Promotion

Mark Andor\*, Kai Flinkerbusch, Achim Voß†

August 22, 2012

CAWM Discussion Paper No. 59  
University of Münster

## Abstract

In this article we show how different promotion schemes for renewables affect economic welfare. Our starting point is that external benefits of renewable electricity supply besides the abatement of greenhouse gases are not related to actual electricity generation but to producing and installing capacity. We argue that generation based subsidies such as feed-in tariffs and bonus payments can only be a second-best solution. Our model framework allows us to explain how these second-best instruments cause welfare losses in an environment of volatile demand. We postulate that capacity payments for renewables should be implemented in order to avoid unnecessary social costs.

**Keywords:** Renewable Energy Sources, Energy Policy, Promotion Instruments

**JEL Codes:** Q41, Q48, H23

---

\*All authors: Department of Economic Theory, University of Münster, Universitätsstr. 14-16, 48143 Münster, Germany.

†Corresponding author. Tel.: +49 251 83 22872. E-mail: 15acvo@wiwi.uni-muenster.de.

# 1 Introduction

Over the last two decades, many governments have introduced support schemes for electricity from renewable energy sources (RES-E).<sup>1</sup> In most of these countries it is a declared political goal to raise the market share of RES-E considerably. In the European Union, the Renewable Energy Directive adopted in 2009 focuses on achieving a 20% share of renewable energy in the EU overall energy mix by 2020. Germany even aims to raise the share of RES-E from 16.8% in 2010 to 35% in 2020. Despite a lot of research efforts in the past, from an economic point of view it is still questionable which instrument is most efficient to promote RES-E. This question is particularly important in countries where RES-E already has a considerable market share. Against this background, this article analyzes the welfare effects of different support schemes.

Our starting point is the question why governments support RES-E at all. The public intervention in the market via subsidizing a specific technology requires a rationale. The most common perception is the abatement of greenhouse gases. However, economic literature suggests direct caps on or prices for emitting greenhouse gases or a combination of both as first-best instruments for internalizing this external effect (cf. Pizer 2002, Gillingham and Sweeney 2010 and Lehmann 2011). One example of an exception could be the following: If carbon taxes cannot be set appropriately, promoting carbon-free energies may be a second-best instrument. However, we follow the main literature and state that greenhouse gas externalities should be addressed directly. An additional promotion of RES-E, i.e. a policy mix, can thus be justified if there is a further market failure (cf. Lehmann 2011). Actually, there is a whole bunch of externalities connected to RES-E discussed in politics as well as the economic literature. Internalizing positive externalities from technology spillovers – as analyzed, for example, by Fischer and Newell (2008) and Gerlagh et al. (2009) – seems to be the most convincing rationale. Other motives seem to lack a solid theoretical foundation, but they are part of political considerations nonetheless: Reducing the dependence on fossil fuel supply and resource imports, security of supply, and raising employment (cf. del Río González 2007).

---

<sup>1</sup>See, for example, Reiche and Bechberger (2004), Ölz, ed (2008) and Sawin and Martinot, eds (2010).

Important for the analysis in this article is the finding that all potential reasons to support RES-E justify a promotion of RES-E capacity, but not of RES-E generation. The listed reasons for support are either grounded on available capacity (e.g., in the case of security of supply), or on new capacity production (e.g., in the case of technology spillover effects). By contrast, many promotion instruments base their subsidies not on capacity, but on electricity generation.

The second finding is that instruments which are generation-based frequently lead to undesired market outcomes. For instance, the main support instrument in the EU is a generation-based “feed-in tariff” (FIT) that pays a fixed amount of money for every kWh a plant operator feeds in (cf. Ecofys et al. 2011). Given that the FIT covers variable costs, RES-E operators always make use of their full available capacity – independent of electricity demand. This leads to situations in which RES-E technologies produce in spite of strongly negative prices, although they can reduce supply almost costlessly.<sup>2</sup> In Germany wind power plants generated 17,000 MWh of electricity on October 4th 2009 between 2 a.m. and 3 a.m., although the day-ahead market price was –500 Euro/MWh. Negative prices are the most obvious sign that FIT give misleading incentives. Unfortunately, these circumstances – a high supply of RES-E in conjunction with low demand – will probably occur more often in the future due to the ambitious RES-E targets and the declared electricity consumption targets.

In this article, we analyze the effect of different promotion schemes on welfare in a model of variable demand. We compare the following three instruments: Feed-in tariffs as market price-independent payments for generated electricity, bonus payments as a generation subsidy on top of the market price, and generation-independent capacity subsidies. Given that external benefits of RES-E are related to capacity, we do not have to model the external benefits for a given level of capacity explicitly as these are identical, no matter what promotion scheme is chosen. Maximizing welfare then just requires minimizing the social cost of the promotion scheme. We show that minimizing cost implies subsidizing capacity, and demonstrate the additional costs of instruments which are generation-based.

---

<sup>2</sup>Negative prices can occur because conventional power plants in certain situations have a willingness to pay to continue generating, see Andor et al. (2010) and Nicolosi (2010).

The structure of this article is as follows. Section 2 relates the article to the literature. Section 3 describes the socially optimal supply rule for RES-E electricity. In section 4, we show the effects of different support instruments on the operators' supply and investment decision. We then compare their decision to that of the social planner. Section 5 summarizes the results and offers suggestions for further research.

## **2 Literature review**

There is a large literature on RES-E support instruments, but to our knowledge, the distinction between subsidizing capacity as opposed to paying for generated electricity has not yet been discussed. For example, the contrast that Menanteau et al. (2003) discuss is that between RES-E quantity based instruments (identified as green energy certificates or auctioned quotas) and RES-E price based instruments (identified as feed-in tariffs). However, note that all these instruments are electricity-generation payments and thus this distinction misses our point.

Fischer and Newell (2008) derive an optimal policy, taking RES-E technology spillover as well as negative fossil-fuel externalities into account without modelling RES-E capacity explicitly. Positive learning externalities of RES-E are explicitly analyzed by Bläsi and Requate (2010) as well. However, in their model, capacity subsidies are, in effect, a market-entry premium for RES-E operators and "capacity" is the number of firms, i.e. each firm owns one wind turbine. Both models rely on rising marginal cost of RES-E electricity generation. By contrast, our own framework assumes competitive operators and incorporates the case of zero generation cost which is especially interesting in the cases of wind power generation and photovoltaic power generation.

Negative electricity prices are a relatively new phenomenon. Nevertheless, there are a couple of articles which discuss this phenomenon from various perspectives. Knittel and Roberts (2005) observe negative prices when studying the distributional and temporal properties of hourly electricity prices in California. Nicolosi (2010) empirically analyzes extreme events in Germany under the negative price regime which was introduced in 2008. Nicolosi (2010) identifies the factors limiting market flexi-

bility so that negative prices could occur. Fanone et al. (2012) develop a model for day-ahead spot prices with the aim of capturing the main features of the German electricity spot market. Besides the well known peculiarities of electricity prices (seasonality, mean reversion, fat tails, positive spikes), their model is able to generate negative spikes and negative prices. Andor et al. (2010) and Brandstätt et al. (2011) discuss the influence of the German FIT on the occurrence of negative prices, conclude that the RES-E support scheme cause welfare losses and give advice for a short-term improvement of the system. Andor et al. (2010) suggest to limit the obligation to sell RES-E to those cases when (short-term) marginal cost is recovered. By contrast, Brandstätt et al. (2011) propose to use voluntary curtailment agreements, while retaining the priority rule as such. Thereby the transmission system operator can organize a tender for voluntary curtailment agreements. As Brandstätt et al. (2011) say, an analysis of other support schemes to improve the large-scale integration of RES-E is of interest in the mid-term, which is the focus of this article.

To analyze capacity choice with variable states of demand, we employ a peak-load pricing (PLP) model. For a survey of the peak-load pricing literature, cf. Crew et al. (1995). The reference analysis of PLP capacity choice with respect to the electricity market is Wenders (1976), but we do not apply his feature of heterogenous technologies. Rather, we focus on one technology, summing up the rest of the market in the (residual) demand curve. Thus, our analysis focuses on the medium run in which RES-E capacity is chosen but other plant capacity is given. This simplification helps to show the general incentives on RES-E supply behavior without further complicating the analysis, although we are aware that renewable promotion schemes have an impact on investment decisions on conventional power plants and, thus, have an influence on the efficiency of the promotion scheme in the long term. See, for example, the discussion about the need for capacity markets for conventional power plants in countries with a rising market share of RES-E.

Finally, it is worth noting that our analysis applies the targeting principle of Bhagwati (1971): If a government seeks to either neutralize an economic distortion or to introduce a distortion for exogenous reasons, the cost-minimizing intervention is the

one that directly aims at the distortion's source. Bhagwati formulated the principle for international trade policy, but it is oft-cited in other policy areas. Particularly, agricultural economists tend to propose direct income support for farmers – and thus, ultimately, farming capacity – decoupled from the production of specific kinds of crop – cf. Guyomard et al. (2000, 2004).

### 3 Socially optimal electricity supply

Consider an electricity market in which the price  $p$  for electricity  $q$  is given by a state-dependent demand function  $p(a, q)$ , where  $a \in \{l, h\}$  represents the state:  $a = h$  means high demand, and  $a = l$  means low demand, and we assume  $p(h, q) > p(l, q)$  for each  $q$ . Note that our model is general enough to be applicable to other markets as well, but for concreteness we use electricity-market vocabulary.

We explicitly model only one (renewable) technology for generating and supplying electricity. Thereby, we think of the demand function as residual demand for this technology. Assuming that market power is negligible so that there is no strategic interaction between conventional and renewable electricity supply, we do not suffer a loss of generality in the short run where conventional capacity is given.

Electricity supply of the renewable technology is limited by capacity,  $k$ . Manufacturing capacity costs  $\Phi(k)$ , with  $\Phi(0) = 0$ ,  $\Phi'(0) \geq 0$ ,  $\Phi(k)' > 0$  for  $k > 0$  and  $\Phi(k)'' > 0$ . Generating electricity may be costly as well, where the cost function is  $\Theta(q)$  with  $\Theta(q)' \geq 0$ ,  $\Theta(q)'' \geq 0$ . There is no intermittency problem in our model, i.e. capacity is always fully available, because we want to focus on the comparison of RES-E support schemes and these have no influence on the availability of RES-E capacity.

We consider two periods: An investment period in which capacity is chosen under electricity demand uncertainty, and a market period in which electricity is generated. The ex-ante probability for high demand ( $a = h$ ) is  $\rho$  and for low demand ( $a = l$ ) it is  $1 - \rho$ .

Expected consumer surplus  $\mathbb{E}[\Omega]$  and expected producer surplus  $\mathbb{E}[\Psi]$  in the market

period are given by:

$$\begin{aligned}\mathbb{E}[\Omega] &\equiv \rho \cdot \int_0^{q_h} [p(h, q) - p(h, q_h)] dq \\ &\quad + (1 - \rho) \cdot \int_0^{q_l} [p(l, q) - p(l, q_l)] dq,\end{aligned}\quad (3.1)$$

$$\begin{aligned}\mathbb{E}[\Psi] &\equiv \rho \cdot \int_0^{q_h} [p(h, q_h) - \Theta'(q)] dq \\ &\quad + (1 - \rho) \cdot \int_0^{q_l} [p(l, q_l) - \Theta'(q)] dq,\end{aligned}\quad (3.2)$$

where  $q_h$  and  $q_l$  are production quantities chosen for demand state  $h$  and  $l$ , respectively.

For total expected surplus net of investment cost,  $\mathbb{E}[W]$ , this yields:

$$\begin{aligned}\mathbb{E}[W] &= \mathbb{E}[\Omega] + \mathbb{E}[\Psi] - \Phi(k) \\ &= \rho \cdot \int_0^{q_h} [p(h, q) - \Theta'(q)] dq + (1 - \rho) \cdot \int_0^{q_l} [p(l, q) - \Theta'(q)] dq \\ &\quad - \Phi(k).\end{aligned}\quad (3.3)$$

For simplicity, we just use the word ‘‘welfare’’ for  $W$  in the following. Let us briefly recall why there are no external benefits at this point: Our starting point is that positive externalities of RES-E generation – contrary to RES-E capacity – are negligible. Consequently, when we consider different promotion schemes and then compare welfare for a given amount of capacity, we do not have to consider external benefits explicitly since they are the same for identical amounts of capacity.

For any given level of capacity a social planner would maximize welfare by choosing quantities of electricity. Due to the restriction that generation may not exceed capacity we formulate a Kuhn-Tucker objective function,  $Z$ , to be maximized:

$$\begin{aligned}\max_{q_h, q_l} Z &= \rho \cdot \int_0^{q_h} [p(h, q) - \Theta'(q)] dq + (1 - \rho) \cdot \int_0^{q_l} [p(l, q) - \Theta'(q)] dq \\ &\quad - \Phi(k) + \lambda_h \cdot [k - q_h] + \lambda_l \cdot [k - q_l].\end{aligned}\quad (3.4)$$



Optimality conditions for electricity generation are then defined by:

$$\begin{aligned} \rho \cdot [p(h, q_h) - \Theta'(q_h)] - \lambda_h &\leq 0 & q_h &\geq 0 \\ q_h \cdot [\rho \cdot [p(h, q_h) - \Theta'(q_h)] - \lambda_h] &= 0, \end{aligned} \quad (3.5)$$

$$\begin{aligned} (1 - \rho) \cdot [p(l, q_l) - \Theta'(q_l)] - \lambda_l &\leq 0 & q_l &\geq 0 \\ q_l \cdot [(1 - \rho) \cdot [p(l, q_l) - \Theta'(q_l)] - \lambda_l] &= 0 \end{aligned} \quad (3.6)$$

and the Kuhn-Tucker conditions for capacity utilization are:

$$k - q_h \geq 0 \quad \lambda_h \geq 0 \quad \lambda_h \cdot [k - q_h] = 0, \quad (3.7)$$

$$k - q_l \geq 0 \quad \lambda_l \geq 0 \quad \lambda_l \cdot [k - q_l] = 0. \quad (3.8)$$

The interpretation of the optimality conditions is straightforward. Consider the case where we have  $p(a, q_a) = \Theta'(q_a)$  for a positive generation quantity  $q_a < k$ . In this case, capacity is used only up to this quantity and the shadow price of capacity is zero, because there is still some amount of capacity left idle. If, however,  $p(a, k) > \Theta'(k)$  for generation at the capacity limit, the capacity restriction is binding and we have  $q_a = k$ ; the shadow price of capacity,  $\lambda_a$ , then equals the excess of price above marginal generation cost weighted with the probability of state  $a$ .

This means that full capacity is used in both demand states if capacity is very scarce: We then have  $q_l = q_h = k$ . As  $p(h, q) > p(l, q)$ , this implies that the price in state  $h$  is higher than marginal generation cost and the price in state  $l$  is at least as high as marginal cost. If more capacity is available, then in the low-demand state it is only used up to the point where price equals marginal generation cost, while in the high-demand state capacity is still the limit. Finally, if very much capacity is available, it is used up to the point where price equals marginal generation cost in both demand states.

In what follows, we call the quantities defined by the equality of price and marginal generation cost  $\tilde{q}_a$  for demand state  $a$ . This case reflects the efficient supply rule which implies maximal expected welfare for any capacity level. Welfare for capacity level  $k$

then reads:

$$\mathbb{E}[W^*] = \begin{cases} \int_0^k [\rho \cdot p(h, q) + (1 - \rho) \cdot p(l, q)] dq \\ -\Theta(k) - \Phi(k) & \text{for } k \leq \tilde{q}_l, \\ \rho \cdot \int_0^k p(h, q) dq + (1 - \rho) \cdot \int_0^{\tilde{q}_l} p(l, q) dq \\ -[\rho \cdot \Theta(k) + (1 - \rho) \cdot \Theta(\tilde{q}_l)] - \Phi(k) & \text{for } \tilde{q}_l \leq k \leq \tilde{q}_h, \\ \rho \cdot \int_0^{\tilde{q}_h} p(h, q) dq + (1 - \rho) \cdot \int_0^{\tilde{q}_l} p(l, q) dq \\ -[\rho \cdot \Theta(\tilde{q}_h) + (1 - \rho) \cdot \Theta(\tilde{q}_l)] - \Phi(k) & \text{for } \tilde{q}_h \leq k. \end{cases} \quad (3.9)$$

If the planner desires to expand capacity beyond the  $\tilde{q}_l$  level, it is optimal to leave capacity idle if low demand is realized. Likewise, if the government wants to expand capacity beyond  $\tilde{q}_h$ , the excess capacity should be left idle in both demand states. It seems unlikely that a real-world government would build capacity without planning to ever use it – the current situation in many electricity markets likely resembles our intermediate case. In the following we analyze three different instruments that a government can use to set incentives for firms to reach capacity targets. Thereby we analyze whether and when such second-best policies deviate from the first-best policy laid out above.

## 4 Instruments

### 4.1 Capacity payments

Consider the investment and supply decision of competitive, profit-maximizing suppliers under demand uncertainty. Firms are price takers and their revenue is denoted  $p(a) \cdot q_a$ . As in the previous section, generation cost is  $\Theta(q)$  and capacity cost  $\Phi(k)$ . Now consider a support scheme that grants a payment depending on installed capacity, denoted  $\sigma$ . The payment can either be made directly for each MW of capacity, or we can think of concepts like tenders. In our model framework, these concepts are identical. Let  $\tau$  be a lump-sum tax which is needed to finance the capacity payments. By

definition of a lump-sum tax, it does not cause allocative distortions. The firms' total profits in state  $a$ , given capacity payments and the tax, are defined as:

$$\Pi_a^\sigma \equiv p(a) \cdot q_a - \Theta(q_a) - \Phi(k) + \sigma \cdot k - \tau, \quad (4.1)$$

so that expected total profits are given by:

$$\begin{aligned} \mathbb{E}[\Pi^\sigma] &\equiv \rho \cdot [p(h) \cdot q_h - \Theta(q_h) - \Phi(k) + \sigma \cdot k - \tau] \\ &\quad + (1 - \rho) \cdot [p(l) \cdot q_l - \Theta(q_l) - \Phi(k) + \sigma \cdot k - \tau]. \end{aligned} \quad (4.2)$$

The firms' Kuhn-Tucker problem is given by:

$$\begin{aligned} \max_{q_h, q_l, k} Z^\sigma &= \rho \cdot [p(h) \cdot q_h - \Theta(q_h) - \Phi(k) + \sigma \cdot k - \tau] \\ &\quad + (1 - \rho) \cdot [p(l) \cdot q_l - \Theta(q_l) - \Phi(k) + \sigma \cdot k - \tau] \\ &\quad + \lambda_h^\sigma \cdot [k - q_h] + \lambda_l^\sigma \cdot [k - q_l]. \end{aligned} \quad (4.3)$$

The maximization conditions for supply are:

$$\begin{aligned} \rho \cdot [p(h, q_h) - \Theta'(q_h)] - \lambda_h^\sigma &\leq 0 & q_h &\geq 0 \\ q_h \cdot [\rho \cdot [p(h, q_h) - \Theta'(q_h)] - \lambda_h^\sigma] &= 0, \end{aligned} \quad (4.4)$$

$$\begin{aligned} (1 - \rho) \cdot [p(l, q_l) - \Theta'(q_l)] - \lambda_l^\sigma &\leq 0 & q_l &\geq 0 \\ q_l \cdot [(1 - \rho) \cdot [p(l, q_l) - \Theta'(q_l)] - \lambda_l^\sigma] &= 0, \end{aligned} \quad (4.5)$$

where price depends on  $q_h$  and  $q_l$  in equilibrium. The Kuhn-Tucker conditions are given by:

$$k - q_h \geq 0 \quad \lambda_h^\sigma \geq 0 \quad \lambda_h^\sigma \cdot [k - q_h] = 0, \quad (4.6)$$

$$k - q_l \geq 0 \quad \lambda_l^\sigma \geq 0 \quad \lambda_l^\sigma \cdot [k - q_l] = 0. \quad (4.7)$$

Concerning capacity, the first order condition is

$$-\Phi'(k^*) + \sigma + \lambda_h^\sigma + \lambda_l^\sigma \leq 0 \quad k^* \geq 0 \quad k^* \cdot [-\Phi'(k^*) + \sigma + \lambda_h^\sigma + \lambda_l^\sigma] = 0, \quad (4.8)$$

where  $k^*$  is the firms profit-maximizing capacity choice.

When we compare the social planner's case with the capacity-payments case, we can see that the supply decision for a given capacity is identical. This finding is confirmed by the identity of the respective maximization conditions: If in state  $a$  the capacity restriction is binding,  $\lambda_a^\sigma$  is positive and  $q_a = k$ . If, by contrast, capacity is large, then  $q_a$  is chosen to equalize price and marginal generation cost so that the shadow value  $\lambda_a^\sigma$  equals zero. Additionally, from (4.8), we can see that the marginal cost of capacity net of the capacity payment must equal the sum of the state shadow values of capacity if a positive amount of capacity is to be built.

It may happen that both  $\lambda_a^\sigma$  are zero, which implies excess capacity in both demand states. Firms then always supply below their capacity limit at a price equal to their marginal generation cost. However, we assume increasing cost of capacity, so that suppliers are only willing to install such an abundant amount of capacity when the capacity payment bears marginal investment cost. To put it the other way round, the planner can adjust subsidies to induce a desired level of capacity, even if it is never completely used.

As electricity supply decisions are not distorted, welfare equals the planner's solution for any level of  $k$ . Capacity payments are thus the benchmark for the following two instruments.

## 4.2 Fixed feed-in tariff

We now derive what happens if the government pays a fixed feed-in tariff (FIT)  $\nu$  for each kWh of electricity that a firm generates and feeds into the grid. Again, the FIT is paid for by a lump-sum tax. Along the lines of (4.2), expected profits can be stated as

follows:

$$\begin{aligned}\mathbb{E}[\Pi_a^v] &\equiv \rho \cdot [v \cdot q_h - \Theta(q_h) - \Phi(k) - \tau] \\ &+ (1 - \rho) \cdot [v \cdot q_l - \Theta(q_l) - \Phi(k) - \tau].\end{aligned}\quad (4.9)$$

The firms' Kuhn-Tucker equation is then given by:

$$\begin{aligned}\max_{q_h, q_l, k} Z^v &= \rho \cdot [v \cdot q_h - \Theta(q_h) - \Phi(k) - \tau] \\ &+ (1 - \rho) \cdot [v \cdot q_l - \Theta(q_l) - \Phi(k) - \tau] \\ &+ \lambda_h^v \cdot [k - q_h] + \lambda_l^v \cdot [k - q_l].\end{aligned}\quad (4.10)$$

This implies the following optimality conditions for supply:

$$\begin{aligned}\rho \cdot [v - \Theta'(q_h)] - \lambda_h^v &\leq 0 & q_h &\geq 0 \\ q_h \cdot [\rho \cdot [v - \Theta'(q_h)] - \lambda_h^v] &= 0,\end{aligned}\quad (4.11)$$

$$\begin{aligned}(1 - \rho) \cdot [v - \Theta'(q_l)] - \lambda_l^v &\leq 0 & q_l &\geq 0 \\ q_l \cdot [(1 - \rho) \cdot [v - \Theta'(q_l)] - \lambda_l^v] &= 0.\end{aligned}\quad (4.12)$$

The Kuhn-Tucker conditions are given by:

$$k - q_h \geq 0 \quad \lambda_h^v \geq 0 \quad \lambda_h^v \cdot [k - q_h] = 0, \quad (4.13)$$

$$k - q_l \geq 0 \quad \lambda_l^v \geq 0 \quad \lambda_l^v \cdot [k - q_l] = 0. \quad (4.14)$$

The optimality condition for capacity is

$$-\Phi'(k^*) + \lambda_h^v + \lambda_l^v \leq 0 \quad k^* \geq 0 \quad k^* \cdot [-\Phi'(k^*) + \lambda_h^v + \lambda_l^v] = 0. \quad (4.15)$$

At this point we will an intuitive interpretation of these conditions. A more technical interpretation can be found in appendix A.

First, note that the price for electricity can nowhere be found in the optimality

conditions. For the suppliers, only marginal cost and the tariff matter. So as long as the feed-in tariff exceeds marginal generation cost, they produce at the capacity level. If the tariff lies below marginal generation cost, they produce nothing. Assuming that the tariff exceeds marginal generation cost at the capacity limit (which is the case with real-world tariffs because they would otherwise be useless), higher tariffs induce a higher level of installed capacity. Consequently, as in the previous section, by setting the tariff the government can induce any desired level of capacity  $k$  and by setting a lump-sum tax  $\tau = \nu \cdot k^*$ , it can neutralize distributional effects. However, we now have a direct welfare effect of the promotion scheme. Firms only build the capacity they intend to use; so as all capacity is always used, the distinction of cases that we used in the welfare formula for the planner's solution, (3.9), reduces to:

$$\mathbb{E}[W_\nu] = \int_0^k [\rho \cdot p(h, q) + (1 - \rho) \cdot p(l, q)] dq - \Theta(k) - \Phi(k), \quad (4.16)$$

for all levels of capacity. We will later compare this amount of expected welfare to the first-best solution.

### 4.3 Bonus payments

A bonus payment system grants producers a bonus on top of the market price for each kWh, instead of guaranteed payments for electricity as in the FIT system. Denoting the subsidy by  $\eta$ , expected profits can be stated as follows:

$$\begin{aligned} \mathbb{E}[\Pi_a^\eta] &\equiv \rho \cdot [[p(h) + \eta] \cdot q_h - \Theta(q_h) - \Phi(k) - \tau] \\ &\quad + (1 - \rho) \cdot [[p(l) + \eta] \cdot q_l - \Theta(q_l) - \Phi(k) - \tau]. \end{aligned} \quad (4.17)$$

We analyze this as a constrained maximization problem as in the previous sections. Maximization conditions for electricity supply are:

$$\begin{aligned} \rho \cdot [p(h, q_h) + \eta - \Theta'(q_h)] - \lambda_h^\eta &\leq 0 & q_h &\geq 0 \\ q_h \cdot [\rho \cdot [p(h, q_h) + \eta - \Theta'(q_h)] - \lambda_h^\eta] &= 0, \end{aligned} \quad (4.18)$$

$$\begin{aligned} (1 - \rho) \cdot [p(l, q_l) + \eta - \Theta'(q_l)] - \lambda_l^\eta &\leq 0 & q_l &\geq 0 \\ q_l \cdot [(1 - \rho) \cdot [p(l, q_l) + \eta - \Theta'(q_l)] - \lambda_l^\eta] &= 0, \end{aligned} \quad (4.19)$$

where price depends on  $q_h$  and  $q_l$  in equilibrium. The Kuhn-Tucker conditions are given by:

$$k - q_h \geq 0 \quad \lambda_h^\eta \geq 0 \quad \lambda_h^\eta \cdot [k - q_h] = 0, \quad (4.20)$$

$$k - q_l \geq 0 \quad \lambda_l^\eta \geq 0 \quad \lambda_l^\eta \cdot [k - q_l] = 0. \quad (4.21)$$

Concerning capacity, the first-order condition is

$$-\Phi'(k^*) + \lambda_h^\eta + \lambda_l^\eta \leq 0 \quad k^* \geq 0 \quad k^* \cdot [-\Phi'(k^*) + \lambda_h^\eta + \lambda_l^\eta] = 0, \quad (4.22)$$

where  $k^*$  is the firms' profit-maximizing capacity choice.

The analysis of investment follows along the lines of section 4.1: The marginal cost of capacity must equal the sum of capacity's shadow values in the different states. However, while with capacity payments it is possible to expand to any amount of capacity and leave part of it idle, the bonus payment incentive implies that the shadow value of capacity has to be positive in at least one state, implying full capacity utilization. As demand is always higher in the high-demand state than in the low-demand state, full capacity has to be used in either both states or in the high-demand state only. Note that if the bonus incentivizes full capacity utilization in both demand states, the supply decision of the firms is equal to the decision when a FIT is granted.

If capacity utilization is below maximum in the low-demand state, we have  $p(l, \tilde{q}_l^\eta) + \eta - \Theta'(\tilde{q}_l^\eta) = 0$ , where  $\tilde{q}_l^\eta$  is the quantity fulfilling this equation, instead of  $p(l, \bar{q}_l) -$

$\Theta'(\tilde{q}_l) = 0$  as in the capacity payment system. Thus, the bonus payment equals the difference between marginal cost and willingness to pay. So capacity utilization must be larger than  $\tilde{q}_l$  and smaller than or equal to capacity  $k$ .

It remains to analyze whether it is possible to incentivize capacity expansion without using all of it in the low-demand state: If an increase in the bonus lets  $\tilde{q}_l^\eta$  grow stronger than  $k$ , then at some point  $\tilde{q}_l^\eta$  would be larger than capacity, which is impossible – we then must have full capacity utilization in both demand states. Whether or not this happens is discussed in detail in appendix B. It depends on the forms of cost and demand functions and therefore must be considered an empirical question. For many reasonable functions the bonus payment's incentives and the suppliers' behavior indeed converge to those of the FIT.

Once more, the lump-sum tax  $\tau$  can be set equal to expected payments. Expected welfare with bonus payments,  $\mathbb{E}[W_\eta]$ , is given by

$$\mathbb{E}[W_\eta] = \begin{cases} \int_0^k [\rho \cdot p(h, q) + (1 - \rho) \cdot p(l, q)] dq \\ -\Theta(k) - \Phi(k) & \text{for } k \leq \tilde{q}_l^\eta, \\ \rho \cdot \int_0^k p(h, q) dq + (1 - \rho) \cdot \int_0^{\tilde{q}_l^\eta} p(l, q) dq \\ - \left[ \rho \cdot \Theta(k) + (1 - \rho) \cdot \Theta(\tilde{q}_l^\eta) \right] - \Phi(k) & \text{for } \tilde{q}_l^\eta \leq k \leq \tilde{q}_h^\eta. \end{cases} \quad (4.23)$$

Note that  $\tilde{q}_h^\eta < k$  is not feasible because as shown above, we need full capacity utilization in at least one state of demand. We will analyze the welfare effects of the bonus payment in detail in the next section, contrasting them with those of the other two instruments.

#### 4.4 Comparison

**FIT and capacity payment:** We first compare the FIT with the capacity payment by subtracting (4.16) from (3.9) to find the expected advantage of capacity payments as



a function of capacity,  $\Delta W$ :

$$\Delta W = \mathbb{E}[W^*] - \mathbb{E}[W_v] = \begin{cases} 0 & \text{for } k \leq \tilde{q}_l, \\ -(1 - \rho) \cdot \int_{\tilde{q}_l}^k [p(l, q) - \Theta'(q)] dq & \text{for } \tilde{q}_l \leq k \leq \tilde{q}_h, \\ -\rho \cdot \int_{\tilde{q}_h}^k [p(h, q) - \Theta'(q)] dq & \\ -(1 - \rho) \cdot \int_{\tilde{q}_l}^k [p(l, q) - \Theta'(q)] dq & \text{for } \tilde{q}_h \leq k. \end{cases} \quad (4.24)$$

First, as long as the capacity desired by the planner is scarce in each demand state, there is no difference in welfare. The reason for this is that both the capacity payment and the tariff induce full capacity utilization, which is efficient. The additional amount of capacity has identical cost according to  $\Phi(k)$ , so by subtracting  $\mathbb{E}[W_v]$  from  $\mathbb{E}[W^*]$ , capacity cost cancel out of the equation.

It follows that if capacity is larger than necessary to equate marginal cost and the demand price for a low demand realization (i.e.  $k > \tilde{q}_l \wedge k < \tilde{q}_h$ ), the allocative equality of both promotion schemes is only given with probability  $\rho$ , that is, if high demand is realized and capacity is scarce. If, however, low demand is realized, then with a FIT too much is produced and further production reduces welfare: For  $\tilde{q}_l$ , we have  $p(l, \tilde{q}_l) = \Theta'(\tilde{q}_l)$  by definition, so that for further production, the integral turns negative and the welfare difference  $\Delta W$  positive. Finally, if capacity is even larger than  $\tilde{q}_h$  in both states of demand, the FIT induces an inefficiently high feed-in in both states.

**Bonus payment:** How does the bonus payment perform compared to the other two instruments? Following the line of reason from above, if capacity is so small that the market's willingness to pay implies scarce capacity with high and low demand, the bonus performs as well as the other two support schemes because all three instruments induce a complete utilization of available capacity.<sup>3</sup> However, we have a difference to the other instruments when capacity is large enough to be abundant in at least one

<sup>3</sup>With positive shadow values in the bonus payment system, we get  $\Phi'(k^*) + \Theta'(k^*) - \rho \cdot p(h, k^*) - (1 - \rho) \cdot p(l, k^*) = \eta$  from (4.18) to (4.22) for the suppliers' optimal capacity choice. Substituting the bonus payment  $\eta$  by the capacity payment  $\sigma$ , this is the same condition we get from capacity choice in a capacity payment regime, (4.4) to (4.8).

state ( $k > \tilde{q}_l$ ). In this case, from (4.19) we see that the bonus payment drives a wedge between the identity of marginal cost and marginal benefits, which implies suboptimal behavior. Inefficient supply occurs only when demand is low, in other words with probability  $1 - \rho$ , so that we have:

$$\mathbb{E}[W^*] - \mathbb{E}[W_\eta] = -(1 - \rho) \cdot \int_{\tilde{q}_l}^{\tilde{q}_l^\eta} [p(q) - \Theta'(q)] dq, \quad (4.25)$$

where  $\mathbb{E}[W_\eta]$  denotes expected welfare with bonus payments in the case where  $\tilde{q}_l < k \leq \tilde{q}_h$ . The loss is zero for a bonus of zero, because then  $\tilde{q}_l = \tilde{q}_l^\eta$ . The loss grows with  $\eta$ , because  $\frac{\partial \mathbb{E}[W^*] - \mathbb{E}[W_\eta]}{\partial \eta} = (1 - \rho) \cdot \left[ \Theta'(q_l^\eta) - p(q_l^\eta) \right] \cdot \frac{\partial \tilde{q}_l^\eta}{\partial \eta} > 0$  per definition of the case at hand. When capacity is abundant in both states ( $k > \tilde{q}_h > \tilde{q}_l$ ), there is inefficient supply all the time.

Compared to the FIT, where the loss (cf. (4.24)) is given as:

$$\Delta W = -(1 - \rho) \int_{\tilde{q}_l}^k [p(q) - \Theta'(q)] dq, \quad (4.26)$$

the bonus actually performs better, because  $\tilde{q}_l^\eta$  is smaller than or equal to  $k$ . Hence, as  $\tilde{q}_l^\eta$  approaches  $k$ , the losses of the two schemes become equal. When  $\tilde{q}_l^\eta = k$ , we have a complete utilization of available capacity when demand is low, which corresponds to the FIT case. In the high-demand state, supplier behavior of FIT and bonus payment schemes is equal anyway. To summarize, the bonus-payment scheme induces less welfare losses than the FIT scheme as long as  $\tilde{q}_l^\eta < k$ , but resembles the FIT otherwise.

Figure 1 summarizes the findings for linear demand and linear-quadratic cost functions. We assume a case where capacity is scarce only when demand is high which seems to be realistic in many electricity markets. The figure shows overall expected welfare levels in the three respective support schemes depending on the desired level of capacity.<sup>4</sup> The capacity payment performs best. The bonus payment yields lower surplus, but for the market level where no bonus and no capacity payment are granted

<sup>4</sup>Recall that this “welfare” equals market surplus. There may or may not be additional social benefits depending on capacity.




Figure 1: Comparison of promotion schemes in terms of economic surplus.

(where  $\sigma, \eta = 0$ ), both surplus levels are equal. The surplus level of the FIT lies below both curves. At the market-level of capacity it fails to achieve the performance of the former instruments, because in the low-demand state where capacity is not scarce, the FIT causes losses at *any* capacity level due to its incentive to use all available capacity. We assumed functional forms for which the inefficiencies of the FIT and bonus payment-regime converge at some capacity level (cf. section 4.3); for high levels of capacity the bonus payment is so high that suppliers always generate at full capacity. Consequently, from this level onwards both instruments yield the same inefficiency.

## 5 Implications and conclusion

Our analysis has interesting implications for the promotion of renewable energy sources, for the choice of optimal promotion schemes and for the appraisal of the schemes used in several countries. Starting from the assessment that renewable-energy capacity, not electricity, is undervalued from a social point of view and should be promoted, we have analyzed the effects of wrong incentives. Expanding capacity by a bonus-payment as a per-kWh subsidy means that operators feed in too much electricity on average. Feed-In Tariffs – that have been the main support instrument in Germany and other countries and that are widely understood as successful – come with even higher cost: By re-

placing all electricity price signals with a constant tariff, RES-E operators are led to always use their full (available) capacity, even if the market's willingness to pay is far below variable generation cost. Our analysis is an application of the idea that to correct a market failure, policy should directly aim at this market failure without introducing additional distortions.

In the last years, concern has grown about too much RES-E electricity, and our analysis supports these concerns. It also shows why such concerns, and the promotion scheme, are irrelevant as long as RES-E capacity is small. With scarce capacity, it does not matter whether a direct capacity subsidy, a bonus scheme, or a FIT is used: All of them incentivize full capacity-utilization as long as the electricity price is above marginal generation cost at the capacity limit, which is efficient. The problem with the latter schemes is exactly that they still rely on such incentives for larger capacities. However, if there are political or other reasons for preferring one instrument over the others, then we can state that it may be reasonable to let these reasons dominate as long as capacity is small, but they have to be weighed against large cost later (or the scheme has to be changed).

Our analysis also allows insights into the meaning and importance of negative prices that have occasionally appeared on electricity day-ahead markets at times when renewable energy sources still supplied electricity. Given that RES-E technologies are usually flexible, the only reason for not reducing supply when prices are negative is the feed-in tariff's wrong incentive: Solar and wind power have negligible marginal generation cost, but in times of a negative market price, still feeding in reflects an avoidable welfare loss. However, there are also renewable technologies with positive generation cost, like biomass plants. Such plants produce welfare losses whenever their marginal cost is above the electricity price if they still feed in.

Pointing out the limit of scope of our model, we have not discussed whether capacity should be promoted via price based or quantity based instruments. In our model framework that just does not matter, and in reality, the usual arguments for one instrument or the other will apply (cf. Weitzman 1974, Roberts and Spence 1976, Pizer 2002 and Lehmann 2011). We also have not modeled the difference between the promotion

of capacity producers like producers of wind generators and RES-E operators which install and maintain the capacity. As an example, keeping trade restrictions and market power in mind, it might make a difference whether the investor or the producer is subsidized. We leave this for further research.

To get a complete picture of the influence of promotion schemes on the electricity market, we will explicitly analyze supply and investment decisions of fossil plant operators in future research. In a long-term perspective, investment in conventional power plants is indeed affected by the RES-E promotion scheme, which has additional welfare effects.

## References

- Andor, Mark, Kai Flinkerbusch, Matthias Janssen, Björn Liebau, and Magnus Wobben**, “Negative Electricity Prices and the Priority of Renewable Energy Sources,” *Zeitschrift für Energiewirtschaft*, 2010, 34 (2), 91–99.
- Bhagwati, Jagdish N.**, “The generalized theory of distortions and welfare,” in Jagdish N. Bhagwati, Ronald W. Jones, Robert A. Mundell, and Jaroslav Vanek, eds., *Trade, balance of payments and growth – Papers in International Economics in Honor of Charles P. Kindleberger*, Amsterdam and London: North-Holland Publishing Company, 1971, chapter 4, pp. 69–91.
- Bläsi, Albrecht and Till Requate**, “Feed-In-Tariffs for electricity from renewable energy resources to move down the learning curve?,” *Public Finance and Management*, 2010, 10 (2), 213–250.
- Brandstätt, Christine, Gert Brunekreeft, and Katy Jahnke**, “How to deal with negative power price spikes?—Flexible voluntary curtailment agreements for large-scale integration of wind,” *Energy Policy*, 2011, 39, 3732–3740.
- Crew, Michael A., Chitru S. Fernando, and Paul R. Kleindorfer**, “The Theory of Peak-Load Pricing: A Survey,” *Journal of Regulatory Economics*, 1995, 8, 215–248.

- del Río González, Pablo**, “The interaction between emissions trading and renewable electricity support schemes. An overview of the literature,” *Mitigation and adaptation strategies for global change*, 2007, 12 (8), 1363–1390.
- Ecofys, Fraunhofer ISI, TU Vienna EEG, and Ernst & Young**, “Financing Renewable Energy in the European Energy Market,” Project Report, by order of: European Commission, DG Energy jan 2011.
- Fanone, Enzo, Andrea Gamba, and Marcel Prokopczuk**, “The case of negative day-ahead electricity prices,” *Energy Economics*, 2012. doi: 10.1016/j.eneco.2011.12.006.
- Fischer, Carolyn and Richard G. Newell**, “Environmental and technology policies for climate mitigation,” *Journal of Environmental Economics and Management*, 2008, 55 (2), 142–162.
- Gerlagh, Reyer, Snorre Kverndokk, and Knut Einar Rosendahl**, “Optimal timing of climate change policy: Interaction between carbon taxes and innovation externalities,” *Environmental and Resource Economics*, 2009, 43 (3), 369–390.
- Gillingham, Kenneth and James Sweeney**, “Market Failure and the Structure of Externalities,” in Boaz Moselle, Jorge Padilla, and Richard Schmalensee, eds., *Harnessing Renewable Energy in Electric Power Systems – Theory, Practice, Policy*, John Hopkins University Press, 2010, chapter 5, pp. 69–92.
- Guyomard, Hervé, Chantal Le Mouël, and Alexandre Gohin**, “Impacts of alternative agricultural income support schemes on multiple policy goals,” *European Review of Agricultural Economics*, 2004, 31 (2), 125–148.
- , **Jean-Christophe Bureau, Alexandre Gohin, and Chantal Le Mouël**, “Impact of the 1996 US FAIR Act on the Common Agricultural Policy in the World Trade Organisation context: the decoupling issue,” *Food Policy*, 2000, 25, 17–34.
- Knittel, Christopher R. and Michael R. Roberts**, “An empirical examination of restructured electricity prices,” *Energy Economics*, 2005, 27 (5), 791–817.

- Lehmann, Paul**, “Justifying a Policy Mix for Pollution Control: A Review of Economic Literature,” *Journal of Economic Surveys*, 2011, doi: 10.1111/j.1467-6419.2010.00628.x, 1–34.
- Ölz, Samantha, ed.**, *Deploying Renewables – Principles for Effective Policies*, International Energy Agency (IEA), 2008.
- Menanteau, Philippe, Dominique Finon, and Marie-Laure Lamy**, “Prices versus quantities: choosing policies for promoting the development of renewable energy,” *Energy policy*, 2003, 31 (8), 799–812.
- Nicolosi, Marco**, “Wind power integration and power system flexibility-An empirical analysis of extreme events in Germany under the new negative price regime,” *Energy Policy*, 2010, 38 (11), 7257–7268.
- Pizer, William A.**, “Combining price and quantity controls to mitigate global climate change,” *Journal of Public Economics*, sep 2002, 85 (3), 409–434.
- Reiche, Danyel and Mischa Bechberger**, “Policy differences in the promotion of renewable energies in the EU member states,” *Energy Policy*, 2004, 32 (7), 843–849.
- Roberts, Marc J. and Michael Spence**, “Effluent charges and licenses under uncertainty,” *Journal of Public Economics*, apr-may 1976, 5 (3-4), 193–208.
- Sawin, Janet L. and Eric Martinot, eds**, *Renewables 2010 Global Status Report*, REN21 – Renewable Energy Policy Network for the 21st Century, 2010.
- Weitzman, Martin L.**, “Prices vs. quantities,” *The Review of Economic Studies*, oct 1974, 41 (4), 477–491.
- Wenders, John T.**, “Peak Load Pricing in the Electric Utility Industry,” *The Bell Journal of Economics*, spring 1976, 7 (1), 232–241.

## A The firms' incentives associated with feed-in tariffs

To better understand the properties of our solution, first consider whether available capacity can be left idle in any state, say, state  $a_l$ . This would require  $\lambda_l^y = 0$  from (4.14) and thus, from (4.12),  $v - \Theta'(q_l) \leq 0$ . For positive electricity generation this must be fulfilled with equality so that  $\Theta'(q_l) = v$ . With positive electricity generation in the high-demand state, we have  $\lambda_h^y = v - \Theta'(q_h) > 0$  and full capacity utilization. This together implies  $\lambda_h^y = \Theta'(q_l) - \Theta'(k) > 0$ , which is a contradiction given non-decreasing marginal generation cost. If, by contrast, we assume  $q_h = 0$ , then we must have  $\lambda_h^y = 0$ . As then both shadow values are zero, capacity cannot be positive due to condition (4.15). Similarly, if we assume  $q_h < k$  and, thus  $v = \Theta'(q_h)$ , we must have  $\lambda_l^y = \Theta'(k) - \Theta'(q_l) > 0$  so that  $q_l < k$  must hold as well; but this again implies  $\lambda_l^y = 0$ , which is a contradiction.<sup>5</sup>

Therefore, any positive amount of capacity requires full capacity utilization in both demand states and

$$\lambda_h^y = \rho \cdot [v - \Theta'(k)] > 0 \quad \lambda_l^y = (1 - \rho) \cdot [v - \Theta'(k)] > 0. \quad (\text{A.1})$$

Substituting this in (4.15) and simplifying shows that for a positive level of capacity, we must have

$$v = \Phi'(k^*) + \Theta'(k^*). \quad (\text{A.2})$$

So capacity is expanded until the feed-in tariff equals the sum of marginal capacity and marginal generation costs at full capacity.

## B The firms' incentives associated with bonus payments

The question whether or not the incentives of bonus payments converge to those of feed-in tariffs for high capacity can be reformulated: Can capacity investment be in-

<sup>5</sup>For zero marginal generation cost, the line of argument is even simpler: If e.g.  $k > q_l > 0$ , we must have  $\lambda_l^y = 0$  and then  $v = 0$ , which implies  $\lambda_h^y = 0$  so that no capacity is built.



creased via the bonus payment without inducing full capacity utilization in the low-demand state? To answer this question, we have to find out whether the capacity induced by raising the bonus payment is larger than the additional generation in the low demand state; if it is not, then there must be some point at which all capacity is always used.

By substituting the supply optimality conditions in (4.22) and differentiating, we can see that the change in capacity is given by

$$\begin{aligned} \Phi'' \cdot dk = \rho \cdot \left[ \left( \frac{\partial p(h, k)}{\partial q} - \Theta''(k) \right) \cdot dk + d\eta \right] \\ + (1 - \rho) \cdot \left[ \left( \frac{\partial p(l, q_l)}{\partial q} - \Theta''(q_l) \right) \cdot dq_l + d\eta \right], \end{aligned} \quad (\text{B.1})$$

where we already substituted  $q_h = k$ .

Suppose that some given capacity is abundant in the low demand state,  $q_l = \tilde{q}_l^\eta$ , so that  $q_l$  does not directly react to a capacity expansion and

$$\frac{dk}{d\eta} = \left[ -\frac{\partial p(h, k)}{\partial q} + \Theta''(k) + \frac{1}{\rho} \cdot \Phi''(k) \right]^{-1} (> 0). \quad (\text{B.2})$$

$\tilde{q}_l^\eta$  is defined by  $p(l, q_l) + \eta - \Theta'(q_l) = 0$ . If it stays below capacity with the growing bonus payment, we must have  $d\lambda_l^\eta = 0$  which implies:

$$\frac{d\tilde{q}_l^\eta}{d\eta} = \left[ -\frac{\partial p(l, \tilde{q}_l^\eta)}{\partial q} + \Theta''(\tilde{q}_l^\eta) \right]^{-1} (> 0). \quad (\text{B.3})$$

Now to stay below capacity, this supply quantity must grow at a smaller rate than capacity itself as the bonus payment is raised:

$$\frac{d\tilde{q}_l^\eta}{d\eta} < \frac{dk}{d\eta}, \quad (\text{B.4})$$

which means that

$$-\frac{\partial p(l, \tilde{q}_l^\eta)}{\partial q} - \left( -\frac{\partial p(h, k)}{\partial q} \right) > \Theta''(k) - \Theta''(\tilde{q}_l^\eta) + \frac{1}{\rho} \cdot \Phi''(k) \quad (\text{B.5})$$

is required – if this inequality is not fulfilled, then at some amount of capacity full capacity is used in both demand states and the bonus-payment's incentives are equivalent to those of a FIT.

Unfortunately, we cannot say in general whether inequality (B.5) holds. For many combinations of cost and demand functions, however, we can state that it becomes increasingly unlikely to fulfill it the more capacity is induced by the bonus payment. This is valid in particular for a  $\Phi'' > 0$  investment cost function or for parallel linear demand functions and  $\Theta'' \geq 0$ .

Therefore, it is likely that for large capacity targets the bonus payment's incentives and the suppliers' behaviour converge to those of the FIT. On the other hand, for small governmental targets – that is, for values near  $\eta = 0$  – the suppliers' behavior resembles that in the capacity payment system as for  $\eta = 0$  and  $\sigma = 0$  the shadow values in the respective demand states are exactly equal.