

A Service of

ZBW

Leibniz-Informationszentrum Wirtschaft Leibniz Information Centre for Economics

Aruga, Kentaka

# Article Effects of the human-mobility change during the COVID-19 pandemic on electricity demand

Journal of Risk and Financial Management

**Provided in Cooperation with:** MDPI – Multidisciplinary Digital Publishing Institute, Basel

*Suggested Citation:* Aruga, Kentaka (2022) : Effects of the human-mobility change during the COVID-19 pandemic on electricity demand, Journal of Risk and Financial Management, ISSN 1911-8074, MDPI, Basel, Vol. 15, Iss. 10, pp. 1-11, https://doi.org/10.3390/jrfm15100422

This Version is available at: https://hdl.handle.net/10419/274942

## Standard-Nutzungsbedingungen:

Die Dokumente auf EconStor dürfen zu eigenen wissenschaftlichen Zwecken und zum Privatgebrauch gespeichert und kopiert werden.

Sie dürfen die Dokumente nicht für öffentliche oder kommerzielle Zwecke vervielfältigen, öffentlich ausstellen, öffentlich zugänglich machen, vertreiben oder anderweitig nutzen.

Sofern die Verfasser die Dokumente unter Open-Content-Lizenzen (insbesondere CC-Lizenzen) zur Verfügung gestellt haben sollten, gelten abweichend von diesen Nutzungsbedingungen die in der dort genannten Lizenz gewährten Nutzungsrechte.



WWW.ECONSTOR.EU

https://creativecommons.org/licenses/by/4.0/

## Terms of use:

Documents in EconStor may be saved and copied for your personal and scholarly purposes.

You are not to copy documents for public or commercial purposes, to exhibit the documents publicly, to make them publicly available on the internet, or to distribute or otherwise use the documents in public.

If the documents have been made available under an Open Content Licence (especially Creative Commons Licences), you may exercise further usage rights as specified in the indicated licence.







# Article Effects of the Human-Mobility Change during the COVID-19 Pandemic on Electricity Demand

Kentaka Aruga D

Graduate School of Humanities and Social Sciences, Saitama University, 255 Shimookubo, Sakura Ward, Saitama 338-8570, Japan; aruga@mail.saitama-u.ac.jp

Abstract: This study investigated how the changes in the number of people's visits to various locations during the COVID-19 pandemic influenced electricity demand. Using the autoregressive distributed lag (ARDL) model, the study reveals that while an increase in visits to groceries, pharmacies stores, and transit stations increased electricity demand, an increase in the hours people spent at home had a negative impact on the demand during the period of the state of emergency (SOE). This study also demonstrates the differences in the effects of human-mobility changes on electricity demand among different SOE periods, which was probably related to the weakening in the effect of the SOE measures as people became accustomed to the SOE announcements. As the energy transition unfolds across the world, ensuring the optimization of integrated energy systems has never been more important; thus, the current study suggests that controlling human mobility could be one of the options through which policymakers could intervene in the energy-demand sector.

Keywords: COVID-19; human mobility; electricity demand



Citation: Aruga, Kentaka. 2022. Effects of the Human-Mobility Change during the COVID-19 Pandemic on Electricity Demand. *Journal of Risk and Financial Management* 15: 422. https:// doi.org/10.3390/jrfm15100422

Academic Editor: Thanasis Stengos

Received: 6 September 2022 Accepted: 20 September 2022 Published: 22 September 2022

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



**Copyright:** © 2022 by the author. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// creativecommons.org/licenses/by/ 4.0/).

# 1. Introduction

Since the COVID-19 pandemic hit the world economy, many studies have revealed that energy-consumption patterns in various countries have been disrupted by the countermeasures, such as the lockdown, designed to prevent the spread of the coronavirus (Bahmanyar et al. 2020; Aruga et al. 2020; D'Alessandro et al. 2021; Rouleau and Gosselin 2021). In many countries that implemented lockdown measures, it is suggested that although domestic electricity demand increased when people spent more time in their homes, the overall electricity consumption decreased as business and physical activities shrank severely; the reduction in commercial and industrial demand was greater than the increase in the domestic demand (Bahmanyar et al. 2020).

Studies examining the impact of the COVID-19 confinement measures implemented by governments on human mobility indicate that these measures significantly contributed to reducing human mobility (Hadjidemetriou et al. 2020; Santamaria et al. 2020). This reduction in human mobility related to COVID-19 is known to have decreased air pollution and levels of CO<sub>2</sub> emissions (Orak and Ozdemir 2021; Sifakis et al. 2021; Aruga et al. 2021; Archer et al. 2020) but few studies have investigated the context of how these changes in human mobility influenced energy demand. There are studies investigating the effects of COVID-19 on energy consumption (Wang and Zhang 2021; Carvalho et al. 2021; Aruga et al. 2020), but these did not examine how changes in human mobility are related to energy consumption. Aruga (2021) examined the effect of the COVID-19 restrictions on fuel markets, such as gasoline and diesel, from the perspective of human mobility, but this study did not test the impact of these restrictions on electricity consumption. Furthermore, the study only tested the effects of the human-mobility index related to the transport sector, such as the changes in the numbers of visitors to transit stations and workplaces.

To fill this research gap, this paper aims to identify the difference in the effects of the types of human-mobility changes on electricity demand when the stay-at-home measures were

implemented during the COVID-19 pandemic. To this end, this study investigates how the six human-mobility categories provided in the Google mobility data (Google Inc. 2022) influenced the daily electricity demand during the pandemic. The six categories consist of percentage changes in the number of visits to retail and recreational sites, groceries and pharmacies, parks, transit stations, and workplaces, and the hours spent in residential areas compared to a baseline period (3rd January–6th February 2020) before the COVID-19 outbreak.

Up until the outbreak of COVID-19, no reliable data existed that captured changes in human mobility related to confinement measures to control human mobility. Thus, the mobility data during the COVID-19 pandemic offer a major opportunity to understand how restrictions on human mobility influence energy consumption. Since most countries still depend largely on fossil-fuel energy, improving energy efficiency by using less energy is an effective way to reduce greenhouse-gas emissions. Hence, this study provides important information to support the design of policies to enhance energy efficiency by controlling human mobility. The study also offers valuable information for policymakers seeking to reduce energy consumption by controlling human mobility by verifying the types of activities related to human mobility that increase energy consumption.

In the Section 2, details of the data used in the study are explained. In the Section 3, the empirical methods of the study are described. The Section 4 discusses the results of the analyses conducted in the study, and the conclusion is drawn in the Section 5.

#### 2. Data

This study focuses on the case of Tokyo, Japan. Tokyo has the world's busiest train station, Shinjuku (Chowdhury and McFarlane 2022), ranked third in the world after London and New York in the Global Power City Index (GPCI) in 2021 (Institute for Urban Strategies 2021), and is one of the cities with the greatest level of human mobility in the world. Thus, it is suitable for examining how the changes in human mobility related to the confinement measures during the COVID-19 pandemic affected energy consumption.

During 2020–2021, a state of emergency (SOE) was declared four times in Tokyo by the Tokyo Metropolitan Government. The length of each SOE period in Tokyo is presented in Table 1. To avoid small sample sizes and, since the effect of the SOE measures, often lasted longer than the actual SOE period, the study included data for four weeks before and after the days when the SOE started and ended. When the third SOE ended, it continued through a measure called the 'manen-boshi' until 11 July 2021 (almost three weeks after the third SOE ended), a quasi-SOE measure that was not as severe as the SOE but did involve some restrictions during business hours for restaurants. It is probable that these quasi-SOE measures also influenced human mobility.

Table 1. SOE periods during 2020–2021 for Tokyo.

SOEs	4 Weeks before	Start	End	4 Weeks after
1st	10-March-2020	7-April-2020	25-May-2020	22-June-2020
2nd	11-December-2020	8-January-2021	21-March-2021	18-April-2021
3rd	28-March-2021	25-April-2021	20-June-2021	18-July-2021
4th	14-June-2021	12-July-2021	30-September-2021	28-October-2021

The confinement measures designed to cope with the spread of the coronavirus conducted under the SOE in Tokyo were similar to those in other countries. They included prohibiting large public events, limiting the business hours of shops, and requesting companies to enforce working from home; however, Tokyo was never subject to harsh lockdown regulations with severe penalties. The SOE measure was implemented when the number of daily COVID-19 cases increased. Figure 1 illustrates the changes in the number of daily COVID-19 cases during the four SOE periods. It is discernible from the figure that the number of COVID-19 cases declined for some time after the implementation of the SOE measures.




Figure 1. Number of daily COVID-19 cases in Tokyo during the SOE periods.

To capture the changes in human mobility during the SOE periods, six mobility indices were obtained from the Google mobility data (Google Inc. 2022). Table 2 describes the details of these mobility indices.

Mobility Indices	Abbreviation	Description
Groceries and pharmacies	grocery	Mobility trends for locations such as grocery markets, food warehouses, farmers' markets, specialty food shops, drug stores, and pharmacies.
Parks	park	Mobility trends for locations such as local parks, national parks, public beaches, marinas, dog parks, plazas, and public gardens.
Transit stations	transit	Mobility trends for public transport hubs such as subways, buses, and train stations.
Retail and recreation	retail	Mobility trends for locations such as restaurants, cafes, shopping centers, theme parks, museums, libraries, and movie theaters.
Residential	residential	Mobility trends for places of residence.
Workplaces	work	Mobility trends for places of work.

**Table 2.** Descriptions of the human mobility indices.

For the electricity-demand data, the average total daily electricity demand for the users of the Tokyo Electric Power Company (TEPCO) was used. The data were obtained from the homepage of TEPCO (2022). These demand data contained the total electricity demand covered by TEPCO, including both domestic and industrial energy demand. Since


the original data were provided in hours, the hourly data were converted into total daily demand by summing the demand over 24 hours. The unit of the original electricity demand was provided in 10 megawatts (MW) and, for analysis purposes, the data were converted into gigawatts (GW).

Table 3 shows the summary statistics of the data used in the study. It is apparent from the table that the decline in human mobility was most evident in the first SOE period. The retail, transit, and work mobility indices had the lowest negative numbers, and the residential index had the highest percentage change, indicating that the effect of the SOE measure on reducing human mobility was most evident in the first SOE period.

SOE	Statistics	Electricity	Retail	Grocery	Park	Transit	Work	Residential
	Mean	682.28	-40.41	-3.43	-10.99	-43.92	-31.66	16.39
	Median	673.10	-44.00	-2.00	-7.00	-46.00	-29.00	15.00
1	Maximum	844.76	-3.00	25.00	51.00	-13.00	-3.00	37.00
1	Minimum	528.43	-72.00	-34.00	-66.00	-78.00	-81.00	2.00
	Std. Dev.	76.59	17.10	9.59	22.75	15.81	16.51	7.69
	Obs.				105			
	Mean	811.86	-28.15	-5.83	-21.57	-36.09	-24.80	11.91
2	Median	802.70	-27.00	-4.00	-22.00	-35.00	-25.00	11.00
	Maximum	1035.21	-11.00	5.00	27.00	-18.00	-6.00	37.00
	Minimum	592.73	-66.00	-48.00	-69.00	-76.00	-88.00	4.00
	Std. Dev.	103.61	8.53	7.34	15.60	9.02	13.97	5.15
	Obs.				129			
	Mean	699.35	-28.23	-0.06	-18.30	-31.78	-22.16	11.12
	Median	698.31	-28.00	1.00	-15.00	-30.00	-22.00	11.00
0	Maximum	910.79	-16.00	11.00	24.00	-22.00	-9.00	31.00
3	Minimum	547.44	-45.00	-22.00	-63.00	-65.00	-77.00	4.00
	Std. Dev.	70.53	6.61	6.07	15.27	6.89	11.63	4.34
	Obs.				113			
	Mean	776.03	-26.54	1.48	-23.06	-32.33	-23.41	11.71
	Median	754.10	-27.00	3.00	-20.00	-31.00	-22.00	11.00
4	Maximum	1038.34	-9.00	10.00	21.00	-18.00	-7.00	26.00
4	Minimum	597.07	-47.00	-25.00	-69.00	-59.00	-73.00	3.00
	Std. Dev.	102.85	6.22	5.37	14.69	6.93	12.22	4.30
	Obs.				137			

Table 3. Summary statistics.

The difference in the data among different SOE periods is also presented in the plots of the electricity demand and human-mobility indices (Figure 2). Here, it can be seen that the decline in the human-mobility indices was most apparent in the first SOE period. Furthermore, it is also discernible from the figure that in addition to the third SOE period, there were declining trends for electricity demand, which might have been related to the decrease in human mobility.



Electricity consumption

Human mobility indices

Figure 2. Electricity consumption and human-mobility indices.

# 3. Methods

The study applied the following model for identifying the effects of changes in human mobility on electricity demand. The model is based on the model developed for analyzing the effects on  $CO_2$  emissions (Aruga et al. 2021):

$$electricity_t = \beta_0 + \beta_1 HM + \beta_2 before + \beta_3 after + \beta_4 COVID + \varepsilon$$
(1)

where *electricity* is the total daily electricity demand from the customers of TEPCO, *HM* is one of the six human mobility indices, *before* and *after* are dummy variables containing days that are before and after the actual SOE periods, and *COVID* is the daily cases of COVID-19 patients detected in Tokyo. The *before* and *after* dummies were included to consider the effects of days that were not within the actual SOE periods.  $\beta_0$  is the intercept,  $\beta_1$  through  $\beta_4$  are the coefficients of the independent variables, and  $\varepsilon$  is the error term.

Since the sample size was relatively small in this study due to its focus on the stateof-emergency period, we used the autoregressive distributed lag (ARDL) model for the estimation. ARDL method is known for its strength in analyzing time-series data even when the sample size is small, and can prevent omission of variables and auto-correlation issues (Pesaran et al. 2001). To capture the short- and long-term effects of the changes in human mobility on electricity demand, this study applied the following unrestricted-errorcorrection model:

$$\Delta electricity_{t} = \beta_{0} + \beta_{1}electricity_{t-1} + \beta_{2}HM_{t-1} + \sum_{i=1}^{p}\beta_{3i}\Delta electricity_{t-i} + \sum_{i=0}^{q}\beta_{4i}\Delta HM_{t-i} + \beta_{5}before + \beta_{6}after + \beta_{7}COVID + \varepsilon_{t}$$

$$(2)$$

where p is the lag order for electricity demand and q is that for the human-mobility indices. This equation was applied to the time-series data obtained for each four SOE periods (see Table 1). The lag orders for the ARDL model are determined by the Akaike Information Criterion (AIC). Under the ARDL model, the bound test for cointegration was performed to determine the existence of a long-term relationship between the electricity demand and human-mobility indices.

The ARDL model requires the test variables to be integrated in order of zero or one (I(0) or I(1)). To confirm this before the ARDL model estimation, the study performed the Augmented Dickey–Fuller (ADF), Zivot–Andrews (ZA), and Kwiatkowski–Phillips–Schmidt–Shin (KPSS) stationarity tests. The ADF and KPSS tests were executed with both intercept and trend and the ZA test was conducted with a trend break.

To determine whether to apply the Newey–West heteroskedasticity and autocorrelation consistent (HAC) estimator (Newey and West 1987), the study tested the existence of serial correlation and heteroskedasticity in the econometric models. For this purpose, the Breusch–Pagan–Godfrey (BPG) and Breusch–Godfrey (BG) tests were conducted. These tests were conducted using the model presented in Equation (2). Table 4 summarizes these results for all SOE periods for each model. The results indicate that some models contained heteroskedasticity and autocorrelation; hence, to minimize these effects on the estimation, the study applied the HAC estimator. The stability of the ARDL model was also examined using the cumulative sum (CUSUM) and cumulative sum square (CUSUM square) tests. These test results suggested that most of our test models were within the 5% significance thresholds.

	SOE 1					SOE 2				SOE 3				SOE 4		
-	BG F-s	stat.	BPG F-sta	ıt.	BG F-s	stat.	BPG I	F-stat.	BG F	-stat.	BPG I	F-stat.	BG F-stat.	BPG I	F-stat.	
Retail	3.00	**	3.89	***	2.25	*	4.42	***	0.63		1.21		0.41	2.48	***	
Grocery	1.79		3.41	***	2.11	*	3.88	***	1.34		1.72	*	1.06	2.35	**	
Park	1.23		2.33	**	3.31	**	2.21	**	10.00	***	4.58	***	0.02	2.19	**	
Transit	0.11		1.67		4.73	***	1.92	**	3.48	**	3.62	***	0.84	3.51	***	
Work	0.87		1.00		0.47		3.12	***	5.58	***	4.59	***	0.46	2.95	***	
Residential	0.99		3.58	***	0.30		4.55	***	1.67		2.99	***	0.80	2.99	***	

Table 4. Heteroskedasticity and autocorrelation tests.

Note: \*\*\*, \*\*, and \* denote significance at the 1%, 5%, and 10% levels, respectively. BG and BPG are the Breusch-Godfrey and Breusch-Pagan-Godfrey test statistics.

#### 4. Results

To check whether the test variables were I(0) or I(1), the unit-root tests were conducted on all the variables for each SOE period. As shown in Table 5, all the test variables were either I(0) or I(1), suggesting that the variables were suitable for applying the ARDL model.

				Leve	ls			First Differences						
SOE	Variables —	AD	F	ZA	4	KP	SS	ADF ZA				KPSS		
	Electricity	-1.99		-4.30	*	0.26	***	-4.17	***	-4.77	**	0.30	***	
	Retail	-1.47		-7.09	***	0.31	***	-10.73	***	-10.76	***	0.10		
	Grocery	-9.91	***	-10.73	***	0.25	***	-9.27	***	-9.30	***	0.17	**	
1st	Park	-8.76	***	-9.03	***	0.09		-9.23	***	-9.31	***	0.12	*	
	Transit	-0.28		-7.07	***	0.31	***	-8.42	***	-9.11	***	0.50	***	
	Work	-3.82	**	-7.43	***	0.30	***	-8.56	***	-8.62	***	0.12		
	Residential	-0.52		-3.89		0.31	***	-5.90	***	-11.59	***	0.50	***	
	Electricity	-3.23	*	-4.63	**	0.24	***	-4.44	***	-4.51	*	0.50	***	
	Retail	-5.32	***	-7.92	***	0.25	***	-11.54	***	-11.58	***	0.50	***	
	Grocerv	-8.95	***	-9.76	***	0.18	**	-10.68	***	-10.76	***	0.28		
2nd	Park	-9.03	***	-9.68	***	0.15	**	-11.32	***	-11.56	***	0.07		
	Transit	-3.72	**	-7.45	***	0.21	**	-15.55	***	-15.52	***	0.06		
	Work	-6.00	***	-6.76	***	0.07		-8.31	***	-8.32	***	0.05		
	Residential	-2.91		-6.20	***	0.16	**	-10.24	***	-10.25	***	0.03		
	Electricity	-2.04		-3.55		0.25	***	-3.96	**	-4.10		0.08		
	Retail	-3.08		-9.53	***	0.26	***	-8.91	***	-8.96	***	0.07		
	Grocerv	-12.90	***	-13.02	***	0.09		-9.15	***	-9.30	***	0.09		
3rd	Park	-10.06	***	-10.16	***	0.06		-13.84	***	-13.84		0.27	***	
	Transit	-2.32		-3.24		0.17	**	-11.29	***	-11.30		0.04		
	Work	-2.56		-3.03		0.12	*	-9.19	***	-9.18	***	0.23	***	
	Residential	-2.39		-3.62		0.21	**	-9.45	***	-9.44	***	0.07		
	Electricity	-3.26	*	-5.19	***	0.21	**	-6.31	***	-6.40		0.11		
	Retail	-0.78		-9.98	***	0.33	***	-11.57		-11.71	***	0.13	*	
	Grocery	-11.01	***	-11.06	***	0.06		-10.68	***	-10.73	***	0.16	**	
4th	Park	-7.97	***	-8.34	***	0.14	*	-9.54	***	-9.61	***	0.27	***	
	Transit	-2.85	***	-8.86	***	0.30	***	-13.99	***	-13.98	***	0.21	*	
	Work	-2.33	***	-8.84	***	0.23	***	-10.72	***	-10.70	***	0.06		
	Residential	-1.56		-3.51		0.38	***	-14.37	***	-14.38	***	0.03		

Table 5. Unit-root tests.

Note: \*\*\*, \*\*, and \* denote significance at the 1%, 5%, and 10% levels, respectively. ADF, ZA, and KPSS represent the Augmented Dickey–Fuller, Zivot–Andrews, and Kwiatkowski–Phillips–Schmidt–Shin test statistics.

To determine whether a long-term relationship was sustained between the electricity demand and six human-mobility indices during the four SEO periods, the ARDL bound test for cointegration was conducted. Table 6 illustrates the results of this test. It is observable from the table that for all the models, the electricity demand and human-mobility indices had a cointegration relationship in all the SOE periods, suggesting the existence of a long-term relationship between these variables.

Table 6. ARDL bound test for cointegration.

	SO	E1	SO	E2	SO	E3	SOE4		
	F-st	at.	F-st	tat.	F-s	tat.	F-stat.		
Retail	4.82	**	9.32	***	4.81	**	5.01	**	
Grocery	5.38	**	6.80	***	8.26	***	7.97	***	
Park	12.53	***	6.39	***	7.21	***	9.54	***	
Transit	10.14	***	6.05	***	9.68	***	8.40	***	
Work	13.90	***	8.77	***	6.95	***	5.95	***	
Residential	9.94	***	8.00	***	5.89	***	10.07	***	

Note: \*\*\* and \*\* denote significance at the 1% and 5%, levels, respectively.

Table 7 shows the results of the ARDL long-term coefficient estimations. The table depicts whether the cointegration relationships were related to the effects of the six humanmobility indices. The results of the table imply that during the first SOE period, a percentage increase in the visits to park locations reduced the electricity demand by 1.64 GW, while an increase in the visits to transit stations and workplaces increased the electricity demand by 3.15 GW and 4.22 GW, respectively. It is also evident that a percentage increase in the hours spent in residential areas led to a 7.45-gigawatt decrease in electricity demand.

				SOE2			SOE3		SOE4			
	Coef.		t-stat.	Coef.		t-stat.	Coef.		t-stat.	Coef.		t-stat.
Retail	0.53		0.34	-6.66	*	-1.83	4.98		0.90	10.99	*	1.90
Grocery	-2.16		-0.79	-4.13		-1.09	8.88	***	2.80	16.99	***	4.13
Park	-1.64	**	-2.44	-3.66	*	-1.97	-0.16		-0.21	5.99	***	3.75
Transit	3.15	**	2.34	-2.44		-0.65	5.23	***	3.53	13.78	***	4.09
Work	4.22	***	5.47	1.67		1.64	3.09	**	2.23	4.87		1.39
Residential	-7.45	***	-3.31	-4.63		-1.21	-10.27	*	-1.67	-37.76	***	-3.23

Table 7. ARDL long-term coefficient estimations.

Note: \*\*\*, \*\*, and \* denote significance at the 1%, 5%, and 10% levels, respectively.

During the second SOE period, none of the human-mobility indices influenced the electricity demand, based on the 5% significance level. For the third SOE period, the human-mobility indices that became statistically significant all had a positive impact on the electricity demand. An increase in visits to groceries and pharmacies, transit stations, and workplaces all contributed to an increase in electricity demand. Finally, during the fourth SOE period, while groceries, parks, and transit stations had a positive impact on electricity demand, the hours spent at home had a negative impact on the demand. Intriguingly, while the park index had a negative impact during the first SOE, it became positive during the fourth SOE. This might have been related to the weakening of the effect of the SOE measure in the fourth SOE period. As shown in Table 3, the average residential index was lower, and the retail, grocery, transit, and work indices were higher in the fourth SOE compared to the first SOE, indicating that the effect of the SOE on reducing human mobility was weaker in the fourth SOE period.

Figure 3 summarizes the long-term impact of the human-mobility indices on the electricity demand, whose coefficients were statistically significant at the 5% level, as shown in Table 7. It is clear from the figure that changes in the hours spent in residential areas largely had an adverse effect on the electricity demand, while visits to transit stations had a positive impact on electricity demand in all three SOE periods. It is also evident from the results of the third and fourth SOE periods that the visits to grocery and pharmacy stores had the largest impact on boosting electricity demand among the six mobility indices.


Finally, Table 8 and Figure 4 depict the results of the ARDL short-term coefficient estimations. Figure 4 only presents the results when the coefficients for the human-mobility indices were statistically significant at the 5% level based on the results of Table 8. The short-term coefficients denote the effect of the daily change in the human-mobility indices on the daily change in electricity demand. It is observable from the table and figure that the impact of the grocery and park indices on electricity demand had opposite signs between the first and fourth SOEs. Daily changes in visits to grocery and park areas had a negative impact on electricity demand in the first SOE period, but this effect became positive in the fourth SOE. As explained in the long-term results, the reason for this difference is likely to have been the weakening in the effect of the SOE on the reduction in human mobility in the fourth SOE.

It is also noticeable from the ARDL short-term coefficient estimations that daily changes in the residential index had a positive influence on the electricity demand. This result is consistent with the findings of Bahmanyar et al. (2020), according to which an increase in the number of hours spent at home contributes to an increase in the domestic energy demand. However, we should be aware that the long-term impact of the increase in the number of hours spent at home had an adverse impact on the electricity demand. This negative long-term impact is likely to have been related to a decrease in the energy demand in other areas than the residential district, such as office buildings, restaurants, and recreational locations, outweighing the increase in domestic demand as the length of time spent at home extended.

	Retail		Grocery		Par	¢	Transit	t	Work		Residenti	al
SOE 1	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.
ΔHM Before After COVID–19	-0.652 32.673 20.381 -0.010	-0.87 1.17 1.07 -0.09	-1.347 ** 54.538 ** 29.100 * 0.036	-2.34 2.41 1.76 0.31	-0.713 *** 69.487 *** 34.125 ** 0.065	-3.14 3.90 2.33 0.63	3.077 *** 11.684 6.968 0.196 *	4.52 0.54 0.42 1.80	$\begin{array}{c} 0.062 \\ -14.414 \\ -4.650 \\ 0.105 \end{array}$	$0.12 \\ -0.58 \\ -0.26 \\ 0.99$	3.068 *** 0.233 4.489 0.060	3.01 0.01 0.27 0.62
SOE 2	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.
ΔHM Before After COVID–19	-3.279 *** 24.411 -27.462 0.006	-4.17 1.51 -1.49 0.40	-1.366 * 4.904 -39.095 ** 0.018	-1.89 0.38 -2.10 1.32	-1.304 *** 6.452 -26.302 0.013	$-3.75 \\ 0.52 \\ -1.43 \\ 0.98$	0.695 6.104 38.891 * 0.014	$0.78 \\ 0.46 \\ -1.83 \\ 0.92$	-0.483 0.561 -61.011 *** 0.031 **	$-1.08 \\ 0.04 \\ -3.47 \\ 2.28$	2.946 ** -2.777 -58.383 *** 0.028 **	2.57 -0.23 -3.34 2.13
SOE 3	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.
ΔHM Before After COVID–19	-3.161 *** -12.061 23.486 * -0.012	$-4.43 \\ -0.97 \\ 1.84 \\ -0.57$	-0.570 14.830 42.170 *** -0.019	-0.81 1.37 3.67 -1.05	-0.059 -0.340 42.277 *** -0.044 **	$-0.22 \\ -0.03 \\ 3.45 \\ -2.41$	1.183 -17.314 34.684 *** -0.016	$1.48 \\ -1.55 \\ 2.89 \\ -0.80$	-1.124 ** -3.315 36.915 *** -0.017	$-2.45 \\ -0.37 \\ 3.24 \\ -0.88$	3.765 *** -10.607 28.543 *** -0.013	$3.80 \\ -1.06 \\ 2.66 \\ -0.72$
SOE 4	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.	Coef.	t-stat.
ΔHM Before After COVID–19	-1.422 -14.603 -36.090 ** 0.006	$-1.46 \\ -1.06 \\ -2.15 \\ 1.14$	2.074 ** -7.699 -16.164 0.008	$2.10 \\ -0.52 \\ -1.00 \\ 1.63$	0.971 ** -1.239 -20.939 0.010 **	$2.53 \\ -0.08 \\ -1.34 \\ 2.04$	0.781 -32.673 ** -52.417 *** 0.009 *	$0.78 \\ -2.10 \\ -2.94 \\ 1.83$	-0.996 ** -19.621 -28.970 * 0.004	$-2.27 \\ -1.34 \\ -1.87 \\ 0.89$	1.894 30.368 ** 49.278 *** 0.011 **	$1.51 \\ -2.20 \\ -3.15 \\ 2.45$

Table 8. ARDL short-term coefficient estimations.

Note: \*\*\*, \*\*, and \* denote significance at the 1%, 5%, and 10% levels, respectively.



**Figure 3.** Long-term effects of human mobility change on electricity consumption. The figure presents those results that were significant at the 5% level in Table 7.




Figure 4. Short-term effects of human-mobility change on electricity consumption.

#### 5. Conclusions

To identify how the changes in human mobility during the COVID-19 pandemic affected energy consumption, this study investigated the relationship between the changes in the number of people's visits to various locations and electricity demand based on the case of Tokyo, Japan.

The study revealed that while an increase in the number of visits to groceries, pharmacies, and transit stations led to an increase in electricity demand, a rise in the hours people spent at home had a negative impact on electricity demand in the long run. Meanwhile, daily changes in the number of hours spent at home had a positive impact on daily changes in electricity demand, suggesting that there are times when domestic electricity demand contributed to increasing demand in the short run.

The study also demonstrated the differences in the effects of mobility changes on electricity demand among different SOE periods. While visits to park locations had a negative impact on electricity demand in both the long and short term during the first SOE period, they had a positive impact in the fourth SOE period. This result is likely to be related to the weakening in the effect of the SOE, since human mobility was higher, on average, in the fourth SOE period compared to the first SOE. This implies that when confinement measures become ineffective, electricity demand tends to increase along with human mobility.

Although further studies are required to identify the factors that lead to reductions in the electricity demand when hours spent at home increases during a SOE period, this study indicates that confining people to their homes for a certain period can contribute to reducing electricity demand. Thus, policies designed to shift people towards working from their homes when commuting to work is unnecessary might be an effective means through which to decrease energy consumption, and potentially, to help reduce greenhousegas emissions. Maintaining the energy balance between energy supply and demand is particularly important during crises and states of emergency, and this study provides useful information through which to understand how governmental regulation limiting human mobility can influence electricity demand. As the energy transition unfolds across the world, ensuring the optimization of integrated energy systems has never been more important; thus, the current study suggests that controlling human mobility could be one of the options through which policymakers could intervene in the energy-demand sector.

Funding: This research received no external funding.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

**Data Availability Statement:** The data source is explained in Section 2.

Conflicts of Interest: The author declares no conflict of interest.

#### References

- Archer, Cristina L., Guido Cervone, Maryam Golbazi, Nicolas Al Fahel, and Carolynne Hultquist. 2020. Changes in air quality and human mobility in the USA during the COVID-19 pandemic. Bulletin of Atmospheric Science and Technology 1: 491–514. [CrossRef]
- Aruga, Kentaka. 2021. Changes in Human Mobility under the COVID-19 Pandemic and the Tokyo Fuel Market. *Journal of Risk and Financial Management* 14: 163. [CrossRef]
- Aruga, Kentaka, Md Monirul Islam, and Arifa Jannat. 2020. Effects of COVID-19 on Indian energy consumption. *Sustainability* 12: 5616. [CrossRef]
- Aruga, Kentaka, Md Monirul Islam, and Arifa Jannat. 2021. Does staying at home during the COVID-19 pandemic help reduce CO<sub>2</sub> emissions? *Sustainability* 13: 8534. [CrossRef]
- Bahmanyar, Alireza, Abouzar Estebsari, and Damien Ernst. 2020. The impact of different COVID-19 containment measures on electricity consumption in Europe. *Energy Research & Social Science* 68: 101683. [CrossRef]
- Carvalho, Monica, Danielle Bandeira de Mello Delgado, Karollyne Marques de Lima, Marianna de Camargo Cancela, Camila Alves dos Siqueira, and Dyego Leandro Bezerra de Souza. 2021. Effects of the COVID-19 pandemic on the Brazilian electricity consumption patterns. *International Journal of Energy Research* 45: 3358–64. [CrossRef]
- Chowdhury, Romit, and Colin McFarlane. 2022. The crowd and citylife: Materiality, negotiation and inclusivity at Tokyo's train stations. *Urban Studies* 59: 1353–71. [CrossRef]
- D'Alessandro, Kelly, Andrew Chapman, and Paul Dargusch. 2021. The Impact of COVID-19 on Electricity Demand and Generation in Japan. *Sustainability* 13: 10836. [CrossRef]
- Google Inc. 2022. COVID-19 Community Mobility Reports. Available online: https://www.google.com/covid19/mobility (accessed on 21 September 2022).
- Hadjidemetriou, Georgios M., Manu Sasidharan, Georgia Kouyialis, and Ajith K. Parlikad. 2020. The impact of government measures and human mobility trend on COVID-19 related deaths in the UK. Transportation Research Interdisciplinary. *Perspectives* 6: 100167. [CrossRef]
- Institute for Urban Strategies. 2021. *Global Power City Index* 2021. Tokyo: The Mori Memorial Foundation: Available online: https://mori-m-foundation.or.jp/pdf/GPCI2021\_summary.pdf (accessed on 21 September 2022).
- Newey, Whitney K., and Kenneth D. West. 1987. A simple, positive semi-definite, heteroskedasticity and autocorrelation consistent covariance matrix. *Econometrica* 55: 703–8. [CrossRef]
- Orak, Nur H., and Ozancan Ozdemir. 2021. The impacts of COVID-19 lockdown on PM<sub>10</sub> and SO<sub>2</sub> concentrations and association with human mobility across Turkey. *Environmental Research* 197: 111018. [CrossRef] [PubMed]
- Pesaran, M. Hashem, Yongcheol Shin, and Richard J. Smith. 2001. Bounds testing approaches to the analysis of level relationships. Journal of Applied Econometrics 16: 289–326. [CrossRef]
- Rouleau, Jean, and Louis Gosselin. 2021. Impacts of the COVID-19 lockdown on energy consumption in a Canadian social housing building. *Applied Energy* 287: 116565. [CrossRef] [PubMed]
- Santamaria, Carlos, Francesco Sermi, Spyridon Spyratos, Stefano Maria Iacus, Alessandro Annunziato, Dario Tarchi, and Michele Vespe. 2020. Measuring the impact of COVID-19 confinement measures on human mobility using mobile positioning data. A European regional analysis. *Safety Science* 132: 104925. [CrossRef] [PubMed]
- Sifakis, Nikolaos, Maria Aryblia, Tryfon Daras, Stavroula Tournaki, and Theocharis Tsoutsos. 2021. The impact of COVID-19 pandemic in Mediterranean urban air pollution and mobility. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects* 27: 1–6. [CrossRef]
- TEPCO (Tokyo Electric Power Company). 2022. TEPCO Electricity Forecast. Available online: https://www.tepco.co.jp/en/forecast/ html/index-e.html (accessed on 21 September 2022).
- Wang, Qiang, and Fuyu Zhang. 2021. What does the China's economic recovery after COVID-19 pandemic mean for the economic growth and energy consumption of other countries? *Journal of Cleaner Production* 295: 126265. [CrossRef] [PubMed]